

119-137 Clifford Street • Newark, New Jersey, 07105
Tel: (973) 508-1400 • Fax: (973) 522-2009

PATIENT:

TOMAS GONZALEZ, SERGIO

FILE#:

042336

DOB:

02/06/1978

DOS:

06/21/2022

PHYSICIAN:

DR. KOPACH, ALEKSANDR

MRI OF THE RIGHT KNEE

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal images

Findings: The anterior and posterior horns of the medial and lateral menisci are normal in configuration. There is no acute medial or lateral meniscal tear. The cartilaginous surfaces in the medial and lateral compartments are intact.

There is partial tear of the anterior cruciate ligament. The posterior cruciate ligament is normal. The medial and lateral collateral ligaments are intact. There is a sprain of the medial collateral ligament. The quadriceps tendon and patellar tendons are normal.

Fluid is present in the suprapatellar bursa. There is no patellar fracture or dislocation. The medial and lateral patellar facets demonstrate normal cartilaginous thickness and retinacular attachments.

There are no acute femoral, tibial, or fibular fractures or acute osteochondral lesion.

The popliteus tendon is intact. The gastrocnemius muscles are normal in signal intensity. The popliteal fossa is unremarkable.

IMPRESSION:

- 1. PARTIAL TEAR OF THE ANTERIOR CRUCIATE LIGAMENT.
- 2. SPRAIN OF THE MEDIAL COLLATERAL LIGAMENT. 3. SUPRAPATELLAR AND INTRAARTICULAR JOINT EFFUSION.

Thank you for the courtesy of this referral.

**** Electronically Signed ****

Charles DeMarco, M.D.

Diplomate, American Board of Radiology