Page 1 of 2



30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	COAXUM, WILLIAM	EXAM DATE:	05/27/2022 10:04 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	COAW68172
DOB:	10/16/1956	REFERRING PHYSICIAN:	Mcgee, John J
CLINICAL HISTORY	C/O LT SHOULDER PAIN DUE TO MVA	GENDER	М

## MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Complains of left shoulder pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

## ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon. INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found, No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: Intact.

BICEPS TENDON: There is tenosynovitis of the extra articular long head of the biceps tendon.

18885260483



30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

EXAM DATE: 05/27/2022 10:04 AM COAXUM, WILLIAM PATIENT: COAW68172 MRI SHOULDER WITHOUT CONTRAST MRN: STUDY DESCRIPTION: REFERRING Mcgee, John J 10/16/1956 DOB: PHYSICIAN: M C/O LT SHOULDER PAIN DUE TO MVA GENDER CLINICAL HISTORY

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

## IMPRESSION:

- 1. Partial-thickness undersurface tear of the supraspinatus tendon.
- 2. Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.
- 3. Tenosynovitis of the extra articular long head of the biceps tendon.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 05/30/2022 12:53 AM