## UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

September 28, 2022

Office seen at: Chiro 4226 4226-A 3rd Ave Bronx, NY 10457 Phone# (718) 684-7676

Re: Cumanicho, Segundo

DOB: 06/14/1961 DOA: 06/04/2022

## INITIAL ORTHOPEDIC CONSULT EXAMINATION

**CHIEF COMPLAINT:** Right shoulder and left shoulder pain.

HISTORY OF PRESENT ILLNESS: A 61-year-old right-hand dominant male involved in a motor vehicle accident on 06/04/2022. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the rear side. The airbags did not deploy. The EMS did not arrive on the scene. The police were called to the scene of the accident. The patient did not go to any hospital that same day. The patient presents today complaining of right shoulder and left shoulder pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 3.5 months with no relief.

**WORK HISTORY:** The patient is currently working.

**PAST MEDICAL HISTORY:** Noncontributory. There is a previous history of MVA about 10 years ago.

PAST SURGICAL HISTORY: Noncontributory.

**DRUG ALLERGIES:** NO KNOWN DRUG ALLERGIES.

**MEDICATIONS:** The patient is taking pain medications p.r.n.

**SOCIAL HISTORY:** The patient is a nonsmoker. The patient does not drink alcohol. The patient does not use recreational drugs.

**ADL CAPABILITIES:** The patient states that he can walk for 1/2 block. He can stand for 5 minutes before he has to sit. He can sit for 5 minutes before needing to change positions

Cumanicho, Segundo September 28, 2022 Page 2 of 4

secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, and running errands.

**PRESENT COMPLAINTS:** Right shoulder: Right shoulder pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has weakness. The patient is able to reach overhead, able to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest.

Left shoulder: Left shoulder pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has weakness. The patient is able to reach overhead, able to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest.

**REVIEW OF SYSTEMS:** Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

**HEENT**: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

**Neuro:** No headaches, dizziness, vertigo or tremor.

**Respiratory:** No wheezing, coughing, shortness of breath or difficulty breathing. Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

**GI**: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits. **GU:** No blood in urine, painful urination, loss of bladder control or urinary retention.

**Hematology:** No active bleeding, bruising, anemia or blood clotting disorders. **Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

**PHYSICAL EXAMINATION:** The patient's height is 5 feet 6 inches, weight is 155 pounds, and BMI is 25. The right shoulder reveals tenderness to palpation over supraspinatus tendon region and AC joint. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 110/180 degrees, adduction 35/45 degrees, forward flexion 125/180 degrees, extension 45/60 degrees, internal rotation 40/90 degrees, and external rotation 55/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The left shoulder reveals tenderness to palpation over supraspinatus tendon region and AC joint. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 110/180 degrees, adduction 35/45 degrees, forward flexion 125/180

Cumanicho, Segundo September 28, 2022 Page 3 of 4

degrees, extension 45/60 degrees, internal rotation 40/90 degrees, and external rotation 55/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

**DIAGNOSTIC TESTING:** MRI of the right shoulder, done on 09/09/2022, shows supraspinatus tendinitis. Subscapularis tendinopathy. AC arthropathy. This contacts the musculotendinous junction of the supraspinatus muscle. Mildly curved acromion. These findings can predispose to clinical impingement. There is mild inflammation within the acromioclavicular joint. MRI of the left shoulder, done on 09/09/2022, shows supraspinatus tendinitis. Subscapularis tendinopathy with some intratendinous signal which could represent an intrasubstance tear. It does appear grossly intact. Small amount of fluid in the sub corticoid bursa and subscapularis recess. Small joint effusion. AC arthropathy. Curved acromion. There is moderate inflammation within the acromioclavicular joint. Bone marrow edema within the acromion and clavicular portion of the AC joint likely related to adjacent inflammation.

## **ASSESSMENT:**

- 1. S46.011A Partial rotator cuff tear, right shoulder.
- 2. M24.811 Internal derangement, right shoulder.
- 3. M75.81 Shoulder tendinitis, right shoulder.
- 4. M75.41 Impingement, right shoulder.
- 5. M25.511 Pain, right shoulder.
- 6. S49.91XA Injury, right shoulder.
- 7. M89.311 Acromioclavicular joint hypertrophy, right shoulder.
- 8. M25.411 Joint effusion, right shoulder.
- 9. S46.012A Partial rotator cuff tear, left shoulder.
- 10. M24.812 Internal derangement, left shoulder.
- 11. M75.82 Shoulder tendinitis, left shoulder.
- 12. M75.42 Impingement, left shoulder.
- 13. M25.512 Pain, left shoulder.
- 14. S49.92XA Injury, left shoulder.
- 15. M89.312 Acromioclavicular joint hypertrophy, left shoulder.
- 16. M25.412 Joint effusion, left shoulder.

## **PLAN:**

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for right shoulder and left shoulder.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for right shoulder and left shoulder 3 days/week.
- 6. Recommend steroid injections with pain management for right shoulder and left shoulder. The patient refuses due to side effects.
- 7. Discussed right shoulder and left shoulder arthroscopy versus conservative management with the patient. The patient refuses surgical intervention.
- 8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal

- derangement and other right shoulder and left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 10. All the benefits and risks of the right shoulder and left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 11. All the questions in regard to the procedure were answered.
- 12. Follow up on a p.r.n. basis.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C

MS/AEI

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon