



119-137 Clifford Street • Newark, New Jersey, 07105

Tel: (973) 508-1400 • Fax: (973) 522-2009

PATIENT: DOUMBIA, HOUSSENI
FILE#: 042264
DOB: 04/04/1984
DOS: 06/15/2022
PHYSICIAN: DR. CLARKE, COLIN

MRI OF THE RIGHT SHOULDER

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal images

Findings: The acromioclavicular joint is intact. There is undersurface hypertrophy impinging upon the supraspinatus muscle tendon complex.

There is tendinosis and partial tears of the bursal surface of the distal supraspinatus and infraspinatus tendons with fluid distending the glenohumeral joint and the subacromial/subdeltoid bursa. The subscapularis tendon is intact.

The humeral head is normal. There is no fracture or bone marrow edema. The long head of the biceps tendon is normally situated in the bicipital groove and surrounded by fluid.

The anterior and posterior labrum are intact. The inferior glenohumeral ligamentous complex is intact.

The visualized musculature is normal in signal intensity. There is no subcutaneous mass or abnormal fluid collection.

IMPRESSION:

1. TENDINOSIS AND PARTIAL TEARS OF THE SUPRASPINATUS AND INFRASPINATUS TENDONS WITH FLUID DISTENTION OF THE GLENOHUMERAL JOINT AND THE SUBACROMIAL/SUBDELTOID AND SUBSCAPULAR BURSAE.
2. BICEPS TENDINOSIS. NO FRACTURES OR ACUTE LABRAL TEAR.

Thank you for the courtesy of this referral.

**** Electronically Signed ****

Charles DeMarco, M.D.

Diplomate, American Board of Radiology