

170-10 Cedarcroft Road, Jamaica, NY 11432  
Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:	SOTO, VICTORIA	EXAM DATE:	10/28/2022 5:45 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	SOTV79427
DOB:	02/02/1991	REFERRING PHYSICIAN:	Levtsenko, Inna Np
CLINICAL HISTORY:	NF PAIN DUE TO ACCIDENT	GENDER	F

#### MAGNETIC RESONANCE IMAGING OF RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right shoulder was performed without intravenous contrast.

COMPARISON: None available.

#### FINDINGS:

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

#### ROTATOR CUFF:

SUPRASPINATUS: The supraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.


TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.



170-10 Cedarcroft Road, Jamaica, NY 11432  
Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:	SOTO, VICTORIA	EXAM DATE:	10/28/2022 5:45 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	SOTV79427
DOB:	02/02/1991	REFERRING PHYSICIAN:	Levtsenko, Inna Np
CLINICAL HISTORY:	NF PAIN DUE TO ACCIDENT	GENDER	F

**BICEPS TENDON:** Intact long-head of the biceps tendon.

**LABRUM/LIGAMENTS:** There is a tear of the superior glenoid labrum anterior to posterior (SLAP tear) with a partial tear of the biceps labral anchor complex (image 7, series 3).

**CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL:** Rotator interval is normal.

**GLENOHUMERAL CARTILAGE:** Subcortical cystic changes noted in the humeral head.

**SYNOVIUM/JOINT FLUID:** There is no joint effusion

**NEUROVASCULAR STRUCTURES:** Normal in course and caliber.

**PERIPHERAL SOFT TISSUES:** Normal.

**IMPRESSION:**

1. Type II SLAP tear.
2. Subcortical cystic changes in the humeral head.
3. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Naiyer  
Digitally Signed Date: 10/29/2022 6:23 AM