

170-10 Cedarcroft Road, Jamaica, NY 11432 Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:

DESCRIPTION:

MARCHAN, CLAUDIA

EXAM DATE:

10/28/2022 6:38 PM

STUDY

MRI SHOULDER WITHOUT CONTRAST

MRN:

MARC79432

DOB:

04/07/1988

REFERRING PHYSICIAN: Levtsenko, Inna Np

CLINICAL HISTORY:

NF PAIN DUE TO ACCIDENT

GENDER

'⊨

.....

MAGNETIC RESONANCE IMAGING OF RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon (image 9, series 3).

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.


TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.



170-10 Cedarcroft Road, Jamaica, NY 11432 Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:

MARCHAN, CLAUDIA

EXAM DATE:

10/28/2022 6:38 PM

STUDY

DESCRIPTION:

MRI SHOULDER WITHOUT CONTRAST

MRN:

MARC79432

DOB:

04/07/1988

REFERRING PHYSICIAN: Levtsenko, Inna Np

CLINICAL HISTORY:

NF PAIN DUE TO ACCIDENT

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

GENDER

F

BICEPS TENDON: There is tenosynovitis of the extra articular long head of the biceps tendon.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: There is no joint effusion

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

- 1. Partial-thickness undersurface tear of the supraspinatus tendon.
- 2. Tenosynovitis of the extra articular long head of the biceps tendon.
- 3. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 10/30/2022 9:37 PM