U.K. Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 usinhaorthopedics@gmail.com

May 25, 2022

Office seen at: Bronx County Medical Care PC 4014A Boston Rd Bronx, NY 10475 Phone# (718) 346-6580

Re: McClymont, Neil

DOB: 08/21/1997 DOA: 12/15/2021

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder pain.

HISTORY OF PRESENT ILLNESS: A 24-year-old left-hand dominant male involved in a motor vehicle accident on 12/15/2021. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the front side. The airbags deployed. The EMS did not arrive on the scene. The police were not called to the scene of the accident. The patient was transported via ambulance to Montefiore Medical Center and was treated and released the same day. The patient presents today complaining of left shoulder pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 6 months with good relief.

WORK HISTORY: The patient is currently not working.

PAST MEDICAL HISTORY: Noncontributory.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking pain medications p.r.n.

SOCIAL HISTORY: The patient is a nonsmoker. The patient drinks alcohol socially. The patient does use recreational drugs.

ADL CAPABILITIES: The patient states that he can walk for 10 blocks. He can stand without any issues before he has to sit. He can sit without any issues before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: driving, lifting heavy objects, carrying heavy

McClymont, Neil May 25, 2022 Page 2 of 2

objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 2/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient is unable to reach overhead and unable to reach behind the back. Worse with range of motion and improves with rest, medication, and physical therapy.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing. **Cardiovascular:** No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits. **GU**: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders. **Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 11 inches, weight is 170 pounds, and BMI is 24.4. The left shoulder is nontender. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 160/180 degrees, adduction 40/45 degrees, forward flexion 155/180 degrees, extension 55/60 degrees, internal rotation 75/90 degrees, and external rotation 70/90 degrees. Internal rotation to the mid back. The patient has no motor or sensory deficit of the left upper extremity.

DIAGNOSTIC TESTING: MRI of the left shoulder, done on 01/23/2022, shows bone bruise in the greater tuberosity of humerus. Inferior osteophytes at the acromioclavicular joint with downsloping acromion. Tendinopathy and tear of the supraspinatus tendon. Tendinopathy and partial tear of the subscapularis tendon. Tear of the inferior glenoid labrum. Effusion. Biceps tendinopathy.

ASSESSMENT:

- 1. S46.012A Partial rotator cuff tear, left shoulder.
- 2. M24.812 Internal derangement, left shoulder.
- 3. M75.82 Shoulder tendinitis, left shoulder.
- 4. S43.432A Labral tear, left shoulder.
- 5. M75.22 Bicipital tendinitis, left shoulder.
- 6. M25.512 Pain, left shoulder.
- 7. S49.92XA Injury, left shoulder.

McClymont, Neil May 25, 2022 Page 2 of 2

- 8. M89.312 Acromioclavicular joint hypertrophy, left shoulder.
- 9. M25.412 Joint effusion, left shoulder.
- 10. Type 2 acromion, left shoulder.

PLAN:

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for left shoulder.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for left shoulder 3 days/week.
- 6. Recommend steroid injections with pain management for left shoulder. The patient refuses due to side effects.
- 7. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient wants to think about surgery.
- 8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 10. All the benefits and risks of the left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 11. All the questions in regard to the procedure were answered.
- 12. Follow up in 4 weeks.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C	Upendra K. Sinha, MD
MS/AFI	_