Status	Finished
Started	Friday, 30 October 2026, 4:38 PM
Completed	Friday, 30 October 2026, 4:47 PM
Duration	9 mins 10 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To write data to a file
b. To read data from a file
c. To delete a file
d. To automatically close the file after its suite finishes ✓

The correct answer is: To automatically close the file after its suite finishes

Question **2**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write, w+ is for append only
b. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
c. r+ is for binary read and write, w+ is for text read and write
d. r+ is for read and append, w+ is for read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. resize()
c. shrink()
d. truncate() ✓

The correct answer is: truncate()

Question **4**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the entire content of the file ✓

b. Prints an error message

c. Prints the first 10 characters of the file

d. Prints each line of the file

The correct answer is: Prints the entire content of the file

Question **5**

Incorrect

Mark 0.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored ✗

b. A new file is created

c. An error is raised

d. An empty file object is returned

The correct answer is: An error is raised

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode

b. Appends "Adding new data" to the end of the file ✓

c. Opens the file in read mode

d. Overwrites the file with "Adding new data"

The correct answer is: Appends "Adding new data" to the end of the file

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. current()
b. tell() ✓
c. position()
d. locate()

The correct answer is: tell()

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. tell()
b. seek() ✓
c. ftell()
d. fseek()

The correct answer is: seek()

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. read()
b. readline(size)
c. readline() ✓
d. readlines()

The correct answer is: readline()

Question **10**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. space

b. \t

c. ,

d. \n ✓

The correct answer is:
\n

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Program

b. Python ✓

c. An error is raised

d. Python Programming

The correct answer is: Python

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello

b. An error is raised

c. Hello, world! ✓

d. world

The correct answer is: Hello, world!

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. insert()

b. append()

c. write() ✓

d. read()

The correct answer is: write()

Question **14**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The size of the file

b. The encoding format of the file ✓

c. The buffer size

d. The mode of the file

The correct answer is: The encoding format of the file

Question **15**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

- a. tells you the current position within the file ✓
- b. tells you the end position within the file
- c. none of the mentioned
- d. tells you the file is opened or not

The correct answer is:
tells you the current position within the file

Status	Finished
Started	Sunday, 1 November 2026, 9:10 PM
Completed	Sunday, 1 November 2026, 9:17 PM
Duration	6 mins 25 secs
Grade	**10.00** out of 10.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to reverse.
2. **Output:**
   - The updated file with the specified line's contents reversed in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  3

Output:

Line one.
Line two.
eerht eniL.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	3
		Line one.
		Line two.
		eerht eniL.
		Line four.

Answer: (penalty regime: 0 %)

```
filename = input().strip()
n = int(input())

with open(filename, 'r') as f:
    lines = f.read().split('\n')

# remove a trailing empty item caused by a final newline
if lines and lines[-1] == '':
    lines.pop()

if 1 <= n <= len(lines):
    line = lines[n - 1]
    end = len(line)
    while end > 0 and not line[end - 1].isalnum() and line[end - 1] != ' ':
        end -= 1
    lines[n - 1] = line[:end][::-1] + line[end:]

with open('output.txt', 'w') as f:
    f.write('\n'.join(lines))
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		3
			Line one.
			Line two.
			eerht eniL.
			Line four.
				Line one.
				Line two.
				eerht eniL.
				Line four.
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		2
			Line A.
			B eniL.
			Line C.
				Line A.
				B eniL.
				Line C.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Develop a Python program to copy the contents of one file to another file.

Description:

1. **Input:**
   - Source file and destination file names.
2. **Output:**
   - The content of the source file copied to the destination file.

For example:

Test	Input	Result

`with open('output1.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	output1.txt
		This is the source file.
		It contains multiple lines of text.
		Here is another line.

Answer: (penalty regime: 0 %)

```
src = input().strip()
dst = input().strip()

with open(src, 'r') as f:
    content = f.read()

with open(dst, 'w') as f:
    f.write(content)
```

	Test	Input	Expected	Got	

✓	`with open('output1.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		output1.txt
			This is the source file.
			It contains multiple lines of text.
			Here is another line.
				This is the source file.
				It contains multiple lines of text.
				Here is another line.
					✓

✓	`with open('output2.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		output2.txt
			Hello, world!
			Python programming is amazing.
			Let's copy this text to another file.
				Hello, world!
				Python programming is amazing.
				Let's copy this text to another file.
					✓

✓	`with open('output3.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input3.txt
		output3.txt
			Single line.	Single line.	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a specific line from a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to read.
2. **Output:**
   - The content of the specified line.

input1.txt:

Line one.
Line two.
Line three.
Line four.

For example:

Input	Result
input1.txt 3	Line three.

Answer: (penalty regime: 0 %)

```
filename = input().strip()
n = int(input())

with open(filename, 'r') as f:
    lines = f.read().split('\n')

if 1 <= n <= len(lines):
    print(lines[n - 1])
else:
    print("Line number out of range")
```

	Input	Expected	Got	
✓	input1.txt 3	Line three.	Line three.	✓
✓	input2.txt 3	Line C.	Line C.	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

Create a Python program to find the longest word in a text file.

- **Input:**
  - A text file containing multiple lines of text.
- **Output:**
  - The longest word in the file.

For example:

Input	Result
input1.txt	Longest word: containing

Answer: (penalty regime: 0 %)

```
filename = input().strip()

with open(filename, 'r') as f:
    text = f.read()

longest = ""
for word in text.split():
    word = "".join(ch for ch in word if ch.isalnum())
    if len(word) > len(longest):
        longest = word

print("Longest word:", longest)
```

	Input	Expected	Got	
✓	input1.txt	Longest word: containing	Longest word: containing	✓
✓	input2.txt	Longest word: thousand	Longest word: thousand	✓
✓	input3.txt	Longest word: supercalifragilisticexpialidocious	Longest word: supercalifragilisticexpialidocious	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Create a Python program to delete a specific line from a text file based on a given line number.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to delete.
2. **Output:**
   - The updated file with the specified line removed in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  2

  Updated line two.

Output:

Line one.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt
	2
		Line one.
		Line three.
		Line four.

Answer: (penalty regime: 0 %)

```
filename = input().strip()
n = int(input())

with open(filename, 'r') as f:
    lines = f.read().split('\n')

# drop the empty item left by a final newline
if lines and lines[-1] == '':
    lines.pop()

if 1 <= n <= len(lines):
    del lines[n - 1]

with open('output.txt', 'w') as f:
    f.write('\n'.join(lines))
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		2
			Line one.
			Line three.
			Line four.
				Line one.
				Line three.
				Line four.
					✓

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		3
			Line A.
			Line B.
				Line A.
				Line B.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to insert the new line at.
   - New content for the new line.
2. **Output:**
   - The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  3

  Inserted line..

Output:

Line one.
Line two.
Inserted line.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`3`
	`Inserted line.`
		`Line one.`
		`Line two.`
		`Inserted line.`
		`Line three.`
		`Line four.`

Answer: (penalty regime: 0 %)

```
filename = input().strip()
n = int(input())
new_line = input()

with open(filename, 'r') as f:
    lines = f.read().split('\n')

# drop the empty item left by a final newline
if lines and lines[-1] == '':
    lines.pop()

lines.insert(n - 1, new_line)

with open('output.txt', 'w') as f:
    f.write('\n'.join(lines))
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		3
		Inserted line.
			Line one.
			Line two.
			Inserted line.
			Line three.
			Line four.
				Line one.
				Line two.
				Inserted line.
				Line three.
				Line four.
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		4
		Inserted line D.
			Line A.
			Line B.
			Line C.
			Inserted line D.
				Line A.
				Line B.
				Line C.
				Inserted line D.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a text file and count the total number of words in the file.

Description:

1. **Input:**
   - A text file containing several lines of text.
   - File name you should get as input.
2. **Output:**
   - The total number of words in the file.

For example:

Input	Result
input2.txt	Total words: 14
input3.txt	Total words: 15

Answer: (penalty regime: 0 %)

```
filename = input().strip()

with open(filename, 'r') as f:
    text = f.read()

print("Total words:", len(text.split()))
```

	Input	Expected	Got	
✓	input1.txt	Total words: 6	Total words: 6	✓
✓	input2.txt	Total words: 14	Total words: 14	✓
✓	input3.txt	Total words: 15	Total words: 15	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Develop a Python program to identify and print all palindrome words from a given text file.

Description:

1. **Input:**
   - A text file containing multiple words.
2. **Output:**
   - A list of palindrome words found in the file name as 'output.txt'.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	input1.txt	madam
		arora
		malayalam

Answer: (penalty regime: 0 %)

```
filename = input().strip()

with open(filename, 'r') as f:
    text = f.read()

result = []
for word in text.split():
    w = "".join(ch for ch in word if ch.isalnum())
    if len(w) > 1 and w.lower() == w.lower()[::-1]:
        result.append(w)

with open('output.txt', 'w') as f:
    f.write('\n'.join(result))
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt	madam
			arora
			malayalam
				madam
				arora
				malayalam
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **9**

Correct

Mark 1.00 out of 1.00

Write a Python program to count the frequency of each word in a given text file.

Description:

1. **Input:**
   - String as input.
2. **Output:**
   - A list of words with their corresponding frequency count to be write in a file "output.txt"

Example:

- **Input File Content:**

  apple orange apple banana apple orange

Output:

apple: 3
orange: 2
banana: 1

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`apple orange apple banana apple orange`	`apple: 3`
		`banana: 1`
		`orange: 2`

Answer: (penalty regime: 0 %)

```
text = input()

freq = {}
for word in text.split():
    w = "".join(ch for ch in word.lower() if ch.isalnum())
    if w:
        freq[w] = freq.get(w, 0) + 1

with open('output.txt', 'w') as f:
    f.write('\n'.join(f"{w}: {freq[w]}" for w in sorted(freq)))
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`apple orange apple banana apple orange`	`apple: 3`
			`banana: 1`
			`orange: 2`
				`apple: 3`
				`banana: 1`
				`orange: 2`
					✓

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`Hello world! Hello everyone. Welcome to the world of programming.`	`everyone: 1`
			`hello: 2`
			`of: 1`
			`programming: 1`
			`the: 1`
			`to: 1`
			`welcome: 1`
			`world: 2`
				`everyone: 1`
				`hello: 2`
				`of: 1`
				`programming: 1`
				`the: 1`
				`to: 1`
				`welcome: 1`
				`world: 2`
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		`One fish two fish Red fish blue fish`	`blue: 1`
			`fish: 4`
			`one: 1`
			`red: 1`
			`two: 1`
				`blue: 1`
				`fish: 4`
				`one: 1`
				`red: 1`
				`two: 1`
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **10**

Correct

Mark 1.00 out of 1.00

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

Description:

1. **Input:**
   - A text file with multiple lines.
   - A line number to write to.
   - New content for the specified line.
2. **Output:**
   - The updated file with the specified line replaced by the new content in file "output.txt".

Example:

- **Input File Content:**

  "Line one.
  Line two.
  Line three.
  Line four."
  2

  Updated line two.

Output:

Line one.
Updated line two.
Line three.
Line four.

For example:

Test	Input	Result

`with open('output.txt', 'r') as file:`
`  text = file.read()`
`  print(text)`
	`input1.txt`
	`2`
	`Updated line two.`
		`Line one.`
		`Updated line two.`
		`Line three.`
		`Line four.`

Answer: (penalty regime: 0 %)

```
filename = input().strip()
n = int(input())
new_line = input()

with open(filename, 'r') as f:
    lines = f.read().split('\n')

# drop the empty item left by a final newline
if lines and lines[-1] == '':
    lines.pop()

if 1 <= n <= len(lines):
    lines[n - 1] = new_line

with open('output.txt', 'w') as f:
    f.write('\n'.join(lines))
```

	Test	Input	Expected	Got	

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input1.txt
		2
		Updated line two.
			Line one.
			Updated line two.
			Line three.
			Line four.
				Line one.
				Updated line two.
				Line three.
				Line four.
					✓

✓	`with open('output.txt', 'r') as file:`
	`  text = file.read()`
	`  print(text)`
		input2.txt
		2
		Line B Updated.
			Line A.
			Line B Updated.
			Line C.
				Line A.
				Line B Updated.
				Line C.
					✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.