KNOWLEDGE SHARING SESSION

System 1 Decision Models

Presented By,
NILEENA A N

Chat models write. Software has to decide.

Routing

Which queue should receive this ticket?

Priority

Is this request urgent?

Safety

Should this tool call pause for approval?

A decision layer - Instead of generating language for a person to interpret, they aim to produce structured decisions that software can directly use.

System One Decision Models

A specialized class of artificial intelligence models designed to make fast, structured, and probabilistic judgments about data rather than generating open-ended text

Why “System One”?

System 1 (fast)

Intuitive,
Automatic,
Immediate

Gives a quick judgment with little deliberation.

System 2 (slow)

Deliberate,
Step-by-step reasoning.

Good for open-ended problems and explanations.

State in, typed answers out

1 · State

Text, JSON or array of text. Send the smallest useful context.

2 · Questions

Choice, Score or Noul, each with an ID and clear criteria.

3 · Answers

Keyed by your IDs, with probabilities and confidence.

4 · Your code

Thresholds, permissions, retries, routing, final action.

Three decision primitives

Choice

Select one item from approved options.

Score

Rate on an ordered rubric, such as low to high urgency.
Returns weighted score, per-level probabilities, confidence.

Noul

Is this statement true?
Returns a yes probability between 0 and 1, for example “needs a human?”.

Jev and generative LLMs are complementary

	Jev (System One)	Generative LLM
Primary job	Bounded decisions for applications	Language, code, open-ended reasoning
Interface	State plus typed questions	Prompt + context
Output	Choice, score, probabilities, confidence	Text, or parsed structured content
Uncertainty	Exposed with every answer	Needs extra prompting or evaluation
Best fit	Routing, triage, scoring, guardrails	Writing, explanation, planning

The question is not which model is smarter, but which part of the workflow needs which kind of output.

Confidence is a signal, not permission

High signal, low risk

Automate, and sample results for monitoring.

Medium signal or risk

Ask for confirmation, enrich state, or run a second check.

Low signal or high risk

Stop, ask for clarification, or send to a person.

- Version Thresholds
- Measure Calibration
- Set hard rules for sensitive actions

When to use it

Good fit

Routing, Triage, Scoring, Tagging, Guardrails, Real-time and high-volume decisions.

Use Other models

Long explanations, emails, code patches, open-ended plans, and rules plain code can express.

THANK YOU