```jsx
1   import React, { useState } from "react";
2   import { Link } from "react-router-dom";
3   import { FaSearch } from "react-icons/fa";
4   import { CgChevronDown } from "react-icons/cg";
5   import { GrLanguage } from "react-icons/gr";
6   import { FaBars } from "react-icons/fa";
7   import { CgClose } from "react-icons/cg";
8
9   const navData = [
10    { title: "Home", linkTo: "/" },
11    { title: "News", linkTo: "news" },
12    { title: "Gallery", linkTo: "gallery" },
13  ];
14
15  const NavDataContatc = [
16    { title: " Contact", linkTo: "/" },
17    { title: " Login", linkTo: "Login" },
18    { title: "Registur", linkTo: "Registur" },
19  ];
20  const Header = () => {
21    const [open, setopen] = useState(false);
22    const [openT, setopenT] = useState(false);
23    return (
24      <div className="w-full bg-slate-100">
25        <div
26          onClick={() => setopen(!open)}
27          className="block sm:hidden text-primary"
28        >
29          {open ? <CgClose /> : <FaBars />}
30        </div>
31
32        <div className="gird grid-cols-2">
33          <img className="w-[200px] " src=" public/images/firstimg.webp" alt="" />
34          <div className="sm:w-full flex  p-10 gap-2 text-center ">
35            <ul className={`flex flex-col sm:flex-col gap-x-3  py-2 ${
36              open ? "block" : "hidden sm:flex"
37            }`}>
38              {NavDataContatc.map((item, i) => (
39                <Link to={item.linkTo} key={i}>
40                  <li onClick={() => setopen(!open)}>{item.title}</li>
41                </Link>
42              ))}
43            </ul>
44          </div>
45        </div>
46
47        <div className=" ">
48          <nav className=" ">
49            <ul>
50              {navData.map((item, i) => (
51                <Link to={item.linkTo} key={i}>
52                  <li onClick={() => setopenT(open)}>{item.title}</li>
53                </Link>
54              ))}
55            </ul>
56            {/* <div className="Serchbutton ">
57              {" "}
58              <FaSearch className=" ml-72  font-bold text-2xl" />{" "}
59              <div className="buttonserch">
60                <button className="bg-black text-white w-96 mt-5">
61                  serch...
```

```
62              </button>
63            </div>
64          </div> */}
65        </nav>
66      </div>
67    </div>
68  );
69 };
70 export default Header;
71
```