DBT Mock Paper 03

1. The relational model is based on the concept that data is organized and stored in two-dimensional tables called _____.

A. Fields
B. Records
C. Relations
D. Keys

2. The referential integrity is established by providing _____ key.

A. primary
B. foreign
C. composite
D. standard

3. Null values can be associated with these elements _____.

A. indexes
B. views
C. tables
D. data types

4. ACID properties are the key for _____ kind of databases.

A. relational
B. fractional
C. network
D. hierarchal

5. _____ process is also called as decomposition of the database design.

A. Normalization
B. Parallelization
C. Fragmentation
D. Implementation

6. _____ activity is related to the Transaction processing.

A. Design
B. Implementation
C. Installation
D. Commit

7. _____ contains a complete record of all activity that affected the contents of a database during a certain period of time?

A. Data manipulation language
B. Report writer
C. Data query language
D. Transaction log

8. In the Database Management System approach, application programs perform the _____.

A. access control
B. processing functions
C. storage function
D. All of the above

9. What is the disadvantage of the file system to store the data?

A. Difficult to access the data
B. Data Isolation
C. Data inconsistency and redundancy
D. All the above

10. Which of the following is not the Schema?

A. Physical Schema
B. Logical Schema
C. Critical Schema
D. Database Schema

11. A type of query entered in 'WHERE' or 'HAVING' clause of another query is called _____.

A. Master query
B. Query
C. Superquery
D. Subquery

12. Which one is the correct sequence of query execution?

A. Select > Where > From > Group by
B. Select > From > Group by > Where
C. Select > From > Where > Group by
D. Select > Group By > From > Where

13. Which clause use to get the filtered data from the database?

A. From
B. Select
C. Having
D. Where

14. _____ diagrammatic representation is useful for data modeling of the system.

A. CLD
B. DFD
C. ERD
D. DTD

15. Which of the following join requires only one table?

A. Self
B. Inner
C. Outer
D. Right

16. Which of the following built-in domain type doesn't support by SQL?

A. Char
B. Varchar
C. Text
D. Numeric

17. _____ concentrate on integrity constraints.

A. Data Definition Language (DDL)
B. Data Manipulation Language (DML)
C. Data Transactional Language (DTL)
D. Structural Query Language (SQL)

18. _____ defines storage and access methods to it.

A. Designer
B. Developer
C. Implementer
D. Administrator

19. Which character function can be used to return a specified portion of a character string?

A. INSTR
B. SUBSTRING
C. SUBSTR
D. POS

20. What will be the output of the following code snippet?

```
mysql> CREATE TABLE account (acct_num INT, amount DECIMAL(10,2));
mysql> CREATE TRIGGER ins_sum BEFORE INSERT ON account
       FOR EACH ROW SET @sum = @sum + NEW.amount;
mysql> SET @sum = 0;
mysql> INSERT INTO account VALUES(137,15.98),(141,1937.30),(97,-10.00);
mysql> SELECT @sum AS 'Total amount inserted';
```

A. Compiler Error
B. 1963.28
C. 1943.28
D. 2338.28

21. To pass on granted privileges to other user the _____ clause is used.

A. Create option
B. Grant option
C. Update option
D. Select option

22. A _____ is any set of attributes that, when taken together, uniquely identify rows in the table.

A. Primary key
B. Candidate key
C. Alternate key
D. Super key

23. The SQL statement,
SELECT SUBSTR('123456789', INSTR('aabbccb','b'), 4) FROM EMP;
Will print

A. 6789
B. 3456
C. 1234
D. 3456789

24. _____ sql command can be used to modify present data in a database table?

A. MODIFY
B. UPDATE
C. CHANGE
D. NEW

25. The entity integrity rule says _____.

A. No primary key attribute can be null.
B. Referential integrity must be maintained across all entities.
C. Each entity must have a primary key.
D. A primary key must have only one attribute.

26. What will happen when we execute following query?
Select * from Employee where salary = 5000 for update wait 60;

A. Throws Error, if the same record getting update
B. Select the record where salary = 5000
C. Will wait for 60 seconds and then abort.
D. None of the above

27. _____ part of the package can contain additional sub programs.
A. Specification
B. Body
C. Begin
D. Start

28. The package sub programs can be subjected to _____.
A. Constructor
B. Overloading
C. Overriding
D. Destructor

29. Which one below used in programming to access multiple records of data?

A. PL/SQL Cursors
B. PL/SQL Trigger
C. PL/SQL Select
D. PL/SQL Process

30. What is the output of the following code?

```
BEGIN
DECLARE  grade char(1);
set grade =  'B';
  case
    when grade = 'A' then Select 'Excellent' ;
    when grade = 'B' then Select 'Very good' ;
    when grade = 'C' then Select 'Well done' ;
    when grade = 'D' then Select 'You passed' ;
    when grade = 'F' then Select 'Better try again';
    else Select 'No such grade';
  end case;
END;
```

A. It has syntax error, so there will not be any output.
B. B
C. Very good
D. No such grade

31. Which of the following is true about the following code snippet?

```
mysql> delimiter //
mysql> CREATE PROCEDURE dorepeat(p1 INT)
  -> BEGIN
  ->  SET @x = 0;
  ->  REPEAT SET @x = @x + 1; UNTIL @x > p1 END REPEAT;
  -> END
  -> //
mysql> delimiter ;
mysql> CALL dorepeat(1000);
```

A. 1001
B. 1000
C. It has syntax error
D. None of the above.

32. A subprogram can be created _____.

A. At schema level.
B. Inside a package.
C. Inside a PL/SQL block.
D. All of the above.

33. What would be the output of the following code, when we call the procedure?

```
DELIMITER //
CREATE PROCEDURE test_Variables()
BEGIN
DECLARE a INT DEFAULT 100;
DECLARE b, c INT;
SET a = a - 100;
SET b = 2;
SET c = a + b;
BEGIN
DECLARE c INT;
SET c = 5;
SELECT a, b, c;
END;
SELECT a, b, c;
END//
```

A. It has syntax error
B. 0, 2, 5 and 0, 2, 102
C. 0, 0, 5 and 0, 2, 102
D. 0, 2, 5 and 0, 2, 2

34. Which of the following is the mandatory step for creating a cursor?

I) Declare a cursor.
II) Fetch the data into variables.
III) Open a cursor.
Iv) Close the cursor when done.

A. I, III, II, Iv
B. One more mandatory step is missing
C. I, III, II
D. I, II, Iv

35. In _____, transaction will not read any uncommitted data of any other transaction.

A. Sequence
B. Package
C. Body
D. Rollback

36. Which operations cannot be performed on cursor expressions?

A. BIND
B. EXECUTES
C. Both A & B
D. None of the above

37. Point out the FALSE statement about the NoSQL:

A. Non-Relational databases require that schemas to be defined before you add data.
B. NoSQL databases are built to allow the insertion of data without a creating schema.
C. NoSQL databases are built to allow the different insertion of data in a same schema
D. All of the mentioned

38. NoSQL databases are mainly used for handling of _____ data.

A. Unstructured
B. Structured
C. Semi-structured
D. All of the mentioned

39. What is used in NoSQL to store information about networks, such as social connections?

A. Document
B. Wide-column
C. Key-value
D. Graph

40. _____ node manages the data storage in NoSQL.

A. Intermediate
B. Master
C. Backup
D. Replication