

Question 2

131s0 pts

Which of the following is true?

☐ A. L2 cache is implicitly enabled in hibernate.

☐ B. Query level cache is implicitly enabled in hibernate.

☒ C. L1 cache is implicitly enabled in hibernate.

☐ D. All of above

Correct Answers

Your Answers

PREV

NEXT

Question 4

111s0 pts

Given in test.jsp

```
<jsp:useBean id="trader" class="beans.Trader" scope="session"/>
<jsp:setProperty name="trader" property=""/>
In Trader bean class, 3 setter methods exist setName, setPrice, setExpiry
If client sends a request with URL
http://host:port/test_web/one.jsp?fi=vegetables&price=2006&expiry=2019-12-31
How many setters will be called by web container?
```

☐ 0

☒ 1

☐ 2

☐ 3

Correct Answers

Your Answers

PREV

NEXT

61°F Clear Search [Taskbar icons: File Explorer, Microsoft Edge, Word, PowerPoint, Outlook, Teams, OneDrive, etc.] ENG IN 12:19 AM 12-02-2023

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253... A^

Disney+ Hotstar ... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 8  7.8s 0 pts

Which of the following is a super interface of all Servlets?

- ☐ GenericServlet
- ☒ Servlet
- ☐ HttpServlet
- ☐ None of the above

☒ Correct Answers ☐ Your Answers  PREV  NEXT 

61°F Clear

Search

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253... A^

Disney+ Hotstar ... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 9  139.5s 0 pts

ServiceLayer obj = context.getBean(ServiceLayer.class); In spring, this line means

- ☐ We are creating an object of class ServiceLayer
- ☐ We are calling the non-static function called ServiceLayer
- ☐ We are accessing a non-static function of ServiceLayer
- ☒ We are getting the object created by Spring.

☒ Correct Answers ☐ Your Answers  PREV  NEXT 

61°F Clear

Search

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

12:19 AM  
12-02-2023

Question 10 ✖ 18.3s 0 pts

Spring related libraries typically come in:

- ☐ Jar files.
- ☒ Jar files
- ☐ War files
- ☐ None of the above.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 16 ✖ 89.6s 0 pts

What can be said regarding saveOrUpdate method of hibernate?

- ☐ A. It can cause a transition from transient to persistent entity.
- ☐ B. It cause a transition from detached to persistent entity
- ☒ C. A & B
- ☐ D. It causes a transition from persistent to detached entity.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 17 ✖ ⌚ 217s 📄 0 pts

First Level cache and second level cache are words used during.

- ☐ Web applications JSP or java.
- ☒ Hibernate.
- ☐ HTML
- ☐ None of the above.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 19 ✖ ⌚ 321s 📄 0 pts

Which of the following statements is true about the load() method of Hibernate Session?

- ☒ A: Returns a proxy by default
- ☐ B: Returns null, if entity is not found
- ☐ C: Load method is unsupported
- ☐ D: Load method will always use eager fetching policy.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 20 ✖ 144s 0 pts

In Front Controller based MVC, what is the role of front controller?

- ☐ Business Logic
- ☐ Presentation Logic
- ☒ Centralized dispatcher
- ☐ UI

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 21 ✖ 142s 0 pts

An annotation @WebServlet is used at:

- ☒ Class level.
- ☐ Variable level.
- ☐ Package level
- ☐ It None of the above.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 23 ✖ 19.6s 0 pts

HttpSession in servlet is got is got by using.

- ☒ HttpServletRequest
- ☐ HttpServletResponse
- ☐ RequestDispatcher
- ☐ All of the above

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 24 ✖ 21.5s 0 pts

Lib folder of typically jee web application, is present in

- ☒ inside web-inf folder
- ☐ outside web-inf folder
- ☐ in tomcat bin folder
- ☐ none of the above.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

OS Qu... Bubble | Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS... CPOS... CPOS... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail... YouTube... Maps... Play Breaklock Puzz... locator... Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 26 ✖ ⌚ 16.6s 📄 0 pts

Which of the following is true in spring framework?

- ☐ A: Automatic wiring is not supported
- ☐ B: Metadata to spring container can be supplied only using XML tags
- ☒ C: Spring container invokes destroy method of singleton beans
- ☐ D: Spring container doesn't invoke init method of prototype scoped beans

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

61°F Clear

Search

OS Qu... Bubble | Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS... CPOS... CPOS... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail... YouTube... Maps... Play Breaklock Puzz... locator... Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 28 ✖ ⌚ 14.4s 📄 0 pts

Spring framework calling setter functions in java is, an example of

- ☒ Dependency Injection
- ☐ Inversion of control
- ☐ Aspect Oriented programming
- ☐ None of the above.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

61°F Clear

Search

OS Qu... Bubble | Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS... CPOS... CPOS... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail... YouTube... Maps... Play Breaklock Puzz... locator... Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

12:19 AM  
12-02-2023



OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 29  14.6s 0 pts

A mechanism used to group information and send it to server, in html is called as

- ☐ input
- ☒ form
- ☐ group
- ☐ none of the above

☒ Correct Answers ☐ Your Answers  PREV  NEXT 

61°F Clear

Search

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 30  21.6s 0 pts

Which default fetching policy JPA uses for one-to-one & one-to-many?

- ☒ A. Eager & Lazy
- ☐ B. Lazy & eager
- ☐ C. Eager & eager
- ☐ D. Lazy & Lazy

☒ Correct Answers ☐ Your Answers  PREV  NEXT 

61°F Clear

Search

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

12:19 AM  
12-02-2023

OS Qui | Bubble | Inter p | Inter P | PG-DA | Operat | In UN | Process | CPOS | CPOS | CPOS | whatso | (11) Wi | Su x | Summ | + | - |

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar | Gmail | YouTube | Maps | Play Breaklock Puzz... | locator | Oracle Live SQL - S... | Overview (Java Platf... | DAO Design Patter... | FullStack.Cafe - Kill... | Java - Interview Qu...

Question 31  15.6s 0 pts

Which of the following is not a correct form of dependency injection?

- ☐ A: Setter based DI
- ☐ B: Constructor based DI
- ☒ C: Getter Based DI
- ☐ D: Factory method based DI

☒ Correct Answers ☐ Your Answers  PREV  NEXT 

61°F Clear

OS Qui | Bubble | Inter p | Inter P | PG-DA | Operat | In UN | Process | CPOS | CPOS | CPOS | whatso | (11) Wi | Su x | Summ | + | - |

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar | Gmail | YouTube | Maps | Play Breaklock Puzz... | locator | Oracle Live SQL - S... | Overview (Java Platf... | DAO Design Patter... | FullStack.Cafe - Kill... | Java - Interview Qu...

Question 32  10.8s 0 pts

Which of the following is used in the ServiceLayer of 3 tier application

- ☐ @Repository
- ☐ @Controller
- ☒ @Service
- ☐ all the above.

☒ Correct Answers ☐ Your Answers  PREV  NEXT 

61°F Clear

Question 33 ✖ 213s 0 pts

Custom tags are used in

- ☒ JSP
- ☐ html
- ☐ servlet
- ☐ none of the above

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 34 ✖ 72s 0 pts

Expressions like `<% private int i; %>` are written in

- ☒ JSP
- ☐ HTML
- ☐ Servlet
- ☐ While writing JDBC programs.

☒ Correct Answers ☐ Your Answers ← PREV NEXT →

Question 36  17.5s 0 pts

While using request chaining scenario in page navigation, which should be minimum scope of server side attributes?

- ☐ A: page scope
- ☒ B: request scope
- ☐ C: session scope
- ☐ D: application scope.

☒ Correct Answers ☐ Your Answers PREV NEXT

Question 38  8.7s 0 pts

What will you use, to override JSP life cycle methods?

- ☒ JSP Declaration
- ☐ JSP Scriptlet
- ☐ JSP Expression
- ☐ EL syntax

☒ Correct Answers ☐ Your Answers PREV NEXT

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UNi... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 39 16.5s 0 pts

Maven typical repository location is in in.

- ☐ rep folder
- ☐ jar folder
- ☒ .m2 folder of users.
- ☐ none of the above.

Correct Answers Your Answers PREV NEXT

61°F Clear

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UNi... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 40 15.6s 0 pts

Which of the following is true for spring?

- ☒ A: Default loading policy for singleton beans is eager
- ☐ B: Default loading policy for prototype beans is eager
- ☐ C: Singleton beans are typically stateful
- ☐ D: Prototype beans are shared across multiple request via getBean

Correct Answers Your Answers PREV NEXT

61°F Clear

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UNi... Process... CPOS C... CPOS T... CPOS I... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 3  391s 600 pts

In a bi directional one-to-many association, what will happen if mappedBy attribute is not specified?

- ☐ A. Hibernate will not create the tables automatically.
- ☐ B. Hibernate will throw MappingException
- ☒ C. Hibernate will create additional table, having PKs of both the tables.
- ☐ D. None of the above.

☒ Correct Answers ☐ Your Answers PREV NEXT

Question 6  85.6s 600 pts

The interface commonly used during JNDI is

- ☒ Context
- ☐ Request
- ☐ Naming
- ☐ Connection

☒ Correct Answers ☐ Your Answers PREV NEXT

Question 11 ✓ 20.2s 600 pts

Which of the following annotations are used in Spring for web applications which return presentation Page name

- ☒ @Controller.
- ☐ @RestController
- ☐ @WebApp
- ☐ None of the above.

Correct Answers Your Answers

PREV NEXT

Question 12 ✓ 64.2s 600 pts

Which method gets called only once, when a request is made for the servlet first time

- ☒ init
- ☐ start
- ☐ destroy
- ☐ none of the above

Correct Answers Your Answers

PREV NEXT

Question 13  14.4s 600 pts

Which of the following is a JNDI service.

- ☐ LDAP
- ☐ COS
- ☐ RMI
- ☒ All of the above

☒ Correct Answers ☐ Your Answers PREV NEXT

Question 14  45.6s 600 pts

To work with JDBC in spring we can consider using.

- ☐ Prepared Statement
- ☐ JDBCSQL
- ☒ JDBCTemplate
- ☐ None of the above.

☒ Correct Answers ☐ Your Answers PREV NEXT



Question 15  76s 600 pts

How to deploy a servlet context listener within a web application?

- ☐ A: Using <listener> tag in web.xml
- ☐ B: Using <web-listener> tag
- ☐ C: Using @WebListener annotation
- ☒ D: A & C

☒ Correct Answers ☐ Your Answers PREV NEXT

Question 18  10.5s 600 pts

HTML is o

- ☒ Client side component
- ☐ Server side component
- ☐ Page component
- ☐ None of the above.

☒ Correct Answers ☐ Your Answers PREV NEXT

Question 22 ✓ 9.9s 600 pts

In many-to-many relationship between Book & Author, Consider JPQL = "select a from Author a where a.name=name"; Suppose session was opened using getSession(), query is executed, author object is returned in a1 & transaction is committed. Afterwards, if you access System.out.println(a1.getBooks()), what will happen?

- ☐ A. select query will be fired on author & books table
- ☒ B. Hibernate throws LazyInitializationException
- ☐ C. Will display the book details by a specified author.
- ☐ D. Will only display author details.

Correct Answers Your Answers PREV NEXT

Question 25 ✓ 23.7s 600 pts

@Service, @Repository, these annotations are used in

- ☐ Hibernate
- ☒ Spring framework
- ☐ JSP
- ☐ None of the above.

Correct Answers Your Answers PREV NEXT

OS Qu...BubbleInter p...Inter P...PG-Da...Operat...In UN...Proces...CPOS...CPOS...CPOS...whats... (11) W...Su...Summ...+--

https://quizizz.com/join/game/U2FsdGVhX1%252B2Em19pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...A^y^\*^

Disney+ Hotstar...GmailYouTubeMapsPlay Breaklock Puzz...locatorOracle Live SQL - S...Overview (Java Platf...DAO Design Patter...FullStack.Cafe - Kill...Java - Interview Qu...

Question 27

✓13.5s600 pts

✕

Which of the following is used in a web application based on Spring MVC?

☐ A. View Resolver

☐ B. Controller

☐ C. HandlerMapping

☒ D. All of the above

Correct Answers

Your Answers

←PREV

NEXT→

61°F  
Clear

Search

ENG  
IN

12:20 AM  
12-02-2023

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS... CPOS... CPOS... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 35 ✓ ⌚ 12.3s 600 pts

In spring MVC, which of the following is mandatory for request handling controller?

- ☐ A: Add @Controller as class level annotation
- ☐ B: Add @RequestMapping on controller methods
- ☒ C: A & B
- ☐ D: None of above

Correct Answers Your Answers

PREV NEXT

61°F Clear

Search

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS... CPOS... CPOS... whatso... (11) Wi... Su... Summ... + -

https://quizizz.com/join/game/U2FsdGVhX1%252B2EmI9pGgN2m3xvzkyV8C4tVld1efgg1SHru9ywcLj90V%252B46rsExV08RHjR1luQ6CgJbDT%252BgARQ%253...

Disney+ Hotstar... Gmail YouTube Maps Play Breaklock Puzz... locator Oracle Live SQL - S... Overview (Java Platf... DAO Design Patter... FullStack.Cafe - Kill... Java - Interview Qu...

Question 37 ✓ ⌚ 12.7s 600 pts

Spring boot web application is configured typically in a properties file called.

- ☐ Spring.properties.
- ☐ Boot.properties.
- ☒ Application.properties
- ☐ None of the above.

Correct Answers Your Answers

PREV NEXT

61°F Clear

Search

OS Qu... Bubble Inter p... Inter P... PG-Da... Operat... In UN... Process... CPOS... CPOS... CPOS... whatso... (11) Wi... Su... Summ... + -

ENG IN 12:20 AM 12-02-2023