

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
1	Which of the following attribute triggers events when a form gets user input?	onchange	onedit	onformchange	onforminput	Option4
2	which of the following property of a table element specifies whether the browser should control the appearance of the adjacent borders that touch each other or whether each cell should maintain its style?	border-collapse	border-spacing	caption-side	empty-cells	Option1
3	which of the following consists in CSS	Selector	Declarations	Property and Value	All of the above	Option4
4	How do you display the background image with CSS property	background-image:sec('image.png');	background-image:url('image.png');	background-image:href('image.png');	background-image:hrf('image.png');	Option2
5	What would be the output of the following code: <?php echo date('y-M-d h:i:s');?>	16-11-2017 04:00	17-11-2016 04:00	17-Nov-16 04:01:13	17-Nov-16 16:01:13	Option3
6	Name the correct statement for echo()	Echo is just a statement	Echo is a function	Echo returns and prints the value	Echo is a pretty print function	Option1
7	What is the syntax for multiple lines commenting in PHP?	//	/**/	#	/?	Option2
8	XML is designed to ____and store data	transport	design	verify	None of these	Option1
9	Some Characters have a special meaning in HTML those are called as _____	variables	Symbols	Entities	None of these	Option3
10	Which of the following will change the text color to red for entire page?	<Body text=" red">	<div color="red">	<html color="red">	All of the above	Option1
11	Which of the following will display text box for accepting only numbers between 10 to 18?	<input type="text" min="10" max="18">	<input type="number" min="10" max="18">	<input type="number" min="10" maximum="18">	None of the above	Option2
12	Which of the following code will return a valid JSON object?	JSON.parse('{{FirstName ":"Web", "LastName", "Programming"}});	JSON.parse("{FirstName': 'Web', 'LastName', 'Programming'});	JSON.parse("{'FirstName': 'Web', 'LastName': 'Programming'}");	JSON.parse("{FirstName": "Web", "LastName": "Programming"});	Option4
13	In the following notation, Employee is of type {"Employee":["Amit", "Nilesh", "Abhishek"]}	Not a valid JSON string	Array	Class	Object	Option2
14	Which of the following attributes cannot be used in Table tag?	Colspan	rowspan	border	both A and B	Option4

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
15	Which of these is a benefit JSON has over XML?	JSON is more forgiving of poor formatting	JSON has less markup requirements and therefore is lighter than XML	JSON can be written poorly and still be parsed	JSON need to be stored in a file to be sent remotely	Option2
16	What does JSON stand for?	JavaScript Object Nomenclature	JavaScript Objective Notation	JavaScript Object Notation	JavaScript Oriented Nomenclature	Option3
17	Which of the following is right selector to assign particular style to following element? <p id="myid"> This is text in p tag</p>	#myid	.myid	:myid	None of the above	Option1
18	Which character is most likely to be used for an SQL injection attack?	Single quote(')	Null (\0) byte	Less than sign(<)	Greater than sign(>)	Option1
19	Which of the following languages are the primary targets of cross-site scripting?	HTML	SQL	XSLT	Xpath	Option3
20	Following is true about XML	XML must be well formed	XML must be valid	XML is used to store data	None	Option1
21	Following is true about JSON	Its plain text	Can be easily converted to Javascript Object	Represented as key value pairs	All of the above	Option4
22	Following is true about AJAX	Used to refresh part of a Web page	Uses Post back approach	Both	None	Option1
23	Which attribute specifies a unique alphanumeric identifier to be associated with an element?	class	id	article	html	Option2
24	The _____ attribute specifies an inline style associated with an element, which determines the rendering of the affected element.	dir	style	css	class	Option2
25	Which parameter is commonly used for size attribute?	centimeter	pixels	inch	millimeter	Option2
26	Which statement is true?	All Statements are true	All XML elements must have a closing tag	All XML element must be lower case	All XML documents must have a DTD	Option2

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
27	Borders can't be applied on _____	th	td	tr	thead	Option3
28	Which of the following is not the element associated to HTML table layout? a) size b) spanning c) alignment d) colo	size	spanning	alignment	color	Option2
29	Which of the following tag is used for embedding an audio file in a web page, which must be played as background sound? If the browser does not support sound effect it must display a message "Your browser does not support this feature"	<audio src="hourse.ogg" controls="controls" hidden="false">Your browser does not support this feature</audio>	<audio src="hourse.ogg" controls="controls" hidden="true">Your browser does not support this feature</audio>	<audio src="hourse.ogg" controls="controls" hidden="true">Your browser does not support this feature</audio>	<embed src="hourse.ogg" controls="controls" hidden="true">Your browser does not support this feature</embed>	Option1
30	In HTML the _____ tag specifies the font face, font size and color of text	<fonttype>		<basefont>	<fontstyle>	Option2
31	Which of the following tag will display multiline textbox on the screen to accept Address from user?	<input type="text" lines="5" name="Address"/>	<input type="text" name="Address"/>	<textarea rows="5" name="address"></textarea>	None of the above	Option3
32	In the following code, how many radio buttons can be selected at a time? <td><p><input type="radio" value="html" id="radio1">HTML</p> <p><input type="radio" value="php" id="radio1">HTML</p> <p><input type="radio" value="html" id="radio1">HTML</p> <p><input type="radio" value="html" id="radio1">HTML</p> </td>	1	2	3	4	Option4
33	Which of the css property will display box with rounded corner?	box-raduis:40px	border-radius:40px	corner:round 40px	None of the above	Option2
34	In the given below information which of the following is correct way to invoke index.html page sample directory? A) A webserver is located on server machine whose IP address is 10.10.83.23 b) Server is running on default port 80 c) Directory in which web pages are stored is sample	http://localhost:80/sample	http://10.10.83.23/sample	http://localhost/sample	http://10.10.83.23:80/index.html	Option2

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
35	Html5 provides a standard for showing a video/movie on a web page. Which of the following element achieves this	<movie src="myfile.ext" controls="start,pause,stop"></movie>	<plugin file="myfile.ext" controls="controls"></plugin>	<video src="myfile.ext" controls="controls"></video>	<object videosrc="myfile.ext" loop></object>	Option3
36	Which of the following statements are true for the given rule in css h1,h2, p {color:green;}	for all h1,h2 and p tag background color will change to green	for all h1,h2 and p tag text color will change to green	for all h1,h2 and p tag border color will change to green	None of the above	Option2
37	Which of the following will select every <p> element tat is the first child of its parent in the css	p	p(first-child)	p:first-child	None of the above	Option3
38	A web developer wants to put an address field onto web page with below requirements: a) The text area show have 10 rows and 20 columns b) It should have a background of red color. Chose correct option	<input type="textarea" name="address" rows=10 columns=10 background-color="red"/>	<input type="textarea" name="address" rows=10 columns=10 style="background-color:red"/>	<input type="textarea" name="address" rows=10 cols=10 style="background-color:red"/>	None of the above	Option3
39	Correct way to open a file welcome.txt as readableIn Node.js _____ class is used to consume custom events	fopen("welcome.txt", "r");	open("welcome.txt",r);	fopen("welcome.txt", "read");	openRead("Welcome.txt")	Option1
40	Which is valid array of JASON object	[{"perid":2222,"pname":"Rajas","sal":22222}, {"perid":333,"pname":"Deven","sal":33333}]	[{"perid":2222,"pname":"Rajas","sal":22222}, {"perid":333,"pname":"Deven","sal":33333}]	Both a and b	None of the above	Option2
41	Following is true for JASON Objects	Stored as test	Its lightweight than XML	JavaScript object can be converted into JASON	All of the above	Option4
42	Which of the following ready state value represents AJAX request completion	1	2	3	4	Option4
43	Which of the following is a valid property of XMLHttpRequest that indicates whether or not cross-site accesss control should be made using credentials?	withCredentials	with CrossOriginCredentials	withControlCredentials	None of the above	Option1
44	To create XMLHttpRequest object using Javascript which of the following file is added to the src path of script tag?	Ajax.js	JSON.js	Prototype.js	None of the above	Option4
45	_____ is displayed as a grey box with rounded corners. It also enlarges the font sizes of the text inside it in BootstrapJs	Thumbnails	col-lg.*	jumbotron	glaphicon	Option3
46	In bootstrap grid _____ class is used for mobile device screen	col-xs-	col-sm-*	col-small-*	Any of the above	Option2

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
47	Consider following scenario: A developer reading a file in php, he is displaying content of file on web page. However he is not able to identify the end of file character while reading. Which of the following function he should use?	eof(\$file)	php_eof(\$file)	feof(\$file)	file_eof(\$file)	Option3
48	Which of the following method is used for retrieving all the element with name "a" in html page	var links=document.getElementById("a")	var links=document.getElementByClass("a")	var links=document.getElemsByTagName("a")	var links=document.getEle mentByTagName("a")	Option3
49	Which statement in JavaScript ensures whether a variable is declared?	Strict	Declare	Use strict	No strict	Option1
50	The method used to fetch an element from DOM tree by its unique identifier.	getElementById	getElementByName	getElemnentsByName	getElementbyTagName	Option1
51	Which of these functions will add two numbers?	Fun=function(a,b){return a+b};	Fun=function(var a,var b){return a+b};	function fun(var a,var b)(return a+b);	Fun=function(var a,var b){c=a+b};	Option1
52	What is the type of value returned by parseInt	Integer	Int	Number	Whole number	Option1
53	Which of these is used for printing messages in console	Print	Println	Write	Log	Option4
54	How do I get the value of the form control in javascript?	val()	text()	value	innerValue	Option1
55	var x=5, y="A"; c=x+y; what is the type of c?	Number	String	Object	Boolean	Option2
56	Var x=prompt("Enter number 1"); var y=prompt("Enter number 2"); c=x+y; What is the type of c?	Number	String	Object	Boolean	Option2
57	In the registration form, there has to be an option to get the gender of the participant, which of the following controls can be used	Radio	Checkbox	Select	Both a and c	Option1
58	What is the use of regular expression?	Search a pattern	Delete a string	Remove a string	None of the above	Option1
59	What is the expansion of JSON?	Java Script Object Nomenclature	Java Script object Notification	Java Virtual Object Notation	Javascript Object Notation	Option4

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
60	var pen={color:"blue", type:"fountain"} , how shoudt I fetch the type of pen	pen.color	pen["type"]	pen[1].type;	pen[1]	Option3
61	which method is used to change the address in address bar of the browser?	location.href	location.assign	location.address	window.href	Option2
62	which object has pixelWidth attribute	Screen	Window	Location	Navigator	Option2
63	what Is the order of events when a key is typed	keydown, keypress, keyup	keypress,keydown,keyup	keyup, keydown, keypress	keydown,keyup, keypress	Option1
64	which of these methods is used for getting confirmation from user?	confirmation()	confirm()	accept()	agree()	Option2
65	which of the following methods are used to remove some elements from an array and insert into certain location	splice	slice	insert	add	Option1
66	which of these methods are used to remove an element from an array	push	pop	slice	sort	Option3
67	which method is used to get the last occurrence of a letter in a string	index.Of	lastOccuranceOf	lastIndexOf	occurrenceOf	Option3
68	what is the result of d=new Date(); d.getDay() if today is Monday	mon	Monday	1	0	Option3
69	Which object is used to get the width and height of current browser window?	currentTarget	window	location	navigator	Option2
70	Inside which HTML element do we put the JavaScript?	<Script>	<scripting>	<js>	<javascript>	Option1
71	A JavaScript program can traverse and manipulate document content through	navigator Object	document Object	element object	None of the mentioned	Option2
72	The setTimeout() method is used to	Make the event sleep	Register a function to be invoked after a certain time	Invoke an event after a certain time	Time for iteration	Option2

Q_No	Question	Option1	Option2	Option3	Option4	Correct OptionNo
73	what is the parameter of hide method in jquery	milliseconds	seconds	minutes	call back function	Option1
74	Which of these effects is used to alternate between hide and show?	hideToggle	showToggle	toggle	slideToggle	Option1
75	Which is the following jQuery method can be used to get the attribute value?	attribute()	attr()	add()	none of the above	Option2
76	Which jQuery function is used to prevent code from running , before the document is finished loading?	\$(document). fun ()	\$(document) click()	\$(document).animate()	\$(document). ready ()	Option4
77	jQuery code to set background color of all the div elements to red?	\$("#div").style("background-color", "red");	\$("#div").manipulate("background-color", "red");	\$("#div").css("background-color", "red");	\$("#div").layout("background-color", "red");	Option1
78	Which jQuery method is used to switch between adding/removing one or more classes (for CSS) from selected elements?	switchClass()	addRemoveClass()	altClass()	toggleClass()	Option4
79	Which of the following are the cause of SQL injection attack?	Session IDs	Registry keys	Cookies	SQL queries based on user input	Option4
80	Which of the following are not core modules?	fs	Path	Platform	url	Option1
81	Which of the following method creates Http server in Nodejs?	createNode()	connect()	createconnection()	None of the above	Option4
82	Which of the following language is the primary target of cross-site scripting?	java	SQL	XSLT	javaScript	Option3
83	Which of the following can send a rendered view template in Express JS?	app.render(view,[locals],callback);	res.render(view,[locals],callback);	Both a and b	None of the above	Option3
84	Which of the following is used to get route parameters for the given route path/users/:userID/books/:bookid	req.body.userid,req.body.bookid	req.body.users,req.body.books	req.params.userid, req.params.bookid	req.params.users, req.params.books	Option3