

Pure health function architecture

Architecture identity: sample-api

Architecture version: 1.0.0

Contents

ARCH-001 Context and goals

ARCH-010 Boundaries and contracts

ARCH-020 Testing and integration

Requirements

Export `health()` from `src/health.mjs` with no inputs and fresh `{"status":"ok"}` result.

Use Node built-in tests and preserve the existing package test command.

Constraints

Pure function; no I/O and no added dependencies.

Non-goals

HTTP services, gateways, databases and access-control deployment are outside this task.

Assumptions

Node.js executes ES modules.

Risks

Callers must not assume this function checks external dependencies.

External dependencies

Node.js runtime

Rejected alternatives

An HTTP service is unnecessary for this accepted function-only task.

Decisions

Decision DEC-001 [accepted]: Export `health()` from `src/health.mjs` returning a fresh status-ok object without inputs.

ARCH-001 Context and goals


A caller invokes `health()` to receive a pure status-ok result. No service or deployment architecture is introduced.

Rationale: The accepted function-only scope needs no infrastructure.

Trade-offs: No external dependency health checks.

ARCH-010 Boundaries and contracts

AS-IS: package test entry exists, implementation pending. TARGET: export health() from src/health.mjs, no inputs, a fresh object exactly {"status":"ok"}. No I/O, dependencies or HTTP behavior. KNOWN DEVIATION: source and tests pending.



ARCH-020 Testing and integration

Node built-in tests at tests/health.test.mjs verify result shape and fresh objects. Preserve node --test tests/health.test.mjs. Governance controls task worktree, independent review, canonical integration and progress. GitHub CI validates fixture behavior through the suite PR.