DEMO DATA (synthetic)

Tripwire report


Scan date: 2026-10-20

Summary


4 open findings across 3 repositories; 0 high/critical; trend over the last 6 months.

Trend

High and critical findings open at the end of each month



Open findings by severity



Month	Critical	High	Medium	Low	Info	High+critical	Introduced	Resolved
2026-05	1	2	1	3	0	3	3	1
2026-06	1	3	2	3	0	4	2	0

Month	Critical	High	Medium	Low	Info	High+critical	Introduced	Resolved
2026-07	0	3	2	3	0	3	0	1
2026-08	0	2	2	3	0	2	0	1
2026-09	0	1	2	3	0	1	1	2
2026-10	0	0	1	3	0	0	0	2

For each calendar month (UTC) in the window, the repository is scanned as it was at the last commit on or before the end of that month (for the current month: the latest commit), and open findings are counted by severity. 'Introduced' and 'resolved' count findings whose introducing or resolving commit date falls inside that month. Months before the first commit are left out.

Counts by severity

Severity	Open findings
Critical	0
High	0
Medium	1
Low	3
Info	0

Repository	Open	Critical	High	Medium	Low	Info	Resolved
demo-a	1	0	0	0	1	0	4
demo-b	1	0	0	0	1	0	3
demo-c	2	0	0	1	1	0	0

Findings

Medium (1)

Repo	Rule	File:line	Commit	Date	Fix
demo-c	AG-004: .claude/settings.local.json is committed to git (contents are only narrow permission rules)	.claude/settings.local.json:0	8c94ce45	2026-05-15	Run: git rm --cached .claude/settings.local.json, and add it to .gitignore.

Low (3)

Repo	Rule	File:line	Commit	Date	Fix
demo-a	AG-001: No deny rule for secret files	.claude/settings.json:0	cc55a029	2026-09-15	Add "Read(./.env)" and "Read(./secrets/**)" to permissions.deny.
demo-b	AG-001: No deny rule for secret files	.claude/settings.json:0	91bf3f8e	2026-03-15	Add "Read(./.env)" and "Read(./secrets/**)" to permissions.deny.
demo-c	AG-001: No deny rule for secret files	.claude/settings.json:0	91bf3f8e	2026-03-15	Add "Read(./.env)" and "Read(./secrets/**)" to permissions.deny.

Resolved this period

Repo	Rule	Severity	File:line	Introduced	Resolved
demo-a	AG-002: PreToolUse hook runs a risky command (network tool, pipes into a shell/interpreter)	Critical	.claude/settings.json:8	37436ccc	c96db98a (2026-07-15)
demo-a	AG-001: Broad permission in allow list: Bash(*)	High	.claude/settings.json:3	e162178a	cc55a029 (2026-09-15)
demo-b	AG-006: MCP "demo" is launched via sh	High	.mcp.json:3	b03ddd25	e8c6a087 (2026-08-15)
demo-b	AG-022: Tells the agent to ignore its other instructions	High	CLAUDE.md:1	0b4364ac	93b9fb0c (2026-10-15)
demo-b	AG-020: Hidden zero-width character (1)	Medium	CLAUDE.md:1	0b4364ac	93b9fb0c (2026-10-15)
demo-a	AG-001: No deny rule for secret files	Low	.claude/settings.json:1	e162178a	cc55a029 (2026-09-15)
demo-a	AG-001: No deny rule for secret files	Low	.claude/settings.json:0	37436ccc	e162178a (2026-05-15)

What this report does and does not cover

This report flags known risky patterns in the files that configure AI coding agents (agent settings, MCP server definitions, instruction files and tasks), using fixed rules, offline. It does not read your application source code, dependencies or build scripts, and it does not show that a repository is free of problems. Each finding is dated to the first-parent commit at which it appeared; commits that arrived through a merge are attributed to the merge, a renamed file starts a new finding, and a shallow or truncated history only gives 'on or before' dates. Monthly counts are computed by scanning the repository as it was at the end of each month with today's rules, so a rule added recently also counts findings from earlier months. Suppressions and size limits are read from the current version of the repository's configuration unless --no-repo-config is used.

Run details

- Tool: Tripwire 0.1.0
- Generated: 2026-10-20T00:00:00.000Z
- demo-a: commits examined 8, range 37436ccc..d074d7be
- demo-b: commits examined 8, range 91bf3f8e..93b9fb0c
- demo-c: commits examined 8, range 91bf3f8e..c7d1f5bd
- **DEMO DATA (synthetic)**