

MASTER'S THESIS IN PHYSICS

Development of an Interface between an SiPM-based Scintillation Detector and the CMS Drift Tube Read-Out System using the lpGBT ASIC

written by

Nils Jonathan Esper

presented to

The Faculty of Mathematics, Computer Science and Natural
Sciences of RWTH Aachen University

III. Institute of Physics A

supervised by

Univ.-Prof. Dr. rer. nat. Alexander Schmidt

and as second reviewer

Univ.-Prof. Dr. rer. nat. Oliver Pooth

Aachen, December 2025

Abstract

Abstract.

Contents

Abstract	ii
1 Introduction	1
1.1 Idea	1
1.2 Standard model of particle physics	1
1.3 Cosmic muons	1
1.4 Principles of particle detection	1
2 CMS Drift Tube system	2
2.1 CERN accelerator complex	2
2.2 Compact Muon Solenoid experiment	2
2.3 Drift Tube system	2
2.4 Phase-2 DT read-out electronics	2
2.5 Cosmic test stand in Aachen	2
2.6 Verification tests	2
3 SiPM-based scintillation detector	3
3.1 Detector setup	3
3.2 Signal acquisition	3
3.3 Calibration procedures	3
3.4 Coincidence logic	3
3.5 Verification tests	3
4 lpGBT detector interface	4
4.1 lpGBT ASIC	4
4.2 lpGBT Mezzanine PCB	4
4.3 Verification tests	4
4.4 Data flow	4
5 Unified backend electronics	5
5.1 HTG-940 backend	5
5.2 Data transfer to computer	5
6 Detector synchronization	6
6.1 Testpulse theta board	6
6.2 Synchronization with test pulses	6
7 First combined measurements	7
7.1 Cosmic muon coincidence	7
7.2 Recovering DT-specific distributions	7
8 Outlook	8

Appendix A Additional details	9
Bibliography	10
List of Figures	11
List of Tables	12
List of Acronyms	13
Acknowledgements	14

1 Introduction

1.1 Idea

1.2 Standard model of particle physics

1.3 Cosmic muons

1.4 Principles of particle detection

2 CMS Drift Tube system

- 2.1 CERN accelerator complex
- 2.2 Compact Muon Solenoid experiment
- 2.3 Drift Tube system
- 2.4 Phase-2 DT read-out electronics
- 2.5 Cosmic test stand in Aachen
- 2.6 Verification tests

3 SiPM-based scintillation detector

3.1 Detector setup

3.2 Signal acquisition

3.3 Calibration procedures

3.4 Coincidence logic

3.5 Verification tests

4 lpGBT detector interface

4.1 lpGBT ASIC

4.2 lpGBT Mezzanine PCB

4.3 Verification tests

4.4 Data flow

5 Unified backend electronics

5.1 HTG-940 backend

5.2 Data transfer to computer

6 Detector synchronization

6.1 Testpulse theta board

6.2 Synchronization with test pulses

7 First combined measurements

7.1 Cosmic muon coincidence

7.2 Recovering DT-specific distributions

8 Outlook

Appendix

A Additional details

Bibliography

List of Figures

List of Tables

List of Acronyms

Acknowledgements

Acknowledgements.