



# Project Management Report

Laura Kotalczyk  
Manuel Mühlberger  
Joana Silva  
Eduardo Pinto  
Nils Harrer

**Group 4**

January 13, 2026

## 1 Project Vision and Scope

The vision of this project is to develop a more accurate and user-friendly mobile application for tracking daily nutritional intake by combining visual and spoken input through AI, addressing the common pain points of current calorie-tracking tools, such as time-consuming manual entry, limited context in meal logging as well as calorie underestimation by existing AI-enabled calorie trackers.

Many users struggle to track self-cooked meals, mixed dishes, or food eaten outside the home (e.g., at restaurants or similar), because existing apps require users to manually search, estimate, or break down ingredients. Nowadays, some apps do leverage AI-enabled image recognition to streamline calorie tracking, promising greater ease and speed, however, these tools often fall short in accuracy, frequently over- or underestimating actual calorie count, which ultimately undermines the reliability of even the most convenient logging methods.

To address this gap, our app introduces an additional input to the AI-enabled estimation approach: by simply taking a photo of a meal and adding a brief voice description, such as “pancakes with milk, no sugar, 3 eggs, 2 cups of flour, topped with some maple syrup”, users can instantly generate a more accurate estimate of calories and nutrients. By expanding the vision modality with contextual natural language input, the app harnesses modern AI technologies to deliver not just convenience, but more accurate, data-driven insights. The goal is to reduce user effort and improve accuracy through its multi-modal approach, particularly for home-cooked and complex meals that are frequently misclassified or under-estimated in existing tools. The user can also browse a simple calendar view to display daily food intake and progress towards goals. Insights are provided to the user as well, so he can gain information on metrics such as average meal quality, longest logging streaks and many others.

This solution aims to make nutrition tracking simpler, smarter, and more accessible, helping users stay aware of their intake and make informed choices, without requiring expertise meticulous manual logging.

## 1.1 Key Deliverables and Defined Boundaries

### 1.1.1 Key Deliverables

Deliverable	Description
Mobile App Prototype	A basic app (Android/iOS) that lets users: take a photo of a meal and record a voice note (e.g., "pancakes with milk, no sugar, 3 eggs").
Voice-to-Text Feature	The app automatically turns the voice description into text using an AI audio transcription model such as Whisper.
AI Nutrient Analyzer	Uses a Vision Language Model (VLM) (e.g., GPT-4V or Qwen-VL) to analyze the photo and text, and returns estimated calories and nutrients (e.g., "250 kcal, 12g protein").
Central Server	Self-hosted Server taking care of input processing, forwarding, user authentication and data storage.
Simple Dashboard	Shows daily calorie and nutrient intake in a calendar view.
Test Data & Results	Uses 10–20 real example meals (e.g., homemade pancakes, homemade spaghetti Bolognese) with known nutrition values to test how accurate the app is.
Benchmarking Results	Uses the ground-truth real example meals for benchmarking the prototype against other competitor apps, evaluating its accuracy in estimation of nutrients and calories.
Project Report	A written report illustrating the design and functioning of the app, test results, and lessons learned from the project, in particular referring to the use of GenAI.

Table 1: Project Key Deliverables

### 1.1.2 Project Boundaries

To keep the project focused and manageable, we decided on the following project boundaries as well as mandatory and optional app features.

#### In Scope

- User can record one photo and voice note per meal
- Use of open-source AI models for voice transcription and nutrient estimation (e.g., OpenAI API, Hugging Face, available ones on GitHub)
- Output includes estimated calories and macronutrients (carbs, protein, fat)
- Simple, modern and intuitive user interface
- Testing using 10–20 example meals with known nutritional values (manually calculated)
- User has the possibility to see real-time insights considering his meal tracking activities

## Out of Scope

- Support for multiple languages or complex dishes with many unknown ingredients
- Integration with wearables or fitness trackers
- Integration of a user's training activities to increase available calories
- Nutrient database integration for more accurate results
- Possibility for data import/export
- Universally trusted server certificate

## 2 Project Timeline & Milestones




Figure 1: Project Timeline and Milestones

## 3 System Architecture and Technical Design

### 3.1 High-Level System Design

With respect to system design, we decided on a server-client architecture, involving two locally hosted servers and one externally hosted proxy server. First and foremost, the NutriAI server (1) serves as the central communication hub, orchestrating all internal and external data flows. It manages and routes interactions between clients, the database, and external APIs, handling critical functions such as user sign-up, authentication, rate limiting, and database operations, ensuring seamless and secure system performance.

Secondly, server two (2) runs a reimplementation of OpenAI's Whisper model [8], that is used

for transcribing a user’s recorded voice note in the AI-assisted meal logging workflow. Thirdly, the proxy server (3) handles the connectivity between the server and the clients. It acts as a load balancer [5, 7] and a firewall that blocks malicious actors from reaching the server [5, 4]. The client connects to the server domain, which points to the proxy server, forwarding all requests to the main NutriAI server. A more in-depth technical explanation is given in chapter 3.2.




Figure 2: High-Level System Architecture of NutriAI

By hosting all user data on our own locally managed server, we eliminate reliance on external service providers for storing sensitive information, allowing us to maintain a better control over the data. Furthermore, our locally hosted implementation of OpenAI’s Whisper model ensures that user voice data is never shared with external systems or used for AI training. Instead, audio recordings are securely processed within our private infrastructure, and only the resulting transcription, paired with the user’s meal photo, is sent to the externally hosted VLM. A more detailed explanation on data privacy and possible improvements in this regard for our service is given in the Project Safety and Reflection Report.

### 3.2 Core Technical Components

In the following paragraphs, we will elaborate on each of our system’s components from a technical perspective, pointing out its role and interactions in the overall system.

#### 3.2.1 Client

Since we were aiming at building a mobile app that runs cross-platform, we opted for Expo (version 54), after some research on possible options. Expo is a full-stack React Native framework that offers a rich ecosystem of pre-built components and tools, known for its simple setup, fast prototyping, and smooth development workflow [2]. Its accessibility made it a strong fit for our team, particularly given the varying levels of experience among team members. Thus, the client can either be an iOS or Android user. In the current development build, the app requires the user to have a custom certificate installed on their device, for encrypted communication with the

NutriAI server. This limitation is due to time constraints, and for a production build it would be possible to host a universally trusted Let's Encrypt certificate on the server [6].

The client does not manage a conventional database itself, but rather only has a minimal key-value store (`react-native-async-storage`) [1] functioning as a caching layer. Here, frequently accessed data like the user profile, recent meal data (pictures, nutrients), etc. are stored. This enables the app to have a partially functional offline mode, where the user can still interact, although with limited functionality.

### 3.2.2 Proxy

When the user uses the app to sign up, login or log a meal, corresponding requests are sent to the proxy server. This server is hosted as a docker stack on a Virtual Private Server (VPS) supplied by a Cloud Provider (Hetzner). It comprises of two main parts: Traefik and CrowdSec and the main Pangolin server.

The NutriAI domain points directly to Traefik, which acts as the initial entry point for all incoming application traffic on the VPS. Traefik serves as a reverse proxy and load balancer, utilizing a specific middleware integration with CrowdSec to identify and block malicious requests before they reach the backend. Pangolin manages the "allowed" request flow by utilizing Newt, a user-space WireGuard tunnel client, to securely forward traffic to the on-premise server. This distributed architecture shields the internal infrastructure from malicious actors by punching through NAT and firewall restrictions without requiring open inbound ports. Furthermore, this setup facilitates high availability and failover, as a single Pangolin instance can coordinate and route traffic across multiple Newt site connectors.

### 3.2.3 Server

The On-Premise Server operates as a composed Docker stack on a shared Docker network, consisting of three primary components: the Newt connector, the Whisper transcription service, and the main NutriAI executable. As detailed in the Proxy section, the Newt container maintains the secure WireGuard tunnel, receiving forwarded requests from the upstream Pangolin instance and returning Nutri AI server responses. For voice processing, the system utilizes faster-whisper; however, to mitigate the lack of security in the stock container, a custom wrapper was implemented to handle authentication via API keys.

The core NutriAI server handles the main application logic, utilizing the aforementioned custom SSL certificate for encrypted communication to the clients and an SQLite database for persistent storage. User credentials are secured using bcrypt to salt and hash passwords, and successful login or sign-up events issue a JSON Web Token (JWT) to authenticate subsequent requests. When processing a meal log, the server forwards the audio (.wav) file internally to Whisper, then combines the resulting transcription with the user's image and a system prompt to send to an external OpenAI-compatible VLM endpoint. This design enables flexibility in model selection. While locally hosting the VLM would be an ideal feature to keep all data on-premise and the open source selection of VLM's is great, hardware constraints necessitated an external solution for this project. The server parses the VLM's structured JSON response — containing the meal name, description, and nutritional info — and stores it alongside the media in the database for

the client to retrieve.

## 4 Methodology

### 4.1 Project Management

To organize our team and the development process of the mobile application properly, we decided on a "SCRUM-alike" agile work mode. We proceeded in increments of one-week long sprints, agreeing on tasks each of the team members should finish until the next week. During our weekly meeting slot in person, we then met to discuss our progress on the respective tasks, next steps and potential impediments. Apart from that we added new items and bug fix tickets to the product backlog, prioritized the product backlog and assigned tasks with respective deadlines to team members.




Figure 3: Project Management Board used for Development of NutriAI

To keep track of the tickets and overall tasks concerning our project, we used Trello a project management tool that uses a flexible, Kanban-style system of boards, lists, and cards to help individuals and teams organize tasks, workflows, and ideas, making it easy to track progress from "to-do" to "done" [3]. For a screenshot taken from our project's board, refer to Figure 3. Apart from using a project management tool, we also created a WhatsApp group with all the team members to agree on meeting dates, keep us updated and discuss immediate questions or provide advice quicklier.

### 4.2 System Design

### 4.3 Database Design

### 4.4 Prompt Engineering

Key techniques used (e.g., role prompting, chain-of-thought), refinement process, and impact on GenAI performance

- System Prompt: You are an expert nutrition assistant. Respond only with the requested JSON object - Specified Output format specifically (JSON) - Provided Examples for the desired output (Meal with Nutrient Facts) to give more context to the model (within prompt) - Provided some rules to the model for deterministic results - prompt: "Analyze the attached meal image and provide a detailed nutritional breakdown. Identify each distinct food item, estimate its weight in grams, and list its core nutritional facts - Make table with the rules: RULES:

## 5 Team roles, responsibilities, and how collaboration was managed

•

## 6 Current Progress and Future Plans

Progress Status and Roadmap Current status (completed/in-progress/pending), key achievements, risks, and final steps

## 7 Project Pitch Video (Attached)

## 8 Usage of GenAI during the Document's Creation

Generative AI was used during the writing process to help with brainstorming and organizing initial notes, and rephrasing passages. It was also used to assist with debugging certain problems occurring with LaTeX.

## References

- [1] Inc 650 Industries. *@react-native-async-storage/async-storage: A library that provides an asynchronous, unencrypted, persistent, key-value storage API*. 2026. URL: <https://docs.expo.dev/versions/latest/sdk/async-storage/> (visited on 01/13/2026).
- [2] Inc. 650 Industries. *Everything you need to build apps*. URL: <https://expo.dev/> (visited on 01/06/2026).
- [3] Atlassian. *Capture, organize, and tackle your to-dos from anywhere*. 2026. URL: <https://trello.com/> (visited on 01/13/2026).
- [4] CrowdSec. *We Know the IPs Attacking You — Do You?* 2026. URL: <https://www.crowdsec.net/> (visited on 01/13/2026).
- [5] Inc. Fossorial. *Introduction to Pangolin*. 2026. URL: <https://docs.pangolin.net/> (visited on 01/13/2026).
- [6] Internet Security Research Group. *Encryption for Everybody : A nonprofit providing free TLS certificates to more than 700M websites*. 2026. URL: <https://letsencrypt.org/de/> (visited on 01/13/2026).

- [7] Traefik Labs. *Run APIs Easily. Anywhere.*: *Traefik is your all-in-one, self-hosted, cloud-native, GitOps-driven application proxy, API gateway, and API management platform.* 2026. URL: <https://traefik.io/> (visited on 01/13/2026).
- [8] LinuxServer.io. *linuxserver/faster-whisper*. URL: <https://docs.linuxserver.io/images/docker-faster-whisper/> (visited on 01/06/2026).