


0.4 — Introduction to C++ development

👤 ALEX 🕒 MAY 15, 2022

Before we can write and execute our first C++ program, we need to understand in more detail how C++ programs get developed. Here is a graphic outlining a simplistic approach:



Step 1: Define the problem that you would like to solve

This is the “what” step, where you figure out what problem you are intending to solve. Coming up with the initial idea for what you would like to program can be the easiest step, or the hardest. But conceptually, it is the simplest. All you need is an idea that can be well defined, and you’re ready for the next step.

Here are a few examples:

- “I want to write a program that will allow me to enter many numbers, then calculates the average.”
- “I want to write a program that generates a 2d maze and lets the user navigate through it. The user wins if they reach the end.”
- “I want to write a program that reads in a file of stock prices and predicts whether the stock will go up or down.”

Step 2: Determine how you are going to solve the problem

This is the “how” step, where you determine how you are going to solve the problem you came up with in step 1. It is also the step that is most neglected in software development. The crux of the issue is that there are many ways to solve a problem -- however, some of these solutions are good and some of them are bad. Too often, a programmer will get an idea, sit down, and immediately start coding a solution. This often generates a solution that falls into the bad category.

Typically, good solutions have the following characteristics:

- They are straightforward (not overly complicated or confusing).
- They are well documented (especially around any assumptions being made or limitations).
- They are built modularly, so parts can be reused or changed later without impacting other parts of the program.
- They are robust, and can recover or give useful error messages when something unexpected happens.

When you sit down and start coding right away, you’re typically thinking “I want to do <something>”, so you implement the solution that gets you there the fastest. This can lead to programs that are fragile, hard to change or extend later, or have lots of **bugs** (technical defects).

As an aside...

The term bug was first used by Thomas Edison back in the 1870s! However, the term was popularized in the 1940s when engineers found an actual moth stuck in the hardware of an early computer, causing a short circuit. Both the log book in which the error was reported and the moth are now part of the Smithsonian Museum of American History. It can be viewed [here](https://americanhistory.si.edu/collections/search/object/nmah_334663) (https://americanhistory.si.edu/collections/search/object/nmah_334663).

Studies have shown that only 20% of a programmer’s time is actually spent writing the initial program. The other 80% is spent on maintenance, which can consist of **debugging** (removing bugs), updates to cope with changes in the environment (e.g. to run on a new OS

version), enhancements (minor changes to improve usability or capability), or internal improvements (to increase reliability or maintainability).

Consequently, it's worth your time to spend a little extra time up front (before you start coding) thinking about the best way to tackle a problem, what assumptions you are making, and how you might plan for the future, in order to save yourself a lot of time and trouble down the road.

We'll talk more about how to effectively design solutions to problems in a future lesson.

Step 3: Write the program

In order to write the program, we need two things: First, we need knowledge of a programming language -- that's what these tutorials are for! Second, we need a text editor to write and save our written programs. The programs we write using C++ instructions are called **source code** (often shortened to just **code**). It's possible to write a program using any text editor you want, even something as simple as Windows' notepad or Unix's vi or pico. However, we strongly urge you to use an editor that is designed for programming (called a **code editor**). Don't worry if you don't have one yet. We'll cover how to install a code editor shortly.

A typical editor designed for coding has a few features that make programming much easier, including:

1. Line numbering. Line numbering is useful when the compiler gives us an error, as a typical compiler error will state: some error code/message, line 64. Without an editor that shows line numbers, finding line 64 can be a real hassle.
2. Syntax highlighting and coloring. Syntax highlighting and coloring changes the color of various parts of your program to make it easier to identify the different components of your program. Here's an example of a C++ program with both line numbering and syntax highlighting:

```
1 | #include <iostream>
2 |
3 | int main()
4 | {
5 |     std::cout << "Colored text!";
6 |     return 0;
7 | }
```

The examples we show in this tutorial will always have both line numbering and syntax highlighting to make them easier to follow.

3. An unambiguous font. Non-programming fonts often make it hard to distinguish between the number 0 and the letter O, or between the number 1, the letter l (lower case L), and the letter I (upper case i). A good programming font will ensure these symbols are visually differentiated in order to ensure one isn't accidentally used in place of the other. All code editors should have this enabled by default, but a standard text editor might not.

The programs you write will typically be named something.cpp, where something is replaced with the name of your choosing for the program (e.g. calculator, hi-lo, etc...). The .cpp extension tells the compiler (and you) that this is a C++ source code file that contains C++ instructions. Note that some people use the extension .cc instead of .cpp, but we recommend you use .cpp.

Best practice

Name your code files something.cpp, where something is a name of your choosing, and .cpp is the extension that indicates the file is a C++ source file.

Also note that many complex C++ programs have multiple .cpp files. Although most of the programs you will be creating initially will only have a single .cpp file, it is possible to write single programs that have tens or hundreds of .cpp files.

Once we've written our program, the next steps are to convert the source code into something that we can run, and then see whether it works! We'll discuss those steps (4-7) in the next lesson.



[Next lesson](#)

0.5 [Introduction to the compiler, linker, and libraries](#)



[Back to table of contents](#)



[Previous lesson](#)

0.3 [Introduction to C/C++](#)

B **U** **URL** **INLINE CODE** **C++ CODE BLOCK** **HELP!**

Leave a comment...



Name*



Email*



Find a mistake? Leave a comment!



Notify me about replies:



POST COMMENT

Avatars from <https://gravatar.com/> are connected to your provided email address.

244 COMMENTS

Newest ▼