

SwarmOps Cloud

User Manual — Customers and Administrators

September 2026

Abstract

This manual explains how to use SwarmOps Cloud. Part I is for customers: creating an account, topping up the wallet, ordering a plan, following orders and projects, and reading invoices and support replies. Part II is for administrators: preparing the platform, reviewing and confirming orders, managing customers, wallets and plans, running billing and invoicing, and answering support tickets. The screenshots are of the real application, taken during the end-to-end test on 15 September 2026 with a fictitious customer, Sara Ahmadi.

Contents

1	About this manual	2
2	Part I — Customers	2
2.1	The storefront at a glance	2
2.2	Choosing the language	2
2.3	Creating an account	2
2.4	Topping up the wallet	2
2.5	Ordering a plan	4
2.6	Following your orders	6
2.7	Your projects	6
2.8	Invoices	6
2.9	Support	6
2.10	Signing out and security	10
2.11	Messages you may see	10
3	Part II — Administrators	11
3.1	Signing in and the Sales area	11
3.2	Preparing the platform	11
3.3	Reviewing orders	11
3.4	Customers and wallets	12
3.5	Plans	14
3.6	Billing and invoices	14
3.7	Support	16
3.8	Messages you may see	16

List of Figures

1	The plan catalogue	3
2	The dashboard in the dark theme	4
3	The Persian storefront on a phone	5
4	Creating an account	6
5	The wallet	7
6	Checkout	8
7	Orders	8
8	Projects	9
9	Invoices	9
10	A support conversation	10
11	Gateway prerequisites	11
12	The order queue	12
13	Decided orders	13
14	A customer's wallet	13
15	The plan catalogue in the console	15
16	Billing	15
17	Invoice lines	16
18	Support tickets	17

List of Tables

1	Order statuses	6
2	Storefront messages	10

3	Plan fields	14
4	Console messages	16

1 About this manual

SwarmOps Cloud runs container applications on Docker Swarm and bills them by the hour from a prepaid wallet. Customers use the **storefront**, at **/store** on the platform’s address. Administrators use the **administration console**, at **/**.

Amounts are shown in **tomans**. Internally the platform counts rials (10 rials = 1 toman), so API responses and database reports show ten times the toman figure.

Button and field names are shown in **bold**. A path such as *Sales › Orders* means “open Sales in the side bar, then Orders”.

2 Part I — Customers

2.1 The storefront at a glance

The storefront’s header holds three controls:

- the language switch (**English** /);
- **Sign in** or **Sign out**;
- once signed in, the tabs **Plans**, **Dashboard**, **Wallet**, **Orders**, **Projects**, **Invoices** and **Support**.

The storefront follows your device’s light or dark setting, and works on a phone as well as on a computer.

2.2 Choosing the language

Press for Persian or **English** for English. In Persian the whole page runs right to left, and numbers, dates and amounts use Persian digits. Your choice is remembered on that device.

2.3 Creating an account

1. Press **Sign in**, then **Already have an account? Sign in** or the registration link, to reach **Create your account**.
2. Enter your **Full name**, **Email** and a **Password** of 10 to 72 characters.
3. Press **Create account**.

You are signed in and taken to your wallet. Each email address can hold one account.

After several failed attempts in a short time, the storefront asks you to wait a few minutes before trying again. This protects your account from password guessing.

2.4 Topping up the wallet

Your applications are paid for from the wallet, so it must hold money before an order can be approved.

1. Open **Wallet**.
2. Choose a preset amount — **100,000**, **500,000** or **1,000,000** toman — or type another amount under **Another amount (toman)**. One top-up may be between 10,000 and 200,000,000 toman.
3. Press **Top up · ... toman**.

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

English

فارسی

Sign out

Plans

Dashboard

Wallet

Orders

Projects

Invoices

Support

Plans

Every plan is billed per hour, and never costs more than its monthly price.

Starter

A small API, a bot, or a personal site.

per hour

400 toman

at most per month

270,000 toman

✓ 0.25 vCPU

✓ 256 MiB memory

✓ 5 GiB disk

✓ Runs on Docker Swarm and is replaced if its health check fails

✓ CPU and memory limits enforced by the platform

✓ Billed per hour, never above the monthly price

✓ Support tickets answered by the operators

Basic

A typical web service with steady traffic.

per hour

750 toman

at most per month

500,000 toman

✓ 0.5 vCPU

✓ 512 MiB memory

✓ 10 GiB disk

✓ Runs on Docker Swarm and is replaced if its health check fails

✓ CPU and memory limits enforced by the platform

✓ Billed per hour, never above the monthly price

✓ Support tickets answered by the operators

Standard

A production service doing real work per request.

per hour

1,300 toman

at most per month

900,000 toman

✓ 1 vCPU

✓ 1,024 MiB memory

✓ 20 GiB disk

✓ Runs on Docker Swarm and is replaced if its health check fails

✓ CPU and memory limits enforced by the platform

✓ Billed per hour, never above the monthly price

✓ Support tickets answered by the operators

Plus

A heavier runtime or a larger working set.

per hour

2,400 toman

at most per month

1,650,000 toman

✓ 2 vCPU

✓ 2,048 MiB memory

✓ 40 GiB disk

✓ Runs on Docker Swarm and is replaced if its health check fails

✓ CPU and memory limits enforced by the platform

✓ Billed per hour, never above the monthly price

✓ Support tickets answered by the operators

Pro

The largest self-service size.

per hour

4,500 toman

at most per month

3,000,000 toman

✓ 4 vCPU

✓ 4,096 MiB memory

✓ 80 GiB disk

✓ Runs on Docker Swarm and is replaced if its health check fails

✓ CPU and memory limits enforced by the platform

✓ Billed per hour, never above the monthly price

✓ Support tickets answered by the operators

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 1: The plan catalogue




Figure 2: The dashboard in the dark theme

The balance rises, and the top-up appears under **Transactions** with the balance after it.

Demonstration payment. This installation does not contact a payment gateway, and no card is charged. The page says so in a blue notice. If a top-up request is sent twice, for example after a network error, the wallet is credited only once.

2.5 Ordering a plan

Each plan gives your application a fixed amount of CPU, memory and disk. It has a price per hour and a **most you can pay in a month**.

1. Open **Plans** and choose a plan.
2. The checkout shows the plan's **Price per hour**, **Most you can pay in a month** and **Required wallet balance at approval**, which is 24 hours of the plan's price.
3. Fill in the form:
 - **Application name** — a lowercase letter followed by lowercase letters, digits or hyphens, at most 41 characters. The name must not be in use.
 - **Container image** — an image already published to a registry, with a tag other than `latest` (for example `ghcr.io/acme/shop:1.0.0`).
 - **Port the application listens on.**
 - **Note for the reviewer** — optional.
4. Press **Place order**.

Before you order, check your image. The platform starts your application only when it is healthy. Your image must answer `GET /healthz` with status 200 on the port you give, and it must contain `wget` or `curl`, which the health check uses. An image that does not meet these requirements will fail to start, and the charge is refunded.

No money moves when you place an order. An administrator reviews it first.



Figure 3: The Persian storefront on a phone

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

English

فارسی

Sign in

Plans

Create your account

A wallet comes with it. You pay only for the hours your applications run.

Full name *

Email *

Password *

At least 10 characters.

Create account

Already have an account? Sign in

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 4: Creating an account

2.6 Following your orders

Orders lists every order with its status.

Table 1: Order statuses

Status	Meaning	What you can do
In review	Waiting for an administrator.	Cancel order.
Deploying	Approved; the first hour has been charged and the application is starting.	Wait.
Active	Your application is running and billed by the hour.	See Projects .
Failed	The application did not start. The first hour was refunded automatically.	Check the image requirements and order again under a new name.
Rejected	An administrator declined the order; the reason is shown.	Correct the problem and order again.
Cancelled	You cancelled the order.	—

2.7 Your projects

A project is an application created by an approved order. **Projects** shows, for each one:

- its status;
- its plan and price per hour;
- the amount **Charged this month**;
- when it has been **Running since**.

How charging works.

- A running project is charged its hourly price once for each hour. The platform checks every few minutes, so a charge can appear a few minutes after the hour begins.
- In one calendar month a project is never charged more than its plan’s monthly price.
- If the wallet cannot pay for the next hour, the project is **suspended**: it stops running and

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

English

فارسی

Sign out

Plans
Dashboard
Wallet
Orders
Projects
Invoices
Support

Wallet

Top up once; each hour your applications run is paid from this balance.

499,200 toman

Wallet balance

ⓘ

This is a demonstration payment step: no card is charged and no gateway is contacted.

100,000

500,000

1,000,000

Another amount (toman)

Top up · 500,000 toman

Transactions

Date	Description	Amount	Balance after
15 Sept 2026, 21:32	Hourly usage · sara-api, 2026-09-15 18:00 UTC	-400 toman	499,200 toman
15 Sept 2026, 20:46	Refund · Refund: the deployment did not succeed	400 toman	499,600 toman
15 Sept 2026, 20:42	First hour · First hour of sara-api	-400 toman	499,200 toman
15 Sept 2026, 20:36	First hour · First hour of sara-blog	-400 toman	499,600 toman
15 Sept 2026, 20:26	Refund · Refund: the deployment did not succeed	400 toman	500,000 toman
15 Sept 2026, 20:26	First hour · First hour of sara-shop	-400 toman	499,600 toman
15 Sept 2026, 20:13	Top-up · Wallet top-up	500,000 toman	500,000 toman

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 5: The wallet

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

EnglishفارسیSign out

PlansDashboardWalletOrdersProjectsInvoicesSupport

Order the Basic plan

An administrator reviews every order. When it is approved, the first hour is charged and your application is deployed. Your wallet must hold 24 hours of this plan at that moment.

Back

Order summary

Price per hour750 toman

Most you can pay in a month500,000 toman

Required wallet balance at approval18,000 toman

Application name *

Lowercase letters, digits and hyphens. It names your application everywhere.

Container image *

An image already pushed to a registry, with its tag — for example ghcr.io/acme/shop:1.0.0. It must answer GET /healthz with 200 on the port below, and include wget or curl for that check.

Port the application listens on *

8080

Note for the reviewer (optional)

Place order

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 6: Checkout

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

EnglishفارسیSign out

PlansDashboardWalletOrdersProjectsInvoicesSupport

Orders

Everything you ordered, and what was decided.

Browse plans

#	Date	Application	Plan	Price per hour	Status
3	15 Sept 2026, 20:41	sara-api	Starter	400 toman	• Active
2	15 Sept 2026, 20:36	sara-blog	Starter	400 toman	• Failed
1	15 Sept 2026, 20:15	sara-shop	Starter	400 toman	• Failed

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 7: Orders

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

English

فارسی

Sign out

Plans
Dashboard
Wallet
Orders
Projects
Invoices
Support

Projects

Your applications, what they run on, and what they cost this month.

sara-api

Active

Starter - 400 toman per hour

800 toman

15 Sept 2026, 20:48

Charged this month

Running since

sara-blog

Failed

Starter - 400 toman per hour

400 toman

15 Sept 2026, 20:36

Charged this month

Running since

sara-shop

Failed

Starter - 400 toman per hour

400 toman

15 Sept 2026, 20:26

Charged this month

Running since

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 8: Projects

SwarmOps Cloud

Host your containers on a managed Docker Swarm platform, billed by the hour.

English

فارسی

Sign out

Plans
Dashboard
Wallet
Orders
Projects
Invoices
Support

Invoices

A paid invoice for each month you used the platform.

Number	Period	Tax included	Total	Status	
INV-202609-000001	September 2026	145 toman	1,600 toman	Paid	View

SwarmOps Cloud runs on the SwarmOps control plane. Prices are shown in toman.

Figure 9: Invoices

2. Under **New ticket**, enter a **Subject** (3–160 characters) and a **Message** (under 5,000 characters). Optionally choose **About a project** and a **Priority** (low, normal or high).
3. Press **Open ticket**.

Replies from administrators appear in the conversation, and the ticket’s status changes from *Open* to *Answered*. You can reply again or close the ticket.




Figure 10: A support conversation

2.10 Signing out and security

Press **Sign out** to end your session on that device. A session also ends by itself after 12 hours. If you sign in from another tab, the storefront continues to work in the first tab without reloading.

2.11 Messages you may see

Table 2: Storefront messages

Message	Meaning and remedy
<i>use between 10 and 72 characters</i>	The password is too short or too long.
<i>an account with this email already exists</i>	Sign in instead, or use another email address.
<i>the application name “...” is already taken</i>	Choose another name.
<i>image must not use the latest tag / image must use a non-latest tag or digest</i>	Give the image a version tag, such as :1.0.0.
<i>top up between ... and ... rials</i>	The amount is outside the allowed range (10,000 to 200,000,000 toman).
<i>Too many sign-in attempts; wait a few minutes</i>	Wait, then try again.
<i>Your session has expired</i>	Sign in again.

Validation messages from the server are in English, including on the Persian storefront.

3 Part II — Administrators

3.1 Signing in and the Sales area

Open the console at the platform's address and sign in with the operator account. The side bar's **Sales** area has five pages: **Orders**, **Customers**, **Plans**, **Billing** and **Support**. The rest of the console — **Apps**, **Machines**, **Traffic**, **Activity** and **Control** — operates the platform itself.

3.2 Preparing the platform

An order can be confirmed only on a **connected Swarm manager**, and an application can be deployed only when the **managed Traefik gateway** is installed.

1. **Connect a server.** Use **Connect a server** and follow the installation command, or use the development machine agent on a local installation. The header shows **Agent connected** when it is reachable.
2. **Install the gateway.** Open *Traffic > Gateway*. The **Installation prerequisites** list states what is missing: the external `traefik` network, a manager labelled `nim.edge=true`, the dynamic configuration, the dashboard login secret, the ACME contact email and the dashboard hostname.
 - Enter the ACME email and dashboard hostname under *Traffic > Gateway settings*.
 - When every missing item can be created automatically, press **Fix all N prerequisites**. Save the dashboard login it shows once.
 - Press **Install gateway**, type `DEPLOY_TRAEFIK`, and press **Install gateway** again.




Figure 11: Gateway prerequisites

3.3 Reviewing orders

Sales > Orders shows how many orders are pending, deploying, active and failed. The list can be filtered by status.

To decide an order:




Figure 12: The order queue

1. Press **Review** on a pending order. The panel shows the customer, application, image, port, plan and the customer's note.
2. **To confirm:**
 - Choose the server under **Deploy on**; only connected Swarm managers are offered.
 - Type the phrase shown, for example `CONFIRM_ORDER_3`.
 - Press **Confirm and deploy**.
3. **To reject:** enter **Reason for rejecting (sent to the customer)** and press **Reject order**.

Confirming charges the first hour, creates the project and queues the deployment in one step. If any part cannot happen — the wallet holds less than 24 hours of the price, the server is not a manager, or the application is invalid on that server — nothing is charged and the console explains why.

After confirmation the order is *provisioning* until the deployment finishes. If the deployment succeeds, the order becomes *active*. If it fails, the order becomes *failed* and the first hour is refunded automatically. *Activity > Runs* shows the deployment's steps and, for a failure, its cause.

A deployment that never becomes healthy occupies the command queue until its ten-minute timeout, and other commands wait meanwhile. When a deployment stays in *provisioning*, check its run in *Activity* and the application's health endpoint.

3.4 Customers and wallets

Sales > Customers lists every storefront account with its balance, live projects, pending orders and status. Press **Wallet** to open a customer's ledger.

- **ledger consistent** confirms that the balance equals the sum of the ledger. If it ever shows **ledger mismatch**, stop and investigate before any adjustment.




Figure 13: Decided orders




Figure 14: A customer's wallet

- **To correct a balance**, enter an **Adjustment (toman)** — negative to deduct — and a **Reason (kept in the ledger)** of at least a few words, then press **Record adjustment**. An adjustment is a new ledger row; existing rows are never edited, and a balance cannot become negative.
- **To suspend a customer**, type the phrase shown (for example `SUSPEND_CUSTOMER_1`) and confirm. Every session of the customer ends and they cannot sign in. Their running projects are not stopped. Reactivate the same way.

Every adjustment and status change is recorded in the audit log under your name.

3.5 Plans

Sales › Plans lists the catalogue. Press **New plan** or **Edit** to open the editor:

Table 3: Plan fields

Field	Rule
Code	2–32 lowercase letters, digits or hyphens; cannot be changed after creation.
Name	Required.
Description, Description (Persian)	Each under 255 characters. The Persian text is shown on the Persian storefront.
CPU (millicores)	100–64,000 (1,000 millicores = 1 vCPU).
Memory (MiB)	128–262,144.
Disk (GiB)	—
Price per hour (rial), Monthly cap (rial)	The hourly price must be positive; the cap at least one hour’s price. The hint shows each in tomans.
Features, Features (Persian)	One per line; at most 12 in each language, each under 160 characters.
Storefront availability	Offered or Withdrawn .

A price change applies to new orders only; existing orders and projects keep the prices they were placed at. Withdrawing a plan hides it from the storefront without affecting existing projects. Only list features the platform actually provides.

3.6 Billing and invoices

Sales › Billing shows:

- this month’s revenue (charges less refunds);
- the active and suspended projects;
- the wallet float, meaning the money customers hold but have not spent;
- the projects with their charges this month;
- revenue by month;
- the invoices.

Billing runs by itself every five minutes on the active controller. Use the two buttons only when you need them:

- **Run billing now** charges any hours not yet charged. Running it twice charges nothing twice.
- **Issue invoices** for the chosen month. Issuing a month twice creates no duplicate invoices. The previous month’s invoices are also issued automatically.

Search anything · ۳۶K

Home

Apps

Machines

Traffic

Activity

Sales

Control

Controller holds authority

Authority epoch 1

Snapshot of Local machine read at 12:29:12 AM.

Sales > Plans

Cluster Local machine Agent connected 3 to decide

Plans

What the storefront sells, at what size and price.

Offered

5

Plans customers can order now

Withdrawn

0

Kept for existing orders, hidden from the storefront

A plan's CPU and memory become the application's reservation and hard limit when an order for it is deployed.

Catalogue

New plan

Plan	CPU	Memory	Per hour	Monthly cap	Offered	
Starter (starter)	0.25 vCPU	256 MiB	400 toman	270,000 toman	active	Edit
Basic (basic)	0.5 vCPU	512 MiB	750 toman	500,000 toman	active	Edit
Standard (standard)	1 vCPU	1024 MiB	1,300 toman	900,000 toman	active	Edit
Plus (plus)	2 vCPU	2048 MiB	2,400 toman	1,650,000 toman	active	Edit
Pro (pro)	4 vCPU	4096 MiB	4,500 toman	3,000,000 toman	active	Edit

Figure 15: The plan catalogue in the console

Search anything · ۳۶K

Home

Apps

Machines

Traffic

Activity

Sales

Control

Controller holds authority

Authority epoch 1

Snapshot of Local machine read at 09:43:36 PM.

Sales > Billing

Cluster Local machine Agent connected 2 to decide

Billing

Hourly charges, invoices, and revenue by month.

Revenue this month

800 toman

Charges less refunds since the first of the month

Active projects

1

Projects billed by the hour

Suspended

0

Stopped because the wallet could not pay

Wallet float

499,200 toman

Prepaid balance not yet spent

Prices include value-added tax; invoices state the tax contained in each total. Charges come from prepaid wallets, so every invoice is issued as paid.

Billing jobs

August 2026

Issue invoices

Run billing now

Projects

Application	Plan	Server	Per hour	This month	Status
sara-api	Starter	server-6ebbbe6b6e4790724443ea3d	400 toman	800 toman	active
sara-blog	Starter	server-6ebbbe6b6e4790724443ea3d	400 toman	400 toman	failed
sara-shop	Starter	server-6ebbbe6b6e4790724443ea3d	400 toman	400 toman	failed

Figure 16: Billing

Press **Lines** on an invoice to see its projects, hours and amounts, with the tax it contains.




Figure 17: Invoice lines

3.7 Support

Sales › *Support* lists tickets by status: **open** (waiting for you), **answered** and **closed**. Press **Open** to read a conversation. Type your answer under **Reply** and press **Send reply**; the ticket becomes *answered*. Press **Close ticket** when the matter is resolved.

3.8 Messages you may see

Table 4: Console messages

Message	Meaning and remedy
<i>The customer's wallet does not hold the required reserve</i>	The wallet holds less than 24 hours of the plan's price. Ask the customer to top up.
<i>The selected server is not connected to a Swarm manager</i>	Choose a connected manager, or connect one first.
<i>Choose a saved server to deploy on</i>	No server was chosen.
<i>This order is ..., not pending</i>	Someone else has already decided the order. Refresh the list.
<i>This control-plane replica is standby...</i>	This controller is not the active one. Use the active controller.
<i>Remote mutations are disabled on this control plane</i>	The controller was started without mutations enabled.
Deployment failure <code>gateway_required</code>	Install the gateway (see <i>Preparing the platform</i>).

SwarmOps

Search anything · 36K

Home

Apps

Machines

Traffic

Activity

Sales

Control

Controller holds authority

Authority epoch 1

Snapshot of Local machine read at 09:43:44 PM.

Sales > Support

Cluster Local machine

Agent connected

2 to decide

Support

Customer tickets and their answers.

Open

0

Waiting for an answer from you

Answered

1

Answered, waiting for the customer

Closed

0

Resolved conversations

Tickets

open

answered

closed

Subject	Customer	Priority	Last activity	Status
How do I reach sara-api from the internet?	sara.demo@example.com	normal	Sep 15, 2026, 9:05 PM	answered Open

Figure 18: Support tickets

17