

DreamMaker Edge Infrastructure — Master Claude Handoff

Production-grade reference document for future AI sessions, infrastructure continuation, deployment recovery, client branding consistency, and transport architecture evolution.

0. Mission Profile

DreamMaker is being rebuilt around a single principle:

PRIORITY ORDER

1. Stability under harsh filtering conditions
2. Low latency and real throughput
3. Reliable media/CDN compatibility
4. Clean Cloudflare edge behavior
5. Beautiful client presentation
6. Conservative filtering only

The infrastructure should never sacrifice:

- YouTube playback
- CDN stability
- streaming quality
- low ping
- connection persistence

for aggressive filtering logic.

Filtering is intentionally a LOW priority.

1. Infrastructure Identity

Item	Value
Main Domain	<code>dreammaker-groupsoft.ir</code>
CDN Domain	<code>cdn.dreammaker-groupsoft.ir</code>
Clean Domain	<code>clean.dreammaker-groupsoft.ir</code>

Item	Value
Public IP	82.115.26.105
OS	Ubuntu LTS
Panel	X-UI
Core	Xray-core v26.4.25
Edge Layer	Cloudflare
Reverse Proxy	Nginx

2. Core Architecture

```
Client
  → Cloudflare Edge :443
  → Nginx :443
  → Internal localhost Xray inbound
  → Outbound routing
```

IMPORTANT

Xray is NOT intended to expose public listeners directly.

Nginx is the only public-facing layer.

3. Network Reality (Critical)

Confirmed Public Ports

Port	Status
80	OPEN
443	OPEN

Provider-Level Silent Drops

The provider silently drops most alternate ports externally.

This includes:

- 22
- 8080
- 8000
- 8880
- 2082
- 2086
- 2092
- many Cloudflare alternative ports

Operational Consequence

Do NOT rely on custom public ports.

The architecture must be optimized around:

- 80
- 443

ONLY.

4. Cloudflare Strategy

Intended Mode

Setting	Value
SSL Mode	Full (Strict)
Proxy	Enabled
HTTP/2	Enabled
HTTP/3	Optional if stable
WebSocket	Enabled

Intended Flow

```
Client
→ Cloudflare
→ Nginx
→ localhost Xray
```

Architectural Principle

Cloudflare is the public shield.

The origin must remain:

- predictable
 - simple
 - auditable
 - minimal
-

5. Nginx Design Philosophy

Nginx is responsible for:

- TLS termination
- HTTP→HTTPS redirect
- WebSocket/gRPC proxying
- rate limiting
- path control
- request filtering
- Cloudflare IP restoration
- fail-closed behavior

Security Principles

- server_tokens off
- minimal leakage
- controlled routing
- strict TLS
- localhost upstreams only
- no public Xray exposure

Fail-Closed Behavior

Unknown requests should fail quietly.

The edge should not reveal:

- transport structure
 - internal paths
 - backend identity
 - Xray presence
-

6. Xray Design Rules

ABSOLUTE RULE

Every Xray inbound MUST bind only to:

127.0.0.1

NEVER:

0.0.0.0

on production.

7. Transport Strategy

Preferred Transports

Stable Priority

1. WebSocket
2. gRPC

Important Philosophy

Transport complexity should not reduce:

- stability
 - ping consistency
 - compatibility
 - reconnect quality
-

8. Filtering Philosophy

CRITICAL

Filtering is intentionally conservative.

The infrastructure should prioritize:

- streaming stability
- CDN compatibility
- low latency
- application compatibility

OVER:

- aggressive blocking
- over-filtering
- heavy routing logic

Known Risk Areas

Aggressive filtering may negatively affect:

- YouTube
- film/series websites
- CDN-backed platforms
- adaptive streaming
- chunked delivery
- QUIC behavior
- media buffering

Current Strategic Decision

Ad/tracker filtering should remain:

- minimal
- conservative
- optional
- easy to disable

if instability appears.

9. Routing Philosophy

Routing should remain lightweight.

High Priority

- stability
- predictable latency
- clean reconnect behavior

- low overhead

Low Priority

- complex rule chains
 - excessive geosite logic
 - heavy DNS manipulation
 - experimental optimizations
-

10. DNS Philosophy

The DNS layer should prioritize:

- stability
- low resolution latency
- CDN correctness
- media compatibility

NOT aggressive manipulation.

Important Note

If DNS optimizations reduce playback quality or CDN consistency:

ROLL THEM BACK.

11. Visual Branding Goals

The client list inside apps should feel:

- premium
- clean
- modern
- visually balanced
- easy to scan

NOT:

- technical
 - messy
 - overloaded
 - debug-like
-

12. Client Naming System

Branding Direction

All visible names should look intentionally designed.

The user should instantly recognize:

- quality tier
- server class
- premium feel

without seeing technical clutter.

13. Recommended Visible Labels

Starter Tier

 DreamMaker | Starter | CDN

Basic Tier

 DreamMaker | Basic | TLS

Standard Tier

 DreamMaker | Standard | Hybrid

Plus Tier

 DreamMaker | Plus | Premium

Pro Tier

 DreamMaker | Pro | Secure

Elite Tier

🔥 DreamMaker | Elite | Priority

Unlimited Tier

💎 DreamMaker | Unlimited | Ultra

14. Visual UX Rules

GOOD PRACTICES

- short names
- one emoji only
- calm typography
- consistent structure
- premium wording
- balanced tier hierarchy

BAD PRACTICES

- long technical labels
 - exposing protocol details
 - debug naming
 - duplicated naming styles
 - inconsistent capitalization
 - random formatting
-

15. Public Path Philosophy

Paths should resemble:

- API traffic
- CDN resources
- app synchronization
- static content

They should NOT resemble:

- VPN paths
- proxy paths
- tunnel identifiers
- obvious bypass endpoints

16. Active Tier Registry

Tier	UUID	Local Port	Path	Limit
Starter	7dd47c02-8dce-4b12-9dbc-7cdb95a9e10e	11001	/api/v1/ ping	1GB
Basic	92ebaa01-ec34-4601-a4dc-f6afdf822966	11002	/cdn/init	2GB
Standard	3d5e3adf-0912-4c78-9ca9-b87db334ce71	11003	/app/sync	5GB
Plus	e8eb3d74-8e8c-4903-b878-8feb656ebb0c	11004	/api/v2/ feed	10GB
Pro	b3540a54-67dd-452a-b5d8-45d6407b8da5	11005	/static/ bundle.js	15GB
Elite	2680152c-0dc3-4fdb-b366-e936358b121f	11006	/media/ stream	20GB
Unlimited	89c0f294-3f94-4735-96cf-9c1aefdbcbb2	11007	/v2/ content/ live	Unlimited

17. Current Strategic Concerns

Areas Requiring Validation

- Cloudflare compatibility under harsh filtering
- HTTP/2 vs HTTP/3 behavior
- transport stability under congestion
- reconnect consistency
- buffering behavior on streaming services
- CDN edge reliability
- latency consistency

18. Important Pending Questions

These questions still need validation in future sessions:

1. Is the current transport stack optimal for harsh filtering conditions?
 2. Does HTTP/3 improve or worsen stability under local ISP conditions?
 3. Are any current routing rules unnecessarily increasing latency?
 4. Are there hidden conflicts between edge proxy behavior and transport mode?
 5. Is any filtering logic reducing media compatibility?
 6. Are DNS decisions negatively affecting CDN routing?
 7. Is Cloudflare introducing any hidden buffering or transport side-effects?
 8. Is the current reconnect behavior optimal under unstable mobile networks?
-

19. Current Cleanup Status

Completed

- old public bands removed
- architecture redesigned
- localhost strategy established
- branding direction defined
- tier model organized

Pending

- final nginx deployment
 - final xray deployment
 - visual label refinement
 - final subscription rebuild
 - transport validation
 - latency benchmarking
 - streaming compatibility tests
-

20. Next Session Action List

Required Checks

Infrastructure

- verify nginx owns public 80/443
- verify xray is localhost-only

- verify no accidental public listeners exist
- verify Cloudflare configuration

Stability

- test YouTube playback
- test streaming sites
- test mobile reconnect quality
- test real ping consistency
- test packet loss behavior

Branding

- refine client labels
- improve tier naming
- verify visual hierarchy in apps
- optimize subscription appearance

Performance

- benchmark latency
- benchmark reconnect time
- benchmark CDN compatibility
- benchmark transport resilience

21. Final Philosophy

DreamMaker should feel:

- stable
- elegant
- modern
- minimal
- fast
- premium
- trustworthy

The infrastructure should survive:

- harsh filtering
- unstable mobile networks
- ISP interference
- CDN inconsistencies

without becoming overly complicated.

22. Golden Rule

DO NOT OVER-ENGINEER.

If an optimization:

- increases fragility
- breaks media playback
- increases latency
- complicates reconnect logic
- reduces compatibility

then it is NOT a good optimization.

Quality and stability are more important than complexity.