

```

-- MySQL dump 10.13  Distrib 8.0.38, for macos14 (x86_64)
--
-- Host: 127.0.0.1    Database: mvc
--
-----
-- Server version 9.0.1

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `collisions`
--

DROP TABLE IF EXISTS `collisions`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `collisions` (
  `COLLISION_ID` int DEFAULT NULL,
  `CRASH_DATE` text,
  `CRASH_TIME` text
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `collisions`
--

LOCK TABLES `collisions` WRITE;
/*!40000 ALTER TABLE `collisions` DISABLE KEYS */;
INSERT INTO `collisions` VALUES (100201,'9/7/12','9:03'),
(4213082,'9/23/19','8:15'),(3307608,'10/2/15','17:18'),(3308693,'10/4/15','20:34'),
(297666,'4/25/13','21:15'),(3434155,'5/2/16','17:35'),(4229067,'10/24/19','13:15'),
(3503027,'8/18/16','12:39'),(196425,'7/16/13','11:20'),
(2975897,'11/26/12','18:12'),(3487936,'7/22/16','15:40'),(3268858,'8/1/15','8:17'),
(3499697,'8/13/16','21:05'),(4229563,'10/21/19','17:55'),
(4322767,'6/6/20','18:30'),(176016,'8/11/12','19:36'),(3516125,'9/8/16','14:40'),
(79561,'4/9/13','15:10'),(3412270,'4/1/16','15:46'),(4229538,'10/24/19','17:30'),
(4228839,'10/24/19','16:00'),(19615,'7/16/13','17:10'),
(3542089,'10/17/16','16:00'),(328209,'5/1/14','21:16'),(3108421,'8/4/14','1:10'),
(3579297,'12/13/16','7:55'),(1014563,'8/27/14','14:30'),
(3307950,'10/2/15','20:55'),(3533118,'8/5/16','12:35'),(31225,'12/10/13','22:08'),
(1113,'10/26/12','16:20'),(4228955,'10/24/19','23:40'),(4223842,'10/14/19','6:20'),
(1037702,'10/11/14','21:20'),(3326836,'11/2/15','11:00'),
(3262048,'7/20/15','6:30'),(9285,'2/20/14','17:30'),(1009244,'8/16/14','12:50'),
(4228644,'10/24/19','10:25'),(4229205,'10/24/19','12:10'),(126113,'9/4/12','7:00'),
(4229517,'10/19/19','13:30'),(57863,'9/25/12','12:50'),
(4229127,'10/24/19','20:30'),(3277120,'8/14/15','14:20'),
(4229563,'10/21/19','17:55'),(301826,'11/7/12','12:20'),(12254,'7/22/12','7:10'),
(4229018,'10/24/19','21:55'),(2912640,'11/22/12','22:25'),
(3204325,'4/16/15','15:58'),(3391837,'2/20/16','3:07'),(45437,'8/17/12','16:30'),
(2960132,'12/18/12','4:20'),(4228921,'10/24/19','11:50'),

```

```

(546846,'7/15/14','10:30'),(4229375,'10/24/19','14:00'),(3291849,'9/6/15','22:00'),
(3097477,'11/25/13','20:00');
/*!40000 ALTER TABLE `collisions` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `crash_event`
--

DROP TABLE IF EXISTS `crash_event`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `crash_event` (
  `EVENT_ID` int DEFAULT NULL,
  `PRE_CRASH_EVENT_ID` int DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `crash_event`
--

LOCK TABLES `crash_event` WRITE;
/*!40000 ALTER TABLE `crash_event` DISABLE KEYS */;
INSERT INTO `crash_event` VALUES (1,1),(2,2),(3,3),(4,4),(5,5),(6,6),(7,7),(8,8),
(9,9),(10,10),(11,11),(12,12),(13,13),(14,14),(15,15),(16,16),(17,17),(18,18),
(19,19),(20,20),(21,21),(22,22),(23,23),(24,24),(25,25),(26,26),(27,27),(28,28),
(29,29),(30,30),(31,31),(32,32),(33,33),(34,34),(35,35),(36,36),(37,37),(38,38),
(39,39),(40,40),(41,41),(42,42),(43,43),(44,44),(45,45),(46,46),(47,47),(48,48),
(49,49),(50,50),(51,51),(52,52),(53,53),(54,54),(55,55),(56,56),(57,57),(58,58),
(59,59);
/*!40000 ALTER TABLE `crash_event` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `crash_event_and_collision`
--

DROP TABLE IF EXISTS `crash_event_and_collision`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `crash_event_and_collision` (
  `EVENT_ID` int DEFAULT NULL,
  `COLLISION_ID` int DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `crash_event_and_collision`
--

LOCK TABLES `crash_event_and_collision` WRITE;
/*!40000 ALTER TABLE `crash_event_and_collision` DISABLE KEYS */;
INSERT INTO `crash_event_and_collision` VALUES (1,100201),(2,4213082),(3,3307608),
(4,3308693),(5,297666),(6,3434155),(7,4229067),(8,3503027),(9,196425),(10,2975897),
(11,3487936),(12,3268858),(13,3499697),(14,4229563),(15,4322767),(16,176016),
(17,3516125),(18,79561),(19,3412270),(20,4229538),(21,4228839),(22,19615),
(23,3542089),(24,328209),(25,3108421),(26,3579297),(27,1014563),(28,3307950),
(29,3533118),(30,31225),(31,1113),(32,4228955),(33,4223842),(34,1037702),

```

```

(35,3326836),(36,3262048),(37,9285),(38,1009244),(39,4228644),(40,4229205),
(41,126113),(42,4229517),(43,57863),(44,4229127),(45,3277120),(46,4229563),
(47,301826),(48,12254),(49,4229018),(50,2912640),(51,3204325),(52,3391837),
(53,45437),(54,2960132),(55,4228921),(56,546846),(57,4229375),(58,3291849),
(59,3097477);
/*!40000 ALTER TABLE `crash_event_and_collision` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `driver`
--

```

```

DROP TABLE IF EXISTS `driver`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `driver` (
  `UNIQUE_ID` int DEFAULT NULL,
  `VEHICLE_ID` text,
  `DRIVER_SEX` text,
  `DRIVER_LICENSE_STATUS` text,
  `DRIVER_LICENSE_JURISDICTION` text
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `driver`
--

```

```

LOCK TABLES `driver` WRITE;
/*!40000 ALTER TABLE `driver` DISABLE KEYS */;
INSERT INTO `driver` VALUES (10385780,'1','','',''),(19140702,'0553ab4d-9500-4cba-8d98-f4d7f89d5856','M','Licensed','NY'),(14887647,'2','','',''),
(14889754,'1','','',''),(14400270,'1','','',''),
(17044639,'219456','M','Licensed','FL'),(19138701,'c53b43d9-419a-4ab1-9361-3f2979078d89','M','Licensed','NY'),(17303317,'672828','F','Licensed','NY'),
(12254536,'1','','',''),(11804847,'2','','',''),
(17285715,'554272','M','Licensed','NY'),(14809587,'2','','',''),
(17307366,'650962','F','Licensed','NY'),(19140791,'86a294b4-6672-4a7e-8357-39d6d2eff9f7','F','Licensed','PA'),(19694316,'fdc195a7-8127-4c00-834d-bac78b0cf88e','M','Licensed','NY'),(11912713,'2','','',''),
(17401424,'764668','M','Licensed','NY'),(9879462,'1','','',''),
(16952374,'87497','M','',''),(19140656,'70e5262a-bd27-48a6-99a1-1ec659804088','F','Licensed','NY'),(19139721,'5bb0b59a-ce74-4a04-9f92-1446ebfe4f46','F','Licensed','NC'),(8704041,'1','','',''),
(17222837,'993368','M','Licensed','NY'),(9882078,'1','','',''),
(14221219,'2','','',''),(17277100,'1193510','','',''),(11758197,'2','','',''),
(14888316,'2','','',''),(17169289,'613344','','',''),(8889301,'1','','',''),
(8393362,'2','','',''),(19139288,'8e406c38-a35f-4a06-bd29-fb196b3adec0','M','Permit','NY'),(19141039,'64b7fb10-b91b-4faa-8a30-baa797b1bf2c','','',''),(12553012,'1','','',''),(14925931,'2','','',''),
(14795557,'1','','',''),(8483670,'2','','',''),(8404435,'2','','',''),
(19138486,'8ada1656-bb64-4bba-91b5-f8872d9de368','M','Licensed','NY'),
(19139804,'009f5608-f1c8-4747-91be-6b707a1fda3d','M','Licensed','NY'),
(10957637,'2','','',''),(19140710,'79c04add-66ef-4f3b-a159-120379cfa8ac','M','',''),(9437002,'1','','',''),(19140446,'c1353cd0-388f-4e93-887d-6743b7599d2b','F','Licensed','NY'),(14826434,'1','','',''),(19140792,'ca744068-6013-47f0-a661-a0fbb579eb47','M','Licensed','NY'),(14462100,'2','','',''),
(8569561,'1','','',''),(19139096,'6ce523e1-6a14-4bcb-8e98-b2bdc5a74542','M','Licensed','NY'),(10158114,'1','','',''),(14658856,'2','','',''),

```

```
(15054978,'3',' ',' ',' '), (9273416,'2',' ',' ',' '), (11314325,'2',' ',' ',' '),
(19138903,'46176b3a-deda-4170-a186-7e7206b7a089','M','Licensed','NY'),
(10062169,'3',' ',' ',' '), (19140226,'f37a0689-c2cb-4ae6-9317-
531dfffa0f185','F','Licensed','NY'), (14856165,'1',' ',' ',' '), (13851173,'1',' ',' ',' ');
/*!40000 ALTER TABLE `driver` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `pre_crash_event`
--
```

```
DROP TABLE IF EXISTS `pre_crash_event`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `pre_crash_event` (
  `PRE_CRASH_EVENT_ID` text,
  `PRE_CRASH` text,
  `TRAVEL_DIRECTION` text
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
-- Dumping data for table `pre_crash_event`
--
```

```
LOCK TABLES `pre_crash_event` WRITE;
/*!40000 ALTER TABLE `pre_crash_event` DISABLE KEYS */;
INSERT INTO `pre_crash_event` VALUES ('',' ',' '), ('','Going Straight
Ahead','North'), ('','Going Straight Ahead',' '), ('','Parked',' '), ('',' ',' '),
('','Merging','East'), ('','Parked','East'), ('','Going Straight Ahead','Southwest'),
('',' ',' '), ('',' ',' '), ('','Stopped in Traffic','South'), ('','Going Straight
Ahead',' '), ('','Going Straight Ahead','West'), ('','Going Straight Ahead','North'),
('','Going Straight Ahead','South'), ('',' ',' '), ('','Stopped in Traffic','West'),
('',' ',' '), ('','Passing','South'), ('','Going Straight Ahead','North'), ('','Going
Straight Ahead','South'), ('',' ',' '), ('','Going Straight Ahead','South'),
('','Backing',' '), ('','Going Straight Ahead',' '), ('','Parked','North'), ('','Going
Straight Ahead',' '), ('','Changing Lanes',' '), ('','Merging','North'), ('',' ',' '),
('',' ',' '), ('','Going Straight Ahead','East'), ('','Going Straight Ahead','East'),
('','Making Right Turn',' '), ('','Parked',' '), ('','Parked',' '), ('',' ',' '),
('','Backing',' '), ('','Going Straight Ahead','East'), ('','Entering Parked
Position','East'), ('',' ',' '), ('','Going Straight Ahead','North'), ('',' ',' '),
('','Going Straight Ahead','West'), ('','Going Straight Ahead',' '), ('','Going
Straight Ahead','West'), ('',' ',' '), ('',' ',' '), ('','Going Straight Ahead','South'),
('',' ',' '), ('','Going Straight Ahead',' '), ('','Parked',' '), ('',' ',' '), ('',' ',' '),
('','Slowing or Stopping','East'), ('','Parked',' '), ('','Making Left Turn','East'),
('','Stopped in Traffic',' '), ('',' ',' ');
/*!40000 ALTER TABLE `pre_crash_event` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `vehicle`
--
```

```
DROP TABLE IF EXISTS `vehicle`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `vehicle` (
  `VEHICLE_ID` text,
  `STATE_REGISTRATION` text,
```

```

`VEHICLE_TYPE` text,
`VEHICLE_BRAND` text,
`VEHICLE_MAKE` text,
`VEHICLE_YEAR` text
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `vehicle`
--

LOCK TABLES `vehicle` WRITE;
/*!40000 ALTER TABLE `vehicle` DISABLE KEYS */;
INSERT INTO `vehicle` VALUES ('1','NY','PASSENGER VEHICLE','','',''),('0553ab4d-
9500-4cba-8d98-f4d7f89d5856','NY','Station Wagon/Sport Utility
Vehicle','TOYT','CAR/SUV','2002'),('2','NY','TAXI','','',''),('1','NY','PASSENGER
VEHICLE','','',''),('1','NY','PASSENGER VEHICLE','','',''),('219456','NY','4 dr
sedan','MERZ','CAR/SUV','2015'),('c53b43d9-419a-4ab1-9361-
3f2979078d89','NY','Bus','FRHT','TRUCK/BUS','2006'),('672828','NY','Station
Wagon/Sport Utility Vehicle','FORD','CAR/SUV','2005'),('1','NY','PASSENGER
VEHICLE','','',''),('2','NY','PASSENGER VEHICLE','','',''),('
554272','NY','Convertible','VOLK','CAR/SUV','2013'),('2','NJ','PASSENGER
VEHICLE','','',''),('650962','NY','Sedan','NISS','CAR/SUV','2015'),('86a294b4-
6672-4a7e-8357-39d6d2eff9f7','PA','Sedan','BMW','CAR/SUV','2006'),('fdc195a7-8127-
4c00-834d-bac78b0cf88e','','Bike','','',''),('2','NY','BICYCLE','','',''),('
764668','NY','Station Wagon/Sport Utility Vehicle','LINC','CAR/SUV','2015'),
('1','NY','PASSENGER VEHICLE','','',''),('87497','NY','Station Wagon/Sport Utility
Vehicle','TOYT','CAR/SUV','2015'),('70e5262a-bd27-48a6-99a1-
1ec659804088','NY','Station Wagon/Sport Utility Vehicle','JEEP','CAR/SUV','2018'),
('5bb0b59a-ce74-4a04-9f92-1446ebfe4f46','NC','Sedan','TOYT','CAR/SUV','1990'),
('1','NY','SPORT UTILITY / STATION WAGON','','',''),('993368','NY','Pick-up
Truck','freig','freig','2006'),('1','FL','PASSENGER VEHICLE','','',''),
('2','NY','PASSENGER VEHICLE','','',''),('1193510','NY','Station Wagon/Sport
Utility Vehicle','HYUN','CAR/SUV','2007'),('2','NY','PASSENGER VEHICLE','','',''),
('2','NY','PASSENGER VEHICLE','','',''),('613344','NJ','Sedan','MERZ
','CAR/SUV',''),('1','NJ','OTHER','','',''),('2','NY','BICYCLE','','',''),
('8e406c38-a35f-4a06-bd29-fb196b3adec0','NY','Station Wagon/Sport Utility
Vehicle','NISS','CAR/SUV','2011'),('64b7fb10-b91b-4faa-8a30-
baa797b1bf2c','','',''),('1','NY','SPORT UTILITY / STATION WAGON','','',''),
('2','NY','PASSENGER VEHICLE','','',''),('1','NY','TAXI','','',''),
('2','','OTHER','','',''),('2','NY','TAXI','','',''),('8ada1656-bb64-4bba-91b5-
f8872d9de368','NY','Sedan','TOYT','CAR/SUV','2008'),('009f5608-f1c8-4747-91be-
6b707a1fda3d','NY','Station Wagon/Sport Utility Vehicle','INFI','CAR/SUV','2019'),
('2','NY','SPORT UTILITY / STATION WAGON','','',''),('79c04add-66ef-4f3b-a159-
120379cfa8ac','','Bike','','',''),('1','NY','TAXI','','',''),('c1353cd0-388f-4e93-
887d-6743b7599d2b','NY','Sedan','HOND','CAR/SUV','2017'),('1','NY','PASSENGER
VEHICLE','','',''),('ca744068-6013-47f0-a661-a0fbb579eb47','NM','Station
Wagon/Sport Utility Vehicle','HOND','CAR/SUV','2003'),('2','NY','SPORT UTILITY /
STATION WAGON','','',''),('1','VA','PASSENGER VEHICLE','','',''),('6ce523e1-6a14-
4bcb-8e98-b2bdc5a74542','NY','Sedan','HOND','CAR/SUV','2018'),('1','NY','SPORT
UTILITY / STATION WAGON','','',''),('2','NY','SPORT UTILITY / STATION
WAGON','','',''),('3','NY','PASSENGER VEHICLE','','',''),
('2','NY','OTHER','','',''),('2','NY','PASSENGER VEHICLE','','',''),('46176b3a-
deda-4170-a186-7e7206b7a089','NY','Station Wagon/Sport Utility
Vehicle','TOYT','CAR/SUV','2017'),('3','NY','PASSENGER VEHICLE','','',''),
('f37a0689-c2cb-4ae6-9317-531dffa0f185','NY','Station Wagon/Sport Utility
Vehicle','TOYT','CAR/SUV','2011'),('1','NY','PASSENGER VEHICLE','','',''),
('1','NY','SPORT UTILITY / STATION WAGON','','',''),('','','','','','');
/*!40000 ALTER TABLE `vehicle` ENABLE KEYS */;

```

```
UNLOCK TABLES;
```

```
--
```

```
-- Table structure for table `vehicle_and_collision`
```

```
--
```

```
DROP TABLE IF EXISTS `vehicle_and_collision`;  
/*!40101 SET @saved_cs_client      = @@character_set_client */;  
/*!50503 SET character_set_client = utf8mb4 */;  
CREATE TABLE `vehicle_and_collision` (  
  `COLLISION_ID` int DEFAULT NULL,  
  `VEHICLE_ID` text  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;  
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
```

```
-- Dumping data for table `vehicle_and_collision`
```

```
--
```

```
LOCK TABLES `vehicle_and_collision` WRITE;  
/*!40000 ALTER TABLE `vehicle_and_collision` DISABLE KEYS */;  
INSERT INTO `vehicle_and_collision` VALUES (100201,'1'),(4213082,'0553ab4d-9500-4cba-8d98-f4d7f89d5856'),(3307608,'2'),(3308693,'1'),(297666,'1'),  
(3434155,'219456'),(4229067,'c53b43d9-419a-4ab1-9361-3f2979078d89'),  
(3503027,'672828'),(196425,'1'),(2975897,'2'),(3487936,'554272'),(3268858,'2'),  
(3499697,'650962'),(4229563,'86a294b4-6672-4a7e-8357-39d6d2eff9f7'),  
(4322767,'fdc195a7-8127-4c00-834d-bac78b0cf88e'),(176016,'2'),(3516125,'764668'),  
(79561,'1'),(3412270,'87497'),(4229538,'70e5262a-bd27-48a6-99a1-1ec659804088'),  
(4228839,'5bb0b59a-ce74-4a04-9f92-1446ebfe4f46'),(19615,'1'),(3542089,'993368'),  
(328209,'1'),(3108421,'2'),(3579297,'1193510'),(1014563,'2'),(3307950,'2'),  
(3533118,'613344'),(31225,'1'),(1113,'2'),(4228955,'8e406c38-a35f-4a06-bd29-fb196b3adec0'),  
(4223842,'64b7fb10-b91b-4faa-8a30-baa797b1bf2c'),(1037702,'1'),  
(3326836,'2'),(3262048,'1'),(9285,'2'),(1009244,'2'),(4228644,'8ada1656-bb64-4bba-91b5-f8872d9de368'),  
(4229205,'009f5608-f1c8-4747-91be-6b707a1fda3d'),(126113,'2'),  
(4229517,'79c04add-66ef-4f3b-a159-120379cfa8ac'),(57863,'1'),(4229127,'c1353cd0-388f-4e93-887d-6743b7599d2b'),  
(3277120,'1'),(4229563,'ca744068-6013-47f0-a661-a0fbb579eb47'),  
(301826,'2'),(12254,'1'),(4229018,'6ce523e1-6a14-4bcb-8e98-b2bdc5a74542'),  
(2912640,'1'),(3204325,'2'),(3391837,'3'),(45437,'2'),(2960132,'2'),  
(4228921,'46176b3a-deda-4170-a186-7e7206b7a089'),(546846,'3'),(4229375,'f37a0689-c2cb-4ae6-9317-531dffa0f185'),  
(3291849,'1'),(3097477,'1');  
/*!40000 ALTER TABLE `vehicle_and_collision` ENABLE KEYS */;  
UNLOCK TABLES;
```

```
--
```

```
-- Table structure for table `vehicle_and_vehicle_damage`
```

```
--
```

```
DROP TABLE IF EXISTS `vehicle_and_vehicle_damage`;  
/*!40101 SET @saved_cs_client      = @@character_set_client */;  
/*!50503 SET character_set_client = utf8mb4 */;  
CREATE TABLE `vehicle_and_vehicle_damage` (  
  `VEHICLE_ID` int DEFAULT NULL,  
  `DAMAGE_ID` int DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;  
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
```

```
-- Dumping data for table `vehicle_and_vehicle_damage`
```

```
--
```

```

LOCK TABLES `vehicle_and_vehicle_damage` WRITE;
/*!40000 ALTER TABLE `vehicle_and_vehicle_damage` DISABLE KEYS */;
INSERT INTO `vehicle_and_vehicle_damage` VALUES (1,1),(2,2),(3,3),(4,4),(5,5),
(6,6),(7,7),(8,8),(9,9),(10,10),(11,11),(12,12),(13,13),(14,14),(15,15),(16,16),
(17,17),(18,18),(19,19),(20,20),(21,21),(22,22),(23,23),(24,24),(25,25),(26,26),
(27,27),(28,28),(29,29),(30,30),(31,31),(32,32),(33,33),(34,34),(35,35),(36,36),
(37,37),(38,38),(39,39),(40,40),(41,41),(42,42),(43,43),(44,44),(45,45),(46,46),
(47,47),(48,48),(49,49),(50,50),(51,51),(52,52),(53,53),(54,54),(55,55),(56,56),
(57,57),(58,58),(59,59);
/*!40000 ALTER TABLE `vehicle_and_vehicle_damage` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `vehicle_damage`
--

DROP TABLE IF EXISTS `vehicle_damage`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `vehicle_damage` (
  `DAMAGE_ID` int DEFAULT NULL,
  `POINT_OF_IMPACT` text,
  `VEHICLE_DAMAGE` text,
  `VEHICLE_DAMAGE_1` text,
  `VEHICLE_DAMAGE_2` text,
  `VEHICLE_DAMAGE_3` text
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `vehicle_damage`
--

LOCK TABLES `vehicle_damage` WRITE;
/*!40000 ALTER TABLE `vehicle_damage` DISABLE KEYS */;
INSERT INTO `vehicle_damage` VALUES (1,'','','',''),(2,'Left Front Bumper','Left
Front Quarter Panel',' ',' '),(3,' ',' ',' ',' '),(4,' ',' ',' ',' '),
(5,' ',' ',' ',' '),(6,'Right Front Bumper','Right Front Bumper','Right Front
Quarter Panel',' ',' '),(7,'Left Front Quarter Panel','Left Front Quarter
Panel',' ',' '),(8,'Center Front End','Center Front End','No Damage','No
Damage','No Damage'),(9,' ',' ',' ',' ',' '),(10,' ',' ',' ',' ',' '),(11,'Right Rear
Bumper','Right Rear Bumper','Center Back End','Left Rear Bumper',' '),
(12,' ',' ',' ',' '),(13,'Left Side Doors','Left Side Doors','Left Rear Quarter
Panel',' ',' '),(14,'Center Front End','Right Front Bumper','Right Front Quarter
Panel','Right Front Bumper',' '),(15,'Center Front End','No Damage','No Damage','No
Damage','No Damage'),(16,' ',' ',' ',' ',' '),(17,'Right Rear Quarter Panel','Right Rear
Quarter Panel','Right Rear Bumper','No Damage','No Damage'),(18,' ',' ',' ',' ',' '),
(19,'Right Front Quarter Panel','No Damage','No Damage','No Damage','No Damage'),
(20,'Left Rear Quarter Panel','Left Rear Quarter Panel',' ',' ',' '),(21,'Right Side
Doors','Right Side Doors',' ',' ',' '),(22,' ',' ',' ',' ',' '),(23,'Center Back
End','Center Back End',' ',' ',' '),(24,' ',' ',' ',' ',' '),(25,' ',' ',' ',' ',' '),
(26,'Left Front Bumper','Left Front Bumper','Center Front End','Right Front Bumper',' '),
(27,' ',' ',' ',' ',' '),(28,' ',' ',' ',' ',' '),(29,'Left Front Quarter
Panel',' ',' ',' ',' '),(30,' ',' ',' ',' ',' '),(31,' ',' ',' ',' ',' '),(32,'Left Side
Doors','Left Side Doors','Left Front Quarter Panel',' ',' '),(33,' ',' ',' ',' ',' '),
(34,' ',' ',' ',' ',' '),(35,' ',' ',' ',' ',' '),(36,' ',' ',' ',' ',' '),(37,' ',' ',' ',' ',' '),
(38,' ',' ',' ',' ',' '),(39,'Center Front End','No Damage','No Damage','No Damage','No
Damage'),(40,'Right Front Bumper','Right Front Bumper','Right Front Quarter

```

```

Panel','Right Front Quarter Panel','Right Front Bumper'),(41,'','','',''),
(42,'Center Front End','Center Front End','','',''),(43,'','','',''),(44,'Center
Front End','Center Front End','Left Front Bumper','Right Front Bumper',''),
(45,'','','',''),(46,'Left Front Bumper','Center Front End','Center Front
End','Left Front Bumper',''),(47,'','','',''),(48,'','','',''),(49,'Center
Front End','Left Front Bumper','Right Front Bumper',''),(50,'','','',''),
(51,'','','',''),(52,'','','',''),(53,'','','',''),(54,'','','',''),
(55,'Center Front End','Center Front End','No Damage','No Damage','No Damage'),
(56,'','','',''),(57,'Left Rear Quarter Panel','Left Rear Quarter
Panel','','',''),(58,'','','',''),(59,'','','','');
/*!40000 ALTER TABLE `vehicle_damage` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

```

-- Dump completed on 2024-12-07 19:29:59