

Android is a mobile operating system that is based on a modified version of ____.*

1/1

Windows

Mac

Linux

Simbian

ans-C

Android is currently owned by ____.*

1/1

Microsoft

IBM

Android Inc.

Google

ans-D

Full form of OHA is ____.*

1/1

Open Handset Alliance

Operating Handset Alliance

Open Hardware Alliance

Operating Hardware Alliance

ans-A

The core Android source code is known as ____.*

1/1

ASOP

AOSP

APOS

ASPO

ans-B

Each Android device runs on exactly one API level, True or False? *

1/1

True

False

ans-A

Which of the following API level information is NOT required while building new Android application? *

0/1

- Target API level
- Minimum API level
- Maximum API level
- None of These

ans-C

DVM is acronym of ____.*

1/1

- Dalvik Virtual Machine
- Dalvik Virtualization Machine
- Dalvik Visual Machine
- None of These

ans-A

DVM is NOT primarily designed for the optimization of ____.*

1/1

- Battery-power
- Memory
- CPU
- Display

ans-D

Which of the following is NOT a background application? *

1/1

- SMS auto-responder
- Alarm Clock
- Game
- Calendar

ans-C

_____ enables developer to create C++ libraries using the libc and libm libraries.*

1/1

SDK
CDK
CPDK
NDK

ans-D

The DVM executes ____ files. *

1/1

.java
.apk
.dex
.xml

ans-C

AVD is an acronym of ____.

1/1

Android Visual Device
Android Video Device
Android Virtual Device
All of These

ans-C

The ____ is a window that contains the user interface of your application. *

1/1

Intent
Activity
Widget
Service

ans-B

The ____ file is generated inside manifest folder by Android Studio when you create a project. *

0/1

ManifestAndroid.xml
AndroidManifest.xml
ManifestAndroid.java
AndroidManifest.java

ans-B

APK files are built using the ____ build system, which is integrated in the Android Studio. *

1/1

SDK
Gradle
APK
Dalvik

ans-B

Which of the following is NOT true about Toast? *

1/1

Automatically Disappears
Not Clickable
Automatically Appears
Keeps Activity Interactive

ans-C

In order to make an alert dialog, you need to make an object of ____ class. *

1/1

AlertBuilder
AlertDialog
AlertDialogBuiler
DialogBuilder

ans-C

A View derives from the base class ____.

0/1

android.view.View
android.View
android.View.view
android.view

ans-C

Which of the following is NOT a view? *

0/1

Button
RadioGroup

RadioButton
None of These

ans-D

The ____ layout arranges views in a single column or a single row. *

1/1

Table
Constraint
Linear
Frame

ans-C

__ is the recommended unit of measurement when specifying font sizes in Android application. *

1/1

dp
pt
px
sp

ans-D

The ____ class allows you to save key/value pairs to the preferences file. *

0/1

Save
Editor
Append
Adapter

ans-B

Correct ansIf you don't need to share the data between activities, you can use the ____ method, in context of shared preferences. *

1/1

getPreferences()
getSharedPreferences()
getPrivatePreferences()
Any of These

ans-A

To use traditional file system operations, we have to use the ___ package. *

1/1

java.io
java.lang
java.util
Java.net

ans-A

To ensure that all the bytes are written to the file, the ___ method is used. *

1/1

write()
save()
flush()
commit()

ans-C

Android uses ___ database system. *

1/1

SQLite
SQLEXPRESS
MySQL
Shared Preferences

ans-A

Multimedia playback in Android is handled by the ___ class. *

1/1

MultiMedia
MediaPlayer
VideoPlayer
Anyone of These

ans-B

To play back the video in application, ___ control can be used. *

0/1

ImageView
VideoView
VideoPlayer

MediaPlayer

ans-B

____ class is used to adjust camera hardware settings, specify image preferences, and take pictures. *

0/1

Picture

Camera

Image

Anyone of These

ans-B

To get a Google Maps key, you should open the ____ file that was created in your project. *

1/1

google_maps_api.xml

google_maps_api.java

google_maps_api.jar

Google_maps_api.dex

ans-A