Edge-time series summary metrics: predictive value for demographics and cognitive traits

Megan Spurney[1], Joshua Faskowitz[1], Javier Gonzalez-Castillo[1], Daniel A. Handwerker[1], Peter A. Bandettini[1,2]

[1]Section on Functional Imaging Methods, National Institute of Mental Health, Bethesda, MD
[2]Functional MRI Core, National Institute of Mental Health, Bethesda, MD

INTRODUCTION

- Brain-behavior models often use resting-state fMRI data in the form of static functional connectivity (FC) matrices as inputs, where each entry corresponds to the Pearson's correlation between time series for a pair of regions of interest (ROIs or nodes)[1].
- This approach has been integral to key neuroimaging findings linking connectivity with behavioral phenotypes[2], yet it provides a potentially limited perspective.
  - By definition, FC describes the *'average'* similarity of signals over time, and neglects information about the ebbs and flows of similarity, i.e., *connectivity dynamics*
- To access dynamic connectivity information, we generated a time series for each node pair (or edge), capturing how the two nodes co-fluctuate moment to moment, called an **edge-time series**[3].
  - This process results in a high-dimensional data, describing the instantaneous cofluctuation between all nodes, for each timepoint.
- Here, we explore multiple summary measures of edge time series—**time-insensitive** and **time-sensitive**—and evaluate their predictive ability for cognitive traits.

METHODS

971 Resting-State fMRI Scans[4]
(duration=9.5mins, Siemens 3T, TR=650ms)

fMRI Prep[5] Preprocessing + aCompCor Denoising[6]

Alignment to Atlas

Schaefer 200 cortical ROI 17 Network Atlas[7]

Edge Time Series

ROI Time Series

Mean = Static FC

Entropy

STD

Sample Entropy

von Neumann Diff

Autocorr

Zero-Crossing

19,900 Edges

200 ROIs

Time-Insensitive
Time-Sensitive

Figure 1. ROI x ROI matrices each containing a different summary metric of resting-state fMRI edge time series. Each plot shows the average across the dataset. Red arrows indicate time-insensitive summary statistics, whereas green arrows indicate time-sensitive summary statistics.

Calculated multiple summary measures of edge time series for all subjects
- STD: standard deviation
- SE: sample entropy; conditional probability that two windows of size 10 will remain similar to the next window, with a shift of 1 TR[8]
- von Neumann difference: standard deviation of the successive differences[9]
- Autocorr: autocorrelation computed with a lag of 3 TRs (approx. 2s)[8]
- Zero-Crossing: zero-crossing of the autocorrelation function[8]

Feature matrices as input to a brain-behavior modeling framework known as Connectome-Based Predictive Modeling (CPM)[10,11] to predict subject phenotypes

a) GLM

Subj | Connectivity matrix | Behavioral measure
(1) | | 17
(2) | | 8
(3) | | 22

For each subject, sum selected edges

Fit linear model for brain – behavior relationship

Select the most significantly correlated edges

Apply model to novel subjects

b) Ridge

Subj | Connectivity matrix | Behavioral measure
(1) | | 20
(2) | | 8
(3) | | 14

Fit multivariate ridge regression model using selected edges for brain-behavior relationship

Figure 2. Description of Connectome-Based Predictive Modeling (figure adapted from Shen et al. 2017[a] & Gao et al. 2019[10]) a) Description of CPM using a general linear model to compute behavioral predictions from one fMRI scan per subject. b) Description of CPM using ridge regression to compute behavioral predictions using multiple representations of fMRI data per subject. Note that shared steps are indicated by being placed in between the blue (panel a) and green (panel b) shaded backgrounds

RESULTS

- We used CPM to predict attention and intelligence scores with a 10-fold cross-validation framework using each **time-insensitive** representation of connectivity dynamics and evaluated model accuracy by computing the correlation between the observed and predicted values.
  - We were able to significantly predict attention and intelligence scores (Figures 3a and 3b using edge time series mean, entropy, and standard deviation (all permutation-based p-values<0.01); mean (equal to FC) consistently performs best.

a) Predicting Attention
Mean: r = 0.264 ***
Entropy: r = 0.226 ***
STD: r = 0.146 ***

b) Predicting Intelligence
Mean: r = 0.349 ***
Entropy: r = 0.288 ***
STD: r = 0.111

*** p < 0.001
** p < 0.01

Edge Time Series Summary Metric

Figure 3. Connectome-Based Predictive Modeling results for predicting Attention Network Task scores (a) and WASI-II scores (b) using the edge time series, mean, entropy, and standard deviation. Y-axis represents Pearson's R value between observed and predicted behavioral values. Blue dots show results of 100 iterations of 10-fold cross-validation using true data, and gray boxen plots show distribution of results from 1,000 iterations using randomized data. Black line represents median accuracy for true models.

- Next, we predicted attention and intelligence using a ridge regression model that included all three **time-insensitive** representations of data.
  - This model performed better than our individual models for attention (r = 0.31, p<0.001) and intelligence (r = 0.43, p<0.001).
  - We found that, across fitting iterations, the model framework repeatedly selected the mean of the edge time series in building these predictions (Figures 4a and b), suggesting that the mean (or FC) is relatively most predictive.

a) Edges Selected for Attention Models
b) Edges Selected for Intelligence Models

Edge Time Series Summary Metric

Figure 4. Bar and line plots showing the number of edges selected as being significantly (p <0.01) correlation with Attention Network Task scores (a) or WASI-II scores (b) within each metric when all three representations of the data were given to the model at once. Ridge regression was run 100 times. Bars depict the average number of significant edges per summary metric across all iterations, while the lines show the number of edges selected per summary metric in each iteration. Results were consistent across iterations.

- Finally, we computed predictions using several **time-sensitive** summary metrics, including autocorrelation and dynamic entropy (Figures 5a and 5b). Interestingly, their predictive value proved to be not as significant as that of mean of edge time series.

a) Predicting Attention
Mean: r = 0.264 ***
SE: r = 0.04
Autocorr: r = 0.112 **
VND: r = 0.14 ***
Zero-Crossing: r = 0.008

b) Predicting Intelligence
Mean: r = 0.349 ***
SE: r = -0.041
Autocorr: r = 0.029
VND: r = 0.093
Zero-Crossing: r = -0.029

*** p < 0.001
** p < 0.01
* p < 0.05

Edge Time Series Summary Metric

Figure 5. Connectome-Based Predictive Modeling results for predicting Attention Network Task scores (a) and WASI-II scores (b) using the edge time series mean, sample entropy, autocorrelation, von Neumann difference, and zero-crossing of the autocorrelation function. Y-axis represents Pearson's R value between observed and predicted behavioral values. Blue dots show results of 100 iterations of 10-fold cross-validation using true data, and gray boxen plots show distribution of results from 1,000 iterations using randomized data. Black line represents median accuracy for true models.

CONCLUSIONS

- Our results demonstrated that mean co-fluctuation, i.e. functional connectivity, shows predictive power that was unmatched compared to other evaluated statistics.
  - This suggests that static FC over a 10 minute period is more predictive of phenotypic traits than the dynamics over this brief period.
  - These findings are potentially limited by the interaction between preprocessing, such as temporal filtering, and these summary statistics.
- Future work will focus on exploring multivariate combinations of these features, to test whether the performance of static FC can be exceeded.

REFERENCES
(1) Craddock 2013 (2) Finn 2015 (3) Zamani Esfahlani 2020 (4) Nooner 2012 (5) Esteban 2019 (6) Behzadi 2007 (7) Schaefer 2018 (8) Makowski 2021 (9) Baracchini 2021 (10) Shen 2017 (11) Gao 2019

Contact:
megan.spurney@nih.gov
joshua.faskowitz@nih.gov