

Q. Execute tcpdump and its options on your own system, and submit the output screenshot as a document.

apt install tcpdump

```
.
    apt install topdump
Reading package lists... Done
Building dependency tree ... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
 ettercap-common ettercap-graphical libluajit-5.1-2 libluajit-5.1-common python3-qrcode
Use 'apt autoremove' to remove them.
The following packages will be upgraded:
  tcpdump
1 upgraded, 0 newly installed, 0 to remove and 814 not upgraded.
Need to get 466 kB of archives.
After this operation, 1,024 B of additional disk space will be used.
Get:1 http://ftp.harukasan.org/kali kali-rolling/main amd64 tcpdump amd64 4.99.1-3 [466 kB]
Fetched 466 kB in 7s (62.8 kB/s)
(Reading database ... 312901 files and directories currently installed.) Preparing to unpack .../tcpdump_4.99.1-3_amd64.deb ...
Unpacking tcpdump (4.99.1-3) over (4.99.0-2) ...
Setting up tcpdump (4.99.1-3) ...
Installing new version of config file /etc/apparmor.d/usr.bin.tcpdump ...
Processing triggers for man-db (2.9.4-2) ..
Processing triggers for kali-menu (2021.2.3) ...
```

## tcpdump

```
troptomy: verbose output suppressed, use = v[v]... (or fill protect decode troptomy: verbose output suppressed, use = v[v]... (or fill protect decode troptomy: verbose output suppressed, use suppressed to the suppressed of the s
```

## • tcpdump -c 5

```
(root © loli)-[~]

*** Ctpdump - c 5

**Ctpdump - c 6

*
```