

9

Draw the following DFA using table filling algorithm where A is the start state and states C, F & I are the final states.

	0	1
A	B	E
B	C	F
*C	D	H
D	E	H
E	F	I
*F	G	B
G	H	B
H	I	C
*I	A	E

B	X							
*C	X	X						
D		X	X					
E	X		X	X				
*F	X	X		X	X			
G		X	X		X	X		
H	X		X	X			X	X
*I	X	X		X	X		X	X
	A	B	*C	D	E	*F	G	H

P.T.O.

$$f \rightarrow c, f, I.$$

1/1

S	O	I	F/NF	0/0
A	B	E	NF, NF	(X)
B	C	F	F, F	
A	B	E	NF, NF	0
D	E	H	NF, NF	
A	B	E	NF, NF	(X)
E	F	I	F, F	
A	B	E	NF, NF	0
G	H	B	NF, NF	
A	B	E	NF, NF	(X)
H	I	C	F, F	
B	C	F	F, F	(X)
D	E	H	NF, NF	
B	C	F	F, F	0
E	F	I	F, F	
B	C	F	F, F	(X)
G	H	B	NF, NF	
B	C	F	F, F	0
H	I	C	F, F	
C	D	H	NF, NF	0
F	G	B	NF, NF	

J	O	I	F/NF	O/X
C	D	H	NF, NF	0
I	A	E	NF, NF	
D	E	H	NF, NF	X
E	F	I	NF, F	
D	E	H	NF, NF	X
H	I	C	F, F	
D	E	H	NF, NF	0
G	H	B	NF, NF	
E	F	I	F, F	X
G	H	D	NF, NF	
E	F	I	F, F	0
H	I	C	F, F	
F	G	B	NF, NF	0
I	A	E	NF, NF	
G	H	B	NF, NF	X
H	I	C	F, F	


Pairing

$(A, D), (A, G), (D, G) \Rightarrow (A, D, G)$

$(B, H), (B, E), (E, H) \Rightarrow (B, H, E)$

$(C, E), (C, F), (F, I) \Rightarrow (C, F, I)$

Final DFA



Q

δ	0	1
$\rightarrow q_1$	q_2	q_3
q_2	q_3	q_5
$*q_3$	q_4	q_3
q_4	q_3	q_5
$*q_5$	q_2	q_5

	q_2	X		
*	q_3	X	X	
	q_4	X		X
*	q_5	X	X	X
		q_1	q_2	q_3
				q_4

δ	0	1	NT/F	0/1
q_1	q_2	q_3	NT, F	(X)
q_2	q_3	q_5	F, F	
q_1	q_2	q_3	NT, F	(X)
q_4	q_3	q_5	F, F	
q_2	q_3	q_5	F, F	(O)
q_4	q_3	q_5	F, F	
q_3	q_4	q_3	NT, F	(O)
q_5	q_2	q_5	NT, F	

Pairing

$(q_3, q_5) \rightarrow$ equivalent

$(q_2, q_4) \rightarrow$ equivalent

Final DFA

