```
3  NaN  B3  C3
4  NaN  B4  C4
```

The combination of options of the `pd.concat` function allows a wide range of possible behaviors when you are joining two datasets; keep these in mind as you use these tools for your own data.

The append() method

Because direct array concatenation is so common, `Series` and `DataFrame` objects have an `append` method that can accomplish the same thing in fewer keystrokes. For example, rather than calling `pd.concat([df1, df2])`, you can simply call `df1.append(df2)`:

```
In[16]: print(df1); print(df2); print(df1.append(df2))

df1               df2               df1.append(df2)
    A   B             A   B             A   B
1  A1  B1          3  A3  B3          1  A1  B1
2  A2  B2          4  A4  B4          2  A2  B2
                                     3  A3  B3
                                     4  A4  B4
```

Keep in mind that unlike the `append()` and `extend()` methods of Python lists, the `append()` method in Pandas does not modify the original object—instead, it creates a new object with the combined data. It also is not a very efficient method, because it involves creation of a new index *and* data buffer. Thus, if you plan to do multiple `append` operations, it is generally better to build a list of `DataFrames` and pass them all at once to the `concat()` function.

In the next section, we'll look at another more powerful approach to combining data from multiple sources, the database-style merges/joins implemented in `pd.merge`. For more information on `concat()`, `append()`, and related functionality, see the "Merge, Join, and Concatenate" section of the Pandas documentation.

Combining Datasets: Merge and Join

One essential feature offered by Pandas is its high-performance, in-memory join and merge operations. If you have ever worked with databases, you should be familiar with this type of data interaction. The main interface for this is the `pd.merge` function, and we'll see a few examples of how this can work in practice.

Relational Algebra

The behavior implemented in `pd.merge()` is a subset of what is known as *relational algebra*, which is a formal set of rules for manipulating relational data, and forms the conceptual foundation of operations available in most databases. The strength of the