









	Description	Designator C1, C2, C8, C9,	Footprint	LIDROST	Quantity	Value 22u, 22u, 22u,
SMD Capacitor	SMD Capacitor	C25, C26, C33, C34	Capacitor SMD 1206	SMD Capacitor		22u, 10u, 10u, 10u, 10u
SMD Capacitor	SWD Capacitor	U34	1200	SNID Capacitor	·	100n, 1u, 1u,
		C3, C6, C7, C10, C11, C12, C14.				0.1u, 100n, 10r 0.1u, 100n,
	SMD Capacitor COG(EIA) with	C11, C12, C14, C15, C20, C21,				
	Capacitance:	C22, C23, C24, C27, C29, C30,				100n, 100p, 4n 0.1u, 270p, 4n 100n, 10u, 100
GRM0225C1E4R	4.6pF Tol. 0.25pF. Rated	C31, C32, C35, C36, C37, C38,		GRM0225C1E4R		100n, 10u, 100 100n, 4n7, 270
6CA03L_1	Voltage: 25Vdc	C39, C40	CAPC0402X22N	6CA03L_1	24	4n7 22u, 22u, 100n
SMD Capacitor	SMD Capacitor	C4, C5, C13, C16, C17	Capacitor SMD 0603	SMD Capacitor	5	22u, 22u, 100n, 22p, 22p
SMD Tantalum Canacitor (R)	SMD Tantalum Canacitor (R)	C18, C19, C28	R Size Canacitor	SMD Tantalum Capacitor (B)_1		1uF, 1uF, 10uF
Capacitor (B) MOLEX_22_03_5	Capacitor (B) KONEKTOR 2		B Size Capacitor MOLEX_22-03-	KONEKTOR 2-		rur, rur, ruu
025	MOLEX Diode, Signal,	CON1, CON2	5025	POLNLX8Y6	2	
	TVS, 12V, Unidir					
SD12-7	(SOD323)	D1	SOD323	MBRS340	1	
	SMD LED (Red, Low Current					
SMD LED	Type) Diode, Signal,	D2, D4, D6	SMD LED Diode	SMD LED Diode	3	
BO540WS-7	Schottky (SOD- 323)		SOD323			
BU340W3-7	Diode, Signa, Schottky (SOD-	103	300323	MBK3340	<u> </u>	
B054WS-7	323)	D6	SOD323	MBRS340	1	
Jumper 2 Pole	Jumper 2 Pole	л	Jumper 2 Pole Molex_53253-	Jumper 2 Pole	- 1	
53253-0370		12	0370_0	53253-0370		
SERVO CONNECTOR		13	Molex_22-05- 1032_0	22-05-1032	1	
			Harwin_incM50			
			3930442_Recom			
Connector 4x1 1.27		17	mended_Land_P attern	M50-3930442	- 1	
SRN5040TA-	Fixed Inductors 3.3uH 20% SMD			SRN5040TA-		
150M	5040 Power inductor.	L1	ND_A-150M	150M	1	
	shielded, 20%	l	l	l	1	l
XAL6060-472ME	tol, SMT, RoHS, halogen f	L2	NDC1608X95N	XAL6060-472ME	. 1	10u
	Power inductor, shielded, 20%		l	l		
	tol, SMT, RoHS,	13.14	IND_XAL6060-			
XAL6060-472ME	halogen f Connector	La, L4	472ME	XAL6060-472ME	2	
CONN HEADER	Header Through Hole 2					
VERT 2POS 2MM	position 0.079" (2.00mm)	MOLEX 1, MOLEX 2	TE_Connectivity_ 0_MFG	53353,p33n		l
2MM	Post Header	MULEA 2	O_MPG	33233-0270		
	Assembly, 4 Position,					
	Vertical, 2mm Pitch, DIP					
292161-4	Standard Type	MOLEX_1	TE_292161-4_0	292161-4	1	
SMD Crystal Oscillator	SMD Crystal Oscillator	OSC1	XTAL_ECS-080- 18-23G-JGN-TR	SMD Crystal Oscillator	1	8MHz
ICSP PROGRAMMIN	POGO con6, pitch 2mm. Fi cc		ICSP Programming	ICSP PROGRAMMIN		
G	1.5mm P-Channel 30V	P4	6X1 (2mm)	G	1	
	50A (Tc) 5W					
	(Ta), 48W (Tc) Surface Mount					
SI7149ADP-T1- GE3	PowerPAKĀ® SO-8	01	POWERPAKSO- 8	SI7149ADP-T1- GE3	1	
	NuChannel 60V					
	320mA _Ta_ 260mW _Ta_ 830mW _Tc_					
	830mW _Tc_ Surface Mount		SOT65P210X110			
BSS138PW,115	SC-70 P-Channel 20V	Q2, Q4	3N	BSS138PW,115	2	
	4.2A _Ta_ 1.4W _Ta_ Surface		SOT91P240X110 3N_DMG2305U			
DMG2305UX-7	Mount SOT-23	Q3	X-7 - duplicate	DMG2305UX-7	1	
SIR184DP-T1- RE3	SIR184DP-T1- RE3	Q5, Q6, Q7, Q8	X-7 - duplicate TRANS_SIR184D P-T1-RE3	SIR184DP-T1- RE3	4	
		R1, R2, R3, R5, R15, R17, R18,				[NoParam], 568 10k, 330R, 6.8k
		R21, R22, R23,				4.7k, 4.7k, 10R, 10R, 2R, 10k,
		R24, R25, R26, R27, R28, R29,				10k, 160k, 160k
		R30, R31, R32, R33, R34, R35,				10k, 10k, 0R, 0l 47k, 330R, 11k,
		R36, R37, R38, R39, R44, R45,				10k, 11k, 6k8, 105k, 1k2, 10R,
		R46, R47, R50.				10R, 2R, 330R.
					ı	
SMD Resistor	SMD Resistor	R51, R52, R53, R54	RESC1005X35N	SMD Resistor	35	47k, 6k8, 105k, 10k, 1k2
SMD Resistor	SMD Resistor	R51, R52, R53, R54	RESC1005X35N	SMD Resistor	35	47k, 6k8, 105k, 10k, 1k2 105k, INoParami
SMD Resistor	SMD Resistor	R54	RESC1005X35N	SMID Resistor	35	47k, 6k8, 105k, 10k, 1k2 105k, INoParami
SMD Resistor	SMD Resistor	R54 R4, R6, R7, R8, R9, R10, R11.	RESC1005X35N	SMID Resistor	35	47k, 6k8, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 10k, 100I 100R, 100R,
		R54 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43.	Resistor SMD		35	47k, 6k8, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, (value), 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor	R54 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40,	Resistor SMD 0603 Resistor SMD	SMID Resistor	35	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
		R54 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R48, R49, R41, R20, R40, R41	Resistor SMD 0603		15	47k, 6k8, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, (value), 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor	R54 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6,	Resistor SMD 0603 Resistor SMD	SMID Resistor	15	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor SMD Resistor	R5.4 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6, TP7 TP5 TP6,	Resistor SMID 0603 Resistor SMID 1206	SMD Resistor SMD Resistor	15	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor SMD Resistor	R54 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6,	Resistor SMD 0603 Resistor SMD	SMID Resistor	15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor SMD Resistor Test point 4.5 V to 17 V input, 2 A	R5.4 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6, TP7 TP5 TP6,	Resistor SMID 0603 Resistor SMID 1206	SMD Resistor SMD Resistor	15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor SMD Resistor Test point 4.5 V to 17 V input, 2 A output,	R5.4 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6, TP7 TP5 TP6,	Resistor SMID 0603 Resistor SMID 1206	SMD Resistor SMD Resistor	15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor SMD Resistor Test point 4.5 V to 17 V input, 2.A output, victorious step-down converter in	R5.4 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6, TP7 TP5 TP6,	Resistor SMID 0603 Resistor SMID 1206	SMD Resistor SMD Resistor	15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 10k, 100 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor	SMD Resistor  SMD Resistor  Test point 4.5 V to 17 V input, 2 A output, 2 A output, 3 V input, 4 V input, 5 V input, 5 V input, 5 V input, 6 V input, 7 V	R5.4 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6, TP7 TP5 TP6,	Resistor SMD 0603 Resistor SMD 1206 TEST POINT	SMD Resistor SMD Resistor Test Point	35 15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 10k, 100 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point	SMD Resistor  Test point 4.5 V to 17 V input, 2 A output, synchronous converter in Step-down converter in COM mode 6-507-22-11N1 - 40 to 125	R5.4 R4, R6, R7, R8, R9, R10, R11, R12, R13, R14, R16, R42, R43, R48, R49 R19, R20, R40, R41 TP1, TP2, TP3, TP4, TP5, TP6, TP7 TP5 TP6,	Resistor SMID 0603 Resistor SMID 1206	SMD Resistor SMD Resistor Test Point	35 15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point	SMD Resistor  Test point 4.5 V to 17 V injunt, 2 A output, 4 Ship-down converter in 50-50-7-2-1-110 - 4 to 12.5  EDO Regulator Post 33 V 01.54  EDO Regulator Post 33 V 01.54	85.4 84, 86, 87, 88, 89, 810, 811, 812, 813, 814, 816, 842, 843, 849, 849, 849, 820, 840, 841 191, 192, 193, 194, 195, 196, 197, 198, 199, 197, 198, 199, 197, 198, 199, 197, 198, 199,	Resistor SMD 0603 Resistor SMD 1206 TEST POINT SOTVSF280X110 6N	SMD Resistor SMD Resistor Test Point	15 4 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 10k, 100 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point Test Point TP5562208DDC T	SMD Resistor  SMD Resistor  Test point 4.5 V to 17 V input, 2.A output, synchronous istay-down conventer in FCOM mode 6-SOT-22-FININ - 40 to 125  DO Regulator Pos 339 V 15-A 4-PR(3-1-Tab) SOT-39 T/R	85.4 84, 86, 87, 88, 89, 810, 811, 812, 813, 814, 816, 842, 843, 849, 849, 849, 820, 840, 841 191, 192, 193, 194, 195, 196, 197, 198, 199, 197, 198, 199, 197, 198, 199, 197, 198, 199,	Bedistor SMD 0403 Bedistor SMD 1206 TEST POINT SOT95P280X110 6N	SMD Resistor SMD Resistor Test Point Test Point TPSS62266DDC	15 4	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point	SMD Resistor  Test point 4.5 V to 17 V right point 5. V to 17 V right point 6. V to 17	85.4 84, 86, 87, 88, 89, 810, 811, 812, 813, 814, 816, 842, 843, 849, 849, 849, 820, 840, 841 191, 192, 193, 194, 195, 196, 197, 198, 199, 197, 198, 199, 197, 198, 199, 197, 198, 199,	Resistor SMD 0603 Resistor SMD 1206 TEST POINT SOTVSF280X110 6N	SMD Resistor SMD Resistor Test Point	15 4 13 13 1 1 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point Test Point TP5562208DDC T	SMD Resistor  SMD Resistor  Test point 45 V to 17 V input, 2 A output, synchronous ship-down convertir in COM model 6- SO 00 20 55  LO 00 20 55  LO 00 20 55  SO 00 20 57  Resistor Pos 3 W 0 15A 4 Prig 1 - Table SOT-89 V IR Acceler compate Oprocope, Magnetometry Oprocope, Mag	85.4 84, 86, 87, 88, 89, 810, 811, 812, 813, 814, 816, 842, 843, 849, 849, 849, 820, 840, 841 191, 192, 193, 194, 195, 196, 197, 198, 199, 197, 198, 199, 197, 198, 199, 197, 198, 199,	Resistor SMD 0603 Resistor SMD 1206 TEST POINT SOT9SP280X110 AN VIECC, AP7380- 33Y-13	SMD Resistor SMD Resistor Test Point Test Point TPSS62266DDC	15 4 13 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point Test Point TP5562208DDC T	SMO Resistor  SMD Resistor  Test point 4.5 V to 17 V input, 2 A output, point, 2 A output	85.4 84, 86, 87, 88, 89, 810, 811, 812, 813, 814, 816, 842, 843, 849, 849, 849, 820, 840, 841 191, 192, 193, 194, 195, 196, 197, 198, 199, 197, 198, 199, 197, 198, 199, 197, 198, 199,	Bedistor SMD 0403 Bedistor SMD 1206 TEST POINT SOT95P280X110 6N	SMD Resistor SMD Resistor Test Point Test Point TPSS62266DDC	15 4 4 13	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TP5562208DDC 7	SMD Resistor  SMD Resistor  Test polet 4.5 V to 17 V input 2.7 a output, yinchronous stsp-down convoter in FCCM mode 6- 507.23-THM 40 to 125  EDO Regulation 507.49 THPG 74 THPG 74 THPG 75 TH	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0603 Besistor SMD 1206 TEST POINT TEST POINT SOT95P2800X110 AN UREG_AP7380-33Y-13	SMD Resistor SMD Resistor Test Point TPSS62208DDC T	15 4 4 13	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TP5562208DDC 7	SMD Resistor  SMD Resistor  Test point 1 S V to 17 V 10 TV 1	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0603 Besistor SMD 1206 TEST POINT TEST POINT SOT95P2800X110 AN UREG_AP7380-33Y-13	SMD Resistor SMD Resistor Test Point TPSS62208DDC T	15 4 4 13 13 1 1 1 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TP5542208DDC T A67380-33V-13	SMD Resistor  SMD Resistor  Test point  \$\$ V to 17 V \  Te	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Besistor SMD 9601 1306 1306 TEST POINT TEST POINT UREG_AP7380- 33Y-13 OFN-40P100X30 0X105-34N	SMO Resistor SMO Resistor Test Point TPSSA2268DDC 7 AP7380.33Y-13	15 4 4 13	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TF5542208DDC T AP7389-33V.13 MPU-9250 ATMEGA328P-	SMD Resistor  Test point 4.5 V to 17 V input, 2 A output, 3 V output, 2 A output, 40 V output, 4	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0003 Resistor SMD 1206 TEST POINT  SOT9SP280X110 6N VREC_AP7380-33Y-13 GFN40P300X30 0X105-34N	SMD Resistor SMD Resistor Test Point TPSS42208DDC T AP7380-33Y-13 MPU-9250	15 15 15 11 11 11 11 11 11 11 11 11 11 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TP5542208DDC T A67380-33V-13	SMD Resistor  SMD Resistor  Test polet 1-5 V to 17 V output, 4-5 V to 17 V output, 5-5 V to 17 V output, 5-6 V to 17 V output, 6-7 V to 17 V output, 6-7 V to 17 V 0-7 V	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Besistor SMD 9601 1306 1306 TEST POINT TEST POINT UREG_AP7380- 33Y-13 OFN-40P100X30 0X105-34N	SMO Resistor SMO Resistor Test Point TPSSA2268DDC 7 AP7380.33Y-13	15 4 4 13	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TF5542208DDC T AP7389-33V.13 MPU-9250 ATMEGA328P-	SMD Resistor  SMD Resistor  Test point 4.5 V to 17 V reput 2.6 V reput 2.7 V reput 2.7 V reput 3.7 V r	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0003 Resistor SMD 1206 TEST POINT  SOT9SP280X110 6N VREC_AP7380-33Y-13 GFN40P300X30 0X105-34N	SMD Resistor SMD Resistor Test Point TPSS42208DDC T AP7380-33Y-13 MPU-9250	15 15 15 15 11 11 11 11 11 11 11 11 11 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TF5542208DDC T AP7389-33V.13 MPU-9250 ATMEGA328P-	SMD Resistor  SMO Resistor  Test point 4.5 via D1 V reput 2.6 via D1 V	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0003 Resistor SMD 1206 TEST POINT  SOT9SP280X110 6N VREC_AP7380-33Y-13 GFN40P300X30 0X105-34N	SMD Resistor SMD Resistor Test Point TPSS42208DDC T AP7380-33Y-13 MPU-9250	15 4 4 13 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TF5542208DDC T AP7389-33V.13 MPU-9250 ATMEGA328P-	SMO Resistor  SMO Resistor  Text point 4.5 V to 17 V ingula 2 A 5.5 V to 17 V ingula 2 A 5.6 V to 17 V ingula 2 A 6.6 V t	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0003 Resistor SMD 1206 TEST POINT  SOT9SP280X110 6N VREC_AP7380-33Y-13 GFN40P300X30 0X105-34N	SMD Resistor SMD Resistor Test Point TPSS42208DDC T AP7380-33Y-13 MPU-9250	15 15 15 15 15 15 15 15 15 15 15 15 15 1	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TF5542208DDC T AP7389-33V.13 MPU-9250 ATMEGA328P-	SMO Besideer  Text point  For I point  6.5 V to TV V  For	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Souther 5MO Med. 5MO Med. 5MO Souther 5MO	SMD Resistor SMD Resistor Test Point TPSS42208DDC T AP7380-33Y-13 MPU-9250	35 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Resistor SMD Resistor Test Point TF5542208DDC T AP7389-33V.13 MPU-9250 ATMEGA328P-	SMD Resistor  SMD Resistor  Text point 1 S V to 17 V 15 V	884 86, 87, 88, 89, 810, 811, 812, 813, 814, 812, 813, 814, 812, 813, 814, 814, 816, 802, 813, 814, 814, 814, 814, 814, 814, 814, 814	Resistor SMD 0003 Resistor SMD 1206 TEST POINT  SOT9SP280X110 6N VREC_AP7380-33Y-13 GFN40P300X30 0X105-34N	SMD Resistor SMD Resistor Test Point TPSS42208DDC T AP7380-33Y-13 MPU-9250	35 35 35 35 35 35 35 35 35 35 35 35 35 3	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Residor SMD Residor Test Pare Test Pare Types2200000 T APT/86.337.13	SMO Besister  SMO Besister  SMO Besister  Fact Fooling  45.5 Visit TV V  Freque 2.A  5.0 Visit TV  Freque 2.A  Freque	564 (86, 87, 88, 87, 88, 88, 87, 88, 88, 87, 88, 88	TEST FORT T CONTEST F CONT	5MO Residor 5MO Residor 5MO Residor Test Fuet 1 197562208100 1 1 40730.331.13 4080.4210 4080.4328P. 4080.4338P.	35 15 15 15 15 15 15 15 15 15 15 15 15 15	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Residor SMD Residor Test Pare Test Pare Types2200000 T APT/86.337.13	SMO Busidase Conception of the	564 (86, 87, 88, 87, 88, 88, 87, 88, 88, 87, 88, 88	TEST FORT T CONTEST F CONT	5MO Residor 5MO Residor 5MO Residor Test Fuet 1 197562208100 1 1 40730.331.13 4080.4210 4080.4328P. 4080.4338P.	35 35 35 35 35 35 35 35 35 35 35 35 35 3	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Residor SMD Residor Test Pare Test Pare Types2200000 T APT/86.337.13	SMO Resistant  SMO Resistant  Text Sport  Fact Sport	564 (86, 87, 88, 87, 88, 88, 87, 88, 88, 87, 88, 88	Section 5400 5003 5003 5003 5005 5005 5005 5005	500 Broker  500 Broker  Teal Polet  1905-2000000  897380-339-3  6904-5000  AMM GA328P-  1994-50000118	35 15 15 15 15 15 15 15 15 15 15 15 15 15	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m
SMD Residor SMD Residor Test Pare Test Pare Types2200000 T APT/86.337.13	SMO Busidase Conception of the	564 (86, 87, 88, 87, 88, 88, 87, 88, 88, 87, 88, 88	TEST FORT T CONTEST F CONT	2000 Resistant 2000 R	35 15 15 15 15 15 15 15 15 15 15 15 15 15	47k, 648, 105k, 10k, 1k2 105k, [NoParam], 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 100R, 47m, 47m, 47m