Day 1 Session summary- ASDXDDL8M2 Fundamentals of SQL

Thursday, 22nd October 2026

Overview

Key participants: QA Trainer Ninad Rampure leads the session with step-by-step instruction and active troubleshooting; learners who contribute or request help include Jocelyn Henderson, Karen Waddell, Debbie, Kieran Pannell, Kenneth Little, Clare Leishman, Fraser Erskine and others.

Main topics and outcomes: The class reinforces earlier material on relational concepts and T-SQL basics and progresses through practical SELECT-query skills in SSMS using the Northwind sample database. Ninad demonstrates SELECT/FROM basics, column expressions and aliases, string concatenation, query formatting and multipart identifiers, then moves into filtering (WHERE), logical operators, special operators (BETWEEN, LIKE), NULL handling, and lab troubleshooting. New content covered in this chunk introduces ORDER BY sorting rules (single- and multi-column ordering, default ASC, DESC), DISTINCT for unique rows, and TOP N with WITH TIES for top-N selections; Ninad shows ORDER BY accepts aliases and expressions because ordering runs last.

Troubleshooting and lab guidance: Several learners experienced errors caused by copying smart/inverted quotes from Word; Ninad diagnoses this and instructs retyping single quotes to fix string/date literal errors (confirmed by Jocelyn Henderson and Debbie). He also clarifies when to use IN versus BETWEEN for task three (explaining equivalent outcomes when bounds match) and how LIKE pattern placement (%) affects row counts (explained to Kenneth Little and Karen Waddell). Learners are instructed to verify row counts against expected answers and to continue labs to exercise four (and optionally five) before the session end.

Next steps and commitments: Ninad asks learners to finish the assigned exercises and suggests extra practice on W3Schools (which uses Northwind). He will upload a session summary and transcript to GitHub and hands over the next module (grouping, aggregation and multi-table joins) to Paul in the following session. Specific follow-ups: Ninad will share GitHub links and session materials, and learners should retype quotes when copying code from Word to avoid syntax errors.

Detailed Summary

Why not Excel

Trainer Ninad explains limitations of using Excel as a data store for a growing business and uses a small company-car registry scenario to illustrate confidentiality, redundancy, and update anomalies. The discussion shows why spreadsheets become

impractical when multiple related entities, access control, and data consistency are required. The current state is an explanation that relational databases address these problems by separating entities into tables and enforcing unique identifiers.

- QA Trainer Ninad Rampure explains that storing employee, car, and salary information in one Excel sheet risks exposing confidential columns because anyone with access can unhide them.
- QA Trainer Ninad Rampure demonstrates that recording multiple cars per person in Excel forces duplicate rows and creates update anomalies when a value (like salary) changes.
- Jocelyn Henderson suggests hiding columns but Ninad points out that hiding is reversible and does not enforce confidentiality.
- Kaleem Ullah and others note that duplicate rows (e.g., multiple car records) are a natural Excel solution but lead to redundancy, as affirmed by Ninad.
- Michele Bowden and others propose adding attributes (like department) but Ninad highlights that attributes do not remove redundancy for duplicate names.
- Jocelyn Henderson proposes using an employee number, and Ninad confirms unique IDs solve ambiguous identity but redundancy remains across repeated attributes in one table.
- Clare Leishman suggests splitting data like salary into a separate table, and Ninad affirms that separating entities into multiple tables addresses redundancy and update anomalies.

Relational database benefits

Ninad presents relational database concepts — separate tables per entity, primary keys, and controlled joins — and explains how they solve Excel's problems by enabling unique identifiers, permissions, and focused queries. He shows how car, employee, and salary tables can be linked by IDs to preserve confidentiality and ensure consistent updates. The current state is that relational databases are recommended for multi-entity data, access control, and flexible querying.

- QA Trainer Ninad Rampure describes that placing employee, car, and salary data into separate tables reduces redundancy and supports consistent updates.
- QA Trainer Ninad Rampure introduces the primary key concept and states that employee ID should be the unique identifier for employees.
- QA Trainer Ninad Rampure explains that car registration numbers serve as the primary key for cars and that employee IDs in the car table allow linking without exposing personal details.
- QA Trainer Ninad Rampure explains that relational systems let you restrict table-level access so HR can see salary details while others cannot.

Intro to T-SQL

Ninad introduces Transact-SQL (T-SQL) as Microsoft's variant of SQL and situates it among other RDBMS dialects (MySQL, PostgreSQL, Oracle PL/SQL). He clarifies that SQL is a query language used to request rows and columns from structured data and that each RDBMS implements dialect-specific features. The current state is an overview of what T-SQL is and how it fits into Microsoft SQL Server.

- QA Trainer Ninad Rampure defines SQL as a Structured Query Language and T-SQL as Microsoft's variant of SQL.
- Kaleem Ullah identifies T-SQL as Microsoft's dialect and distinguishes it from other RDBMS languages.
- QA Trainer Ninad Rampure notes that different RDBMS vendors implement SQL variations (e.g., PL/SQL for Oracle).

Tools and resources

Ninad identifies the three essentials for working with Microsoft SQL Server: the SQL Server instance, a client tool (SQL Server Management Studio - SSMS), and the queries you run. He shares references to Microsoft documentation and download locations for SSMS and suggests learners use the official docs for additional reading. The current state is learners preparing to use SSMS and reference materials provided.

- QA Trainer Ninad Rampure explains the three key components: the SQL Server instance (server), SSMS as the client tool, and the SQL/T-SQL queries you execute.
- QA Trainer Ninad Rampure offers to share Microsoft documentation links and resources for installing SQL Server and SSMS for further study.
- QA Trainer Ninad Rampure clarifies that SSMS provides a GUI but most work is executed via T-SQL queries.

Connecting with SSMS

Ninad walks learners through launching SQL Server Management Studio, selecting the correct server (data engine), choosing authentication methods (Windows, SQL login, or MFA), and enabling encrypted connections. He distinguishes steps for local 'go to my PC' learners and cloud 'LOD' learners and addresses common connection issues. The current state is learners connecting to the 'MIS' server or selecting their specific PC data engine and ensuring encryption is enabled.

- QA Trainer Ninad Rampure instructs go-to-my-PC users to use 'Browse for more' in the server name box to select their local data engine name.
- QA Trainer Ninad Rampure recommends Windows authentication for this training and explains alternative authentication methods, including local SQL accounts and MFA.

- QA Trainer Ninad Rampure emphasizes enabling encrypted connections between client and server and recommends mandatory encryption.
- Kaleem Ullah reports initially not seeing databases and Ninad advises selecting the 'Data Engine' server type and reconnecting.

Using the Northwind database

Ninad directs learners to the Northwind sample database inside SSMS to practice querying. He instructs learners to expand Databases > Northwind > Tables so they can see available tables (products, customers, employees, suppliers, etc.). The current state is learners locating and preparing to query Northwind in SSMS.

- QA Trainer Ninad Rampure asks learners to expand the Northwind database in Object Explorer to view its tables.
- QA Trainer Ninad Rampure states Northwind is a commercial/sample database and will be used for training exercises on retrieving data.

Basic query workflow

Ninad demonstrates creating a new query tab, setting the active database with the USE statement, composing SELECT queries (e.g., SELECT * FROM Products), and executing them to retrieve result sets. He emphasizes that each query tab is a separate session and that execution is required to view results. The current state is learners observing and preparing to run simple SELECT queries themselves.

- QA Trainer Ninad Rampure shows how to open a new query in SSMS and use 'USE Northwind' to set the current database context.
- QA Trainer Ninad Rampure demonstrates 'SELECT * FROM Products' to retrieve all rows and notes that execution returns row counts and results.
- QA Trainer Ninad Rampure emphasizes that every written query must be executed to produce output and that results can be exported to Excel or saved.

SSMS UI and labs setup

Ninad explains SSMS UI elements (Object Explorer, query tabs, results pane) and guides learners in preparing their lab environment: maximize SSMS window, open File Explorer to access course files, and open the Fundamentals to SQL workbook. He covers cloud LOD specifics (clipboard typing, session duration) and differences between go-to-my-PC and LOD users. The current state is learners maximizing SSMS, opening course resources locally on the lab desktop, and creating blank queries for exercises.

- QA Trainer Ninad Rampure instructs learners to maximize SSMS and open File Explorer to access the course files and the 'Fundamentals to SQL' workbook.

- QA Trainer Ninad Rampure explains LOD users must use the 'type clipboard text' feature in the virtual keyboard to paste text from their local machine into the cloud desktop.
- QA Trainer Ninad Rampure notifies LOD users that their cloud PCs reset on a schedule and instructs them to save regularly; he also confirms some LOD desktops remain available until April 21 for practice.
- QA Trainer Ninad Rampure tells all learners to open a blank new query in SSMS and be ready to start the 'retrieving data' module.

Retrieving data module start

Ninad transitions to the module on retrieving data and outlines the immediate objective: learn to ask the SQL Server for specific columns and rows rather than retrieving wholesale tables. He emphasizes the importance of precise queries and prepares learners to dive into more detailed SELECT-query features. The current state is learners positioned to begin practical exercises on selecting specific data.

- QA Trainer Ninad Rampure introduces the 'retrieving data' module and states the focus is learning to request specific columns and rows from the database.
- QA Trainer Ninad Rampure stresses that the ability to ask for only the data you need is a core reason to use SQL and relational databases.

SELECT and FROM basics

Ninad teaches the SELECT ... FROM pattern as the foundational query structure and shows how to set the active database with USE. He demonstrates using SELECT * for all columns and replacing the asterisk with comma-separated column names to return specific columns. The current state is learners writing simple SELECT queries against Northwind and practicing column selection.

- QA Trainer Ninad Rampure explains that SELECT specifies which columns (expressions) to return and FROM identifies the source table.
- QA Trainer Ninad Rampure instructs learners to run USE Northwind first so query suggestions and columns are available.
- QA Trainer Ninad Rampure demonstrates that SELECT * returns every column and that specifying comma-separated columns returns only the listed attributes.

Column selection and naming

Ninad shows how to select individual columns using SSMS suggestions, the importance of comma separators between columns, and how to resolve reserved-word column names using square brackets. He demonstrates best practices for query formatting and explains how to use aliases (AS) to name computed columns. The

current state is learners applying column selection rules and using AS to label expressions.

- QA Trainer Ninad Rampure advises writing SELECT on its own line and listing each column on separate lines for readability and error detection.
- QA Trainer Ninad Rampure instructs that reserved words like Description require square brackets around the column name to avoid parsing errors.
- QA Trainer Ninad Rampure describes using the AS keyword to assign an alias to computed columns and recommends single-word alias names or square brackets for names with spaces.

Column expressions and operators

Ninad demonstrates arithmetic expressions in SELECT clauses (addition, multiplication) to create computed columns and explains operator precedence and use of parentheses (parentheses) to control calculation order. He shows a product example adding UnitsInStock and UnitsOnOrder and multiplying the sum by UnitPrice to compute total value. The current state is learners creating computed columns and understanding parentheses and operator precedence.

- QA Trainer Ninad Rampure shows adding two numeric columns (UnitsInStock + UnitsOnOrder) in a SELECT to create a computed column.
- QA Trainer Ninad Rampure advises using parentheses to enforce the intended order of operations when combining addition and multiplication.
- QA Trainer Ninad Rampure explains that computed columns appear without titles unless an alias (AS) is provided.

String concatenation

Ninad covers concatenating string columns (for example first and last name) using the concatenation operator and shows how to insert literal space or text between columns using single quotes. He demonstrates aliasing the result (AS FullName) and explains how different inserted literals produce different outputs. The current state is learners combining text columns and formatting concatenated output.

- QA Trainer Ninad Rampure demonstrates concatenating FirstName + LastName and explains that a literal space (in single quotes) should be inserted to separate the names.
- QA Trainer Ninad Rampure notes you can insert any literal text between concatenated columns (for example 'Sales') and that single quotes denote string literals.
- QA Trainer Ninad Rampure reiterates aliasing concatenated output with AS to assign a readable column name.

Query style and comments

Ninad recommends consistent query formatting (one statement per line, columns on separate lines) for readability and easier debugging. He also explains single-line comments using -- and multi-line comments using /* ... */ and shows how comments document intent in shared queries. The current state is learners adopting formatting and commenting practices for maintainability.

- QA Trainer Ninad Rampure recommends consistent formatting such as placing each column and clause on separate lines to make queries easy to read and debug.
- QA Trainer Ninad Rampure explains single-line comments use double dash (--) and multi-line comments use /* and */.
- QA Trainer Ninad Rampure emphasizes including comments in shared scripts so others can understand why a query or import step exists.

Naming and multipart identifiers

Ninad explains two-, three-, and four-part naming conventions (e.g., dbo.Products, Database.dbo.Table, Server.Database.dbo.Table) and when to use them to disambiguate objects across schemas, databases, or servers. He recommends using dbo as the default schema and using multipart names when joining or accessing objects across different databases. The current state is learners aware of naming conventions and when to apply them.

- QA Trainer Ninad Rampure describes two-part names (schema.table) and three- or four-part names (database.schema.table and server.database.schema.table) for addressing objects across scopes.
- QA Trainer Ninad Rampure recommends using dbo as the default schema and using multipart names when pulling similarly named tables from different databases.
- QA Trainer Ninad Rampure notes that most training queries use two-part names within the Northwind database, but three- or four-part names become necessary for cross-database or cross-server queries.

Lab process and practical tips

Ninad outlines the lab workflow: create and save a new query file, set USE Northwind, run the tasks (display all columns, select specific columns, add computed values), and validate results (row counts). He provides practical shortcuts for copying task column lists into queries, LOD clipboard instructions, and expectations for timing and support. The current state is learners beginning module two labs with instructor support available in chat.

- QA Trainer Ninad Rampure instructs learners to create a new query, save it with the required filename, and use control-C/control-V to speed copying column lists from lab instructions.

- QA Trainer Ninad Rampure reminds LOD users to paste from chat using the virtual keyboard 'type clipboard text' feature in the browser toolbar.
- QA Trainer Ninad Rampure expects the first lab to have three tasks (select all, select specific columns, add a calculation) and estimates about 15 minutes to complete them, with solutions available for reference.
- QA Trainer Ninad Rampure advises learners to verify results such as row counts (e.g., 77 rows for Products) to confirm correct execution.
- QA Trainer Ninad Rampure confirms learners should save each query locally for practice records though submissions are not required.

Troubleshooting and session logistics

Throughout the session Ninad helps learners troubleshoot common issues: resolving invalid column errors, adjusting query layout to pick column suggestions, resizing workbook windows, handling go-to-my-PC/LOD login problems, and managing lunch/break timing. He clarifies attendance, break times, and post-lunch lab expectations. The current state is most learners connected and ready to start labs after lunch with follow-up support available.

- QA Trainer Ninad Rampure assists learners who receive 'invalid column name' errors by verifying the FROM table and selecting columns via suggestions.
- QA Trainer Ninad Rampure walks Karen Waddell through resizing the workbook and using the virtual keyboard to paste content on LOD.
- Kenneth Little notifies Ninad he will leave briefly and Ninad confirms the first lab can be caught up later with provided solutions.
- QA Trainer Ninad Rampure sets the post-lunch reconvene time and runs an attendance register to confirm participants before starting the practical labs.
- QA Trainer Ninad Rampure troubleshoots multiple LOD connectivity cases and offers to provision an extra lab PC or provide login details to learners who cannot connect.
- QA Trainer Ninad Rampure asks Kieran Pannell to monitor an intermittent 'go to my PC' login issue and notes Kieran can switch to an alternate lab PC if the problem recurs.

Retrieving rows with WHERE

Ninad introduces the WHERE clause to filter rows and explains why row-level filtering matters for practical queries (e.g., finding in-stock products or specific employees). He covers the WHERE placement after FROM, describes how WHERE evaluates a boolean expression per row, and positions learners to practice equality and comparison filters. The current state is learners ready to apply WHERE to filter by numeric and text comparisons in the Northwind tables.

- QA Trainer Ninad Rampure defines WHERE as a conditioning clause that returns only rows where the expression evaluates to true.
- QA Trainer Ninad Rampure demonstrates filtering Products by Discontinued = 0 to show items still for sale and notes the WHERE column need not appear in the SELECT list.
- QA Trainer Ninad Rampure shows numeric comparisons (>, =, 0 and explains practical uses such as filtering orders or enrollment dates.
- QA Trainer Ninad Rampure encourages learners to think of real examples where comparison filters apply, like enrollment dates or property bedrooms.
- QA Trainer Ninad Rampure walks through lab Task 1 with learners, confirming that executing the SELECT for specified product columns returns 77 rows and that adding WHERE Discontinued = 0 reduces the result to 69 rows.

Logical operators and precedence

Ninad explains logical operators (AND, OR, NOT), the importance of correct logical grouping, and how parentheses change evaluation order. He demonstrates pitfalls when combining AND/OR without brackets and shows how parentheses and the IN operator produce correct, concise results. The current state is learners understanding to use brackets and IN to avoid ambiguous logic and to produce predictable filtered sets.

- QA Trainer Ninad Rampure warns that mixing AND and OR without parentheses can produce unexpected results and demonstrates using parentheses to enforce intended logic.
- QA Trainer Ninad Rampure demonstrates filtering CategoryID IN (7,8) combined with UnitPrice > 30 and shows that grouping returns the correct subset.
- Anna Brand observes and Ninad confirms that parentheses ensure both categories are subjected to the price condition rather than only one.

Special operators: BETWEEN and LIKE

Ninad covers special WHERE operators: BETWEEN for range checks and LIKE with wildcards (%) for pattern matching. He shows that BETWEEN a and b equals using >= and

- QA Trainer Ninad Rampure demonstrates BETWEEN 35 AND 40 returns the same rows as using >= 35 AND
- QA Trainer Ninad Rampure shows LIKE 'Sales%' finds job titles starting with 'Sales' and LIKE '%Sales%' finds job titles containing 'Sales' anywhere in the text.
- Fraser Erskine confirms and Ninad agrees that using LIKE with wildcards can find first-name or last-name matches across records.

Aliases, order of execution, and WHERE limits

Ninad emphasizes that WHERE cannot reference column aliases created in the SELECT clause because WHERE executes before SELECT aliasing. He instructs learners to repeat full expressions in WHERE (or use a subquery/CROSS APPLY) rather than relying on AS names. The current state is learners aware to avoid alias usage in WHERE and to place computed expressions directly in the clause if filtering is required.

- QA Trainer Ninad Rampure demonstrates that referencing an alias in WHERE produces an 'invalid column' error and instructs to use the full expression instead.
- QA Trainer Ninad Rampure explains the SQL logical order of operations where SELECT aliasing happens after WHERE evaluation, so WHERE cannot see aliases.
- QA Trainer Ninad Rampure suggests copying the full computed expression into WHERE or using alternative constructs (subqueries) when necessary.

Dealing with NULL values

Ninad explains NULL semantics as 'no data / unknown / not applicable' and shows how to filter NULLs using IS NULL and IS NOT NULL rather than equality operators. He highlights practical compliance uses (finding missing contact details) and introduces forthcoming functions to replace or handle NULLs. The current state is learners equipped to detect missing values with IS NULL and to avoid using = NULL or NULL.

- QA Trainer Ninad Rampure clarifies that NULL means no value (unknown/not provided) and is not equal to zero or an empty string.
- QA Trainer Ninad Rampure demonstrates filtering rows with WHERE PostalCode IS NULL to find customers missing delivery details.
- QA Trainer Ninad Rampure warns that comparisons like = NULL or NULL do not work and that IS NULL / IS NOT NULL are required, and he previews functions to convert NULLs in a future session.

Next lab scope and break

Ninad outlines the next lab focus: practicing WHERE variants from equality to BETWEEN, combining logical and special operators, filtering computed expressions (without aliases), and handling NULLs; he then schedules a short break. The current state is learners pausing for a break and expected to reconvene to continue labs that will include ORDER BY or GROUP BY depending on progress.

- QA Trainer Ninad Rampure states the upcoming lab will ask learners to use equality, comparison, BETWEEN, IN, LIKE, and IS NULL in WHERE clauses.

- QA Trainer Ninad Rampure instructs learners not to use aliases in WHERE and to include full expressions if they need to filter computed values.
- QA Trainer Ninad Rampure schedules a break and asks participants to return at 20 past three to continue with ORDER BY or GROUP BY depending on pace.
- QA Trainer Ninad Rampure provides timing guidance for the lab set: four exercises with three tasks each and estimates to check progress at 15:50–15:45 and again at 15:50 or 15:45–15:50 to review progress and help where needed.
- QA Trainer Ninad Rampure advises learners to consult sample code and solutions if they struggle with more complex tasks such as IN and BETWEEN and to learn by amending templates or examples.

WHERE troubleshooting and copy-paste issue

Learners encounter lab errors caused by invisible character differences when copying text (notably inverted/smart quotes) from Word; Ninad diagnoses and demonstrates typing correct single quotes and clarifies WHEN to use IN vs BETWEEN to match task expectations. The current state is learners resolving copy-paste quote problems and understanding how to convert AND/>=...

- QA Trainer Ninad Rampure identifies that copying inverted (smart) quotes from Word causes SQL to reject string literals and instructs learners to retype single quotes manually, as demonstrated to Jocelyn Henderson and Debbie.
- Jocelyn Henderson confirms retyping quotes resolves her ORDER DATE filter issue after Ninad inspects her code.
- QA Trainer Ninad Rampure explains to Kieran Pannell that using BETWEEN with the same date bounds as an AND-based clause yields the same rows and that task three expects IN and BETWEEN forms.
- QA Trainer Ninad Rampure confirms to Debbie and others that the copy-paste quote problem was a common source of errors and asks learners to delete copied quotes and retype them.

LIKE wildcard guidance and counts

Ninad clarifies how LIKE with leading/trailing percent (%) affects result counts and why different placements return different row counts in lab tasks, using 'Sales' examples to explain counts variance. The current state is learners adjusting LIKE patterns to meet task expectations and verify row counts against sample answers.

- QA Trainer Ninad Rampure explains that 'Sales%' returns rows where the column starts with 'Sales' and '%Sales%' returns rows where 'Sales' appears anywhere, accounting for the observed difference between 40 and 43 rows for the lab task.

- Kenneth Little asks and Ninad confirms the percent placement determines whether the search matches only leading words or anywhere in the column.
- Karen Waddell and Kenneth Little confirm adjusting the LIKE pattern produces the expected row count for their tasks.

ORDER BY: sorting rules

Ninad introduces ORDER BY as the clause that presents filtered results in a desired order, explains default ascending order, how to specify DESC for descending, and demonstrates single- and multi-column ordering up to sixteen columns. He shows ordering by expressions and aliases (which ORDER BY accepts) and positions ORDER BY as the final step after SELECT/FROM/WHERE. The current state is learners ready to apply ORDER BY and multi-column sorting to lab queries.

- QA Trainer Ninad Rampure defines ORDER BY as the final clause to arrange results and notes ascending is the default if no direction is specified.
- QA Trainer Ninad Rampure demonstrates ordering by a single column (UnitPrice DESC) to surface the most expensive products.
- QA Trainer Ninad Rampure shows multi-column ordering (e.g., CategoryID, UnitPrice DESC) groups categories and then orders within each group by price.
- QA Trainer Ninad Rampure explains ORDER BY can reference computed expressions and aliases because ordering occurs after SELECT evaluation.

DISTINCT for unique values

Ninad demonstrates the DISTINCT keyword to remove duplicate rows from SELECT results, using customer city and country as an example to produce a condensed list of unique city-country pairs. He explains combining DISTINCT with WHERE and ORDER BY to refine and present unique lists. The current state is learners aware to use DISTINCT to eliminate repetition when listing attributes like cities or countries.

- QA Trainer Ninad Rampure shows SELECT DISTINCT City, Country reduces 91 customer rows to 69 unique city-country combinations.
- QA Trainer Ninad Rampure suggests using WHERE alongside DISTINCT to filter results to a single country and then optionally ordering them for presentation.

TOP N and WITH TIES

Ninad explains SELECT TOP N and the WITH TIES option to retrieve a fixed number of rows while optionally including additional rows that tie on the ordering column. He shows examples where TOP 11 returns exactly 11 rows while TOP 11 WITH TIES returns extra rows that share the same value as the cutoff, and discusses fairness considerations when using TOP for ranking. The current state is learners equipped to

use TOP (and WITH TIES) for leaderboards or top-N reports while understanding tie implications.

- QA Trainer Ninad Rampure demonstrates TOP N to limit result rows and illustrates that TOP N WITH TIES includes additional rows with the same ordering value as the Nth row.
- QA Trainer Ninad Rampure warns that using TOP without WITH TIES can unfairly exclude items with identical scores or values and recommends WITH TIES for inclusive top-N selections.
- Kenneth Little and others suggest workplace uses such as identifying top employees by sales or overtime where ties matter.

Session close and next steps

Ninad wraps up by confirming remaining lab expectations, pointing to additional practice resources (W3Schools using Northwind), and announcing the next trainer Paul will cover grouping, aggregation, and multi-table joins. He also promises to upload a session summary and transcript to GitHub for learners to revisit. The current state is learners finishing exercises with guidance to continue practice and reconvene for the next module on joins and aggregation.

- QA Trainer Ninad Rampure instructs learners to finish exercises three and four and suggests moving to exercise five if they complete early.
- QA Trainer Ninad Rampure recommends W3Schools for additional Northwind practice and offers to share a GitHub session-summary folder containing the transcript and materials.
- QA Trainer Ninad Rampure states Paul will continue the course next session covering grouping, aggregation and multi-table joins.