Language support

<u>cloud.google.com/speech-to-text/docs/languages</u>

This page lists all languages supported by Cloud Speech-to-Text. Language is specified within a recognition request's <u>languageCode</u> parameter. For more information about sending a recognition request and specifying the language of the transcription, see the <u>how-to-guides</u> about performing speech recognition. For more information about the <u>class tokens</u> available for each language, see the <u>class tokens page</u>.

Try it for yourself

If you're new to Google Cloud, create an account to evaluate how Speech-to-Text performs in real-world scenarios. New customers also get \$300 in free credits to run, test, and deploy workloads.

Try Speech-to-Text free

The table below lists the models available for each language. Cloud Speech-to-Text offers multiple <u>recognition models</u>, each tuned to different audio types. The **default** and **command and search** recognition models support all available languages. The command and search model is optimized for short audio clips, such as voice commands or voice searches. The default model can be used to transcribe any audio type.

Some languages are supported by additional models, optimized for additional audio types: **phone call**, **enhanced phone call**, and **enhanced video**. These models can recognize speech captured from these audio sources more accurately than the default model. See the <u>enhanced models</u> page for more information. If any of these additional models are available for your language, they will be listed with the **default** and **command and search** models for your language. If only the **default** and **command and search** models are listed with your language, no additional models are currently available.

Use only the language codes shown in the following table. The following language codes are officially maintained and monitored externally by Google. Using other language codes can result in breaking changes.

Filter on supported features:

(<u>add spoken punctuation</u>) (<u>add spoken emojis</u>) (word-level confidence)
(automatically add punctuation)
(automatically detect different speakers)
(customized word recognition)

Filter on language:

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Afrikaans (South Africa)	af-ZA	Command and search			•		✓		
Afrikaans (South Africa)	af-ZA	Default			~		✓		
Albanian (Albania)	sq-AL	Command and search					V		
Albanian (Albania)	sq-AL	Default					~		
Amharic (Ethiopia)	am- ET	Command and search					~		
Amharic (Ethiopia)	am- ET	Default					~		
Arabic (Algeria)	ar-DZ	Command and search					V		
Arabic (Algeria)	ar-DZ	Default					~		
Arabic (Algeria)	ar-DZ	Latest Long				V	V		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Arabic (Algeria)	ar-DZ	Latest Short				V	~		
Arabic (Bahrain)	ar-BH	Command and search			~		~		
Arabic (Bahrain)	ar-BH	Default			~		V		
Arabic (Bahrain)	ar-BH	Latest Long				V	V		
Arabic (Bahrain)	ar-BH	Latest Short				V	V		
Arabic (Egypt)	ar-EG	Command and search			~		V		
Arabic (Egypt)	ar-EG	Default			~		~		
Arabic (Egypt)	ar-EG	Latest Long				V	~		
Arabic (Egypt)	ar-EG	Latest Short				~	~		
Arabic (Iraq)	ar-IQ	Command and search			~		V		
Arabic (Iraq)	ar-IQ	Default			v		~		
Arabic (Iraq)	ar-IQ	Latest Long				V	v		
Arabic (Iraq)	ar-IQ	Latest Short				V	~		
Arabic (Israel)	ar-IL	Command and search			~		~		
Arabic (Israel)	ar-IL	Default			~		V		
Arabic (Israel)	ar-IL	Latest Long				V	V		
Arabic (Israel)	ar-IL	Latest Short				V	V		
Arabic (Jordan)	ar-JO	Command and search			~		~		
Arabic (Jordan)	ar-JO	Default			~		V		
Arabic (Jordan)	ar-JO	Latest Long				V	V		
Arabic (Jordan)	ar-JO	Latest Short				V	V		
Arabic (Kuwait)	ar- KW	Command and search			~		~		
Arabic (Kuwait)	ar- KW	Default			~		V		
Arabic (Kuwait)	ar- KW	Latest Long				~	✓		
Arabic (Kuwait)	ar- KW	Latest Short				~	~		
Arabic (Lebanon)	ar-LB	Command and search			~		V		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Arabic (Lebanon)	ar-LB	Default			~		V		
Arabic (Lebanon)	ar-LB	Latest Long				V	~		
Arabic (Lebanon)	ar-LB	Latest Short				V	V		
Arabic (Mauritania)	ar- MR	Latest Long				V	V		
Arabic (Mauritania)	ar- MR	Latest Short				V	V		
Arabic (Morocco)	ar- MA	Command and search					V		
Arabic (Morocco)	ar- MA	Default					V		
Arabic (Morocco)	ar- MA	Latest Long				V	V		
Arabic (Morocco)	ar- MA	Latest Short				V	V		
Arabic (Oman)	ar- OM	Command and search			~		V		
Arabic (Oman)	ar- OM	Default			V		V		
Arabic (Oman)	ar- OM	Latest Long				V	~		
Arabic (Oman)	ar- OM	Latest Short				V	~		
Arabic (Qatar)	ar-QA	Command and search			V		V		
Arabic (Qatar)	ar-QA	Default			~		~		
Arabic (Qatar)	ar-QA	Latest Long				V	V		
Arabic (Qatar)	ar-QA	Latest Short				V	V		
Arabic (Saudi Arabia)	ar-SA	Command and search			V		V		
Arabic (Saudi Arabia)	ar-SA	Default			~		V		
Arabic (Saudi Arabia)	ar-SA	Latest Long				V	~		
Arabic (Saudi Arabia)	ar-SA	Latest Short				~	~		
Arabic (State of Palestine)	ar-PS	Command and search			~		~		
Arabic (State of Palestine)	ar-PS	Default			~		~		
Arabic (State of Palestine)	ar-PS	Latest Long				~	~		
Arabic (State of Palestine)	ar-PS	Latest Short				V	~		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Arabic (Tunisia)	ar-TN	Command and search					~		
Arabic (Tunisia)	ar-TN	Default					V		
Arabic (Tunisia)	ar-TN	Latest Long				V	V		
Arabic (Tunisia)	ar-TN	Latest Short				V	V		
Arabic (United Arab Emirates)	ar-AE	Command and search			V		✓		
Arabic (United Arab Emirates)	ar-AE	Default			V		✓		
Arabic (United Arab Emirates)	ar-AE	Latest Long				V	V		
Arabic (United Arab Emirates)	ar-AE	Latest Short				✓	V		
Arabic (Yemen)	ar-YE	Command and search					V		
Arabic (Yemen)	ar-YE	Default					V		
Arabic (Yemen)	ar-YE	Latest Long				~	~		
Arabic (Yemen)	ar-YE	Latest Short				V	V		
Armenian (Armenia)	hy- AM	Command and search					~		
Armenian (Armenia)	hy- AM	Default					V		
Azerbaijani (Azerbaijan)	az-AZ	Command and search					V		
Azerbaijani (Azerbaijan)	az-AZ	Default					V		
Basque (Spain)	eu- ES	Command and search					V		
Basque (Spain)	eu- ES	Default					V		
Bengali (Bangladesh)	bn- BD	Command and search			~		V		
Bengali (Bangladesh)	bn- BD	Default			~		~		
Bengali (India)	bn-IN	Command and search					V		
Bengali (India)	bn-IN	Default					~		
Bosnian (Bosnia and Herzegovina)	bs- BA	Command and search					V		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Bosnian (Bosnia and Herzegovina)	bs- BA	Default					V		
Bulgarian (Bulgaria)	bg- BG	Command and search					V		
Bulgarian (Bulgaria)	bg- BG	Default					V		
Burmese (Myanmar)	my- MM	Command and search					V		
Burmese (Myanmar)	my- MM	Default					V		
Catalan (Spain)	ca- ES	Command and search					V		
Catalan (Spain)	ca- ES	Default					~		
Chinese, Cantonese (Traditional Hong Kong)	yue- Hant- HK	Command and search			V		V		
Chinese, Cantonese (Traditional Hong Kong)	yue- Hant- HK	Default			V		V		
Chinese, Mandarin (Simplified, China)	zh (cmn- Hans- CN)	Command and search	V	V	V		V		
Chinese, Mandarin (Simplified, China)	zh (cmn- Hans- CN)	Default	V	V	V		V		
Chinese, Mandarin (Traditional, Taiwan)	zh- TW (cmn- Hant- TW)	Command and search	V		✓		V		
Chinese, Mandarin (Traditional, Taiwan)	zh- TW (cmn- Hant- TW)	Default	V		V		~		
Croatian (Croatia)	hr-HR	Command and search					V		
Croatian (Croatia)	hr-HR	Default					V		
Czech (Czech Republic)	cs-CZ	Command and search	V		~		V	V	
Czech (Czech Republic)	cs-CZ	Default	V		✓		V	~	
Danish (Denmark)	da- DK	Command and search	✓		~		~	✓	
Danish (Denmark)	da- DK	Default	V		V		V	✓	

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Danish (Denmark)	da- DK	Latest Long	V			~	~	✓	
Danish (Denmark)	da- DK	Latest Short	V			V	V	✓	
Dutch (Belgium)	nl-BE	Command and search					V	V	
Dutch (Belgium)	nl-BE	Default					V	V	
Dutch (Netherlands)	nl-NL	Command and search			~		V	V	
Dutch (Netherlands)	nl-NL	Default			V		V	V	
Dutch (Netherlands)	nl-NL	Latest Long	V			V	V	V	
Dutch (Netherlands)	nl-NL	Latest Short	V			V	V	V	
English (Australia)	en- AU	Command and search	✓		~		~	✓	✓
English (Australia)	en- AU	Default	V		~		~	✓	✓
English (Australia)	en- AU	Enhanced phone call	V			~	~		
English (Australia)	en- AU	Latest Long	V			~	~	V	~
English (Australia)	en- AU	Latest Short	V			~	~	V	✓
English (Canada)	en- CA	Command and search					~	✓	✓
English (Canada)	en- CA	Default					~		
English (Ghana)	en- GH	Command and search			~		~	✓	
English (Ghana)	en- GH	Default			~		~	✓	
English (Hong Kong)	en- HK	Command and search					~	✓	✓
English (Hong Kong)	en- HK	Default					~	V	✓
English (India)	en-IN	Command and search	V	~	~		~	V	~
English (India)	en-IN	Default	V	~	~		~	V	v
English (India)	en-IN	Latest Long	V			~	~	V	v
English (India)	en-IN	Latest Short	V			~	~	V	v
English (Ireland)	en-IE	Command and search					~	V	v
English (Ireland)	en-IE	Default					~	V	V

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
English (Kenya)	en- KE	Command and search			V		V	v	
English (Kenya)	en- KE	Default			V		~	✓	
English (New Zealand)	en- NZ	Command and search					~	✓	~
English (New Zealand)	en- NZ	Default					~	✓	~
English (Nigeria)	en- NG	Command and search			V		~	✓	
English (Nigeria)	en- NG	Default			~		~	V	
English (Pakistan)	en- PK	Command and search					~	✓	~
English (Pakistan)	en- PK	Default					~	✓	~
English (Philippines)	en- PH	Command and search			~		~		~
English (Philippines)	en- PH	Default			~		~		
English (Singapore)	en- SG	Command and search	✓	~	~	~	~	V	~
English (Singapore)	en- SG	Default	~	~	~	~	~		
English (South Africa)	en- ZA	Command and search			V		V	✓	
English (South Africa)	en- ZA	Default			~		V	✓	
English (Tanzania)	en-TZ	Command and search			~		~	✓	
English (Tanzania)	en-TZ	Default			~		~	✓	
English (United Kingdom)	en- GB	Command and search	✓	V	~		V	✓	~
English (United Kingdom)	en- GB	Default	✓	V	~		V	✓	~
English (United Kingdom)	en- GB	Enhanced phone call	✓	V	~		V	✓	~
English (United Kingdom)	en- GB	Latest Long	✓			V	V	✓	~
English (United Kingdom)	en- GB	Latest Short	✓			V	V	✓	~
English (United Kingdom)	en- GB	Phone call	V	V	~		V	✓	V

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
English (United States)	en- US	Command and search	~	V	~	V	V	V	V
English (United States)	en- US	Default	~	V	~	V	V		
English (United States)	en- US	Enhanced phone call	V	V	~	✓	V		
English (United States)	en- US	Enhanced video	V	V	~	✓	V		
English (United States)	en- US	Latest Long	V			✓	V		~
English (United States)	en- US	Latest Short	V		~	V	V		~
English (United States)	en- US	Medical Conversation		V					
English (United States)	en- US	Medical Dictation							
English (United States)	en- US	Phone call	~	V	~	V	V		
Estonian (Estonia)	et-EE	Command and search					~		
Estonian (Estonia)	et-EE	Default					~		
Filipino (Philippines)	fil-PH	Command and search			~		~		
Filipino (Philippines)	fil-PH	Default			~		~		
Finnish (Finland)	fi-FI	Command and search	V		V		V		
Finnish (Finland)	fi-FI	Default	✓		V		~		
Finnish (Finland)	fi-FI	Latest Long	✓			V	~		
Finnish (Finland)	fi-FI	Latest Short	V			~	~		
French (Belgium)	fr-BE	Command and search					~	V	v
French (Belgium)	fr-BE	Default					V	V	~
French (Canada)	fr-CA	Command and search			V		V	V	
French (Canada)	fr-CA	Default			~		~	V	
French (Canada)	fr-CA	Enhanced phone call			V	V	V		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
French (Canada)	fr-CA	Latest Long				V		v	
French (Canada)	fr-CA	Latest Short				V	V	v	
French (France)	fr-FR	Command and search	✓	V	V		V	✓	V
French (France)	fr-FR	Default	V	V	V		~	V	V
French (France)	fr-FR	Enhanced phone call	V	~	~	V	V	V	~
French (France)	fr-FR	Latest Long	V			V	V	V	~
French (France)	fr-FR	Latest Short	V			V	~	V	V
French (France)	fr-FR	Phone call	V	V	~	V	V	V	~
French (Switzerland)	fr-CH	Command and search					V	V	~
French (Switzerland)	fr-CH	Default					V	V	V
Galician (Spain)	gl-ES	Command and search					V		
Galician (Spain)	gl-ES	Default					V		
Georgian (Georgia)	ka- GE	Command and search					V		
Georgian (Georgia)	ka- GE	Default					V		
German (Austria)	de-AT	Command and search					V	v	
German (Austria)	de-AT	Default					V	V	
German (Germany)	de- DE	Command and search	V	V	~		V	V	
German (Germany)	de- DE	Default	V	V	~		V	V	
German (Germany)	de- DE	Latest Long	V			V	~	V	
German (Germany)	de- DE	Latest Short	V			V	V	V	
German (Switzerland)	de- CH	Command and search					~	V	
German (Switzerland)	de- CH	Default					~	✓	
Greek (Greece)	el-GR	Command and search					V		
Greek (Greece)	el-GR	Default					V		
Gujarati (India)	gu-IN	Command and search			~		~		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Gujarati (India)	gu-IN	Default			~		~		
Hebrew (Israel)	iw-IL	Command and search			v		~	✓	
Hebrew (Israel)	iw-IL	Default			~		~	✓	
Hindi (India)	hi-IN	Command and search			v		~	✓	
Hindi (India)	hi-IN	Default			~		~	✓	
Hindi (India)	hi-IN	Latest Long	✓			✓	✓	✓	
Hindi (India)	hi-IN	Latest Short				✓	✓	✓	
Hungarian (Hungary)	hu- HU	Command and search					•		
Hungarian (Hungary)	hu- HU	Default					V		
Icelandic (Iceland)	is-IS	Command and search					V		
Icelandic (Iceland)	is-IS	Default					~		
Indonesian (Indonesia)	id-ID	Command and search	~		~		~	✓	
Indonesian (Indonesia)	id-ID	Default	V		~		~	✓	
Indonesian (Indonesia)	id-ID	Latest Long	v			V	~	V	
Indonesian (Indonesia)	id-ID	Latest Short	V			V	~	✓	
Italian (Italy)	it-IT	Command and search	~	~	~		~	✓	
Italian (Italy)	it-IT	Default	✓	✓	v		~	✓	
Italian (Italy)	it-IT	Latest Long	V			V	V	✓	
Italian (Italy)	it-IT	Latest Short	V			V	V	✓	
Italian (Switzerland)	it-CH	Command and search					V	V	
Italian (Switzerland)	it-CH	Default					~	✓	
Japanese (Japan)	ja-JP	Command and search	✓	✓	~		~	✓	
Japanese (Japan)	ja-JP	Default	v	~	~		~	V	
Japanese (Japan)	ja-JP	Enhanced phone call	✓	✓	~	~	~	✓	
Japanese (Japan)	ja-JP	Latest Long	✓			~	~	✓	
Japanese (Japan)	ja-JP	Latest Short	V			~	~	✓	
Japanese (Japan)	ja-JP	Phone call	V	✓	~	~	~	✓	

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Javanese (Indonesia)	jv-ID	Command and search					~		
Javanese (Indonesia)	jv-ID	Default					~		
Kannada (India)	kn-IN	Command and search			V		V		
Kannada (India)	kn-IN	Default			V		V		
Kazakh (Kazakhstan)	kk-KZ	Command and search					V		
Kazakh (Kazakhstan)	kk-KZ	Default					~		
Khmer (Cambodia)	km- KH	Command and search					V		
Khmer (Cambodia)	km- KH	Default					V		
Korean (South Korea)	ko- KR	Command and search	V		V		✓	~	
Korean (South Korea)	ko- KR	Default	V		V		✓	~	
Korean (South Korea)	ko- KR	Latest Long	V			✓	V	V	
Korean (South Korea)	ko- KR	Latest Short	V			V	V	V	
Lao (Laos)	lo-LA	Command and search					V		
Lao (Laos)	lo-LA	Default					~		
Latvian (Latvia)	lv-LV	Command and search					V		
Latvian (Latvia)	lv-LV	Default					V		
Lithuanian (Lithuania)	It-LT	Command and search					V		
Lithuanian (Lithuania)	lt-LT	Default					V		
Macedonian (North Macedonia)	mk- MK	Command and search					✓		
Macedonian (North Macedonia)	mk- MK	Default					V		
Macedonian (North Macedonia)	mk- MK	Latest Long				V	V		
Macedonian (North Macedonia)	mk- MK	Latest Short				V	V		
Malay (Malaysia)	ms- MY	Command and search			~		~		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Malay (Malaysia)	ms- MY	Default			V		V		
Malayalam (India)	ml-IN	Command and search			V		V	V	
Malayalam (India)	ml-IN	Default			~		~	✓	
Marathi (India)	mr-IN	Command and search			~		V		
Marathi (India)	mr-IN	Default			~		v		
Mongolian (Mongolia)	mn- MN	Command and search					~		
Mongolian (Mongolia)	mn- MN	Default					V		
Nepali (Nepal)	ne- NP	Command and search					v		
Nepali (Nepal)	ne- NP	Default					V		
Norwegian Bokmål (Norway)	no- NO	Command and search			~		V	~	
Norwegian Bokmål (Norway)	no- NO	Default			~		V	~	
Norwegian Bokmål (Norway)	no- NO	Latest Long				V	V	~	
Norwegian Bokmål (Norway)	no- NO	Latest Short				V	V	V	
Persian (Iran)	fa-IR	Command and search			V		V		
Persian (Iran)	fa-IR	Default			~		~		
Polish (Poland)	pl-PL	Command and search			~		~	✓	
Polish (Poland)	pl-PL	Default			~		~	✓	
Polish (Poland)	pl-PL	Latest Long				V	~	✓	
Polish (Poland)	pl-PL	Latest Short				~	~	✓	
Portuguese (Brazil)	pt-BR	Command and search		✓	~		~	✓	
Portuguese (Brazil)	pt-BR	Default		✓	~		~	✓	
Portuguese (Brazil)	pt-BR	Enhanced phone call	V	V	~	V	~	V	
Portuguese (Brazil)	pt-BR	Latest Long	V			V	~	V	
Portuguese (Brazil)	pt-BR	Latest Short	V			V	✓	✓	

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Portuguese (Brazil)	pt-BR	Phone call	✓	v	~	V	~	V	
Portuguese (Portugal)	pt-PT	Command and search			~		~	V	
Portuguese (Portugal)	pt-PT	Default			V		V	✓	
Portuguese (Portugal)	pt-PT	Latest Long				V	V	✓	
Portuguese (Portugal)	pt-PT	Latest Short				V	V	✓	
Punjabi (Gurmukhi India)	pa- Guru- IN	Command and search					V		
Punjabi (Gurmukhi India)	pa- Guru- IN	Default					✓		
Romanian (Romania)	ro- RO	Command and search					~		
Romanian (Romania)	ro- RO	Default					V		
Romanian (Romania)	ro- RO	Latest Long				V	V		
Romanian (Romania)	ro- RO	Latest Short				V	V		
Russian (Russia)	ru-RU	Command and search		~	V		V	✓	
Russian (Russia)	ru-RU	Default		V	V		V	✓	
Russian (Russia)	ru-RU	Enhanced phone call		V	V		~	✓	
Russian (Russia)	ru-RU	Latest Long	V			V	V	V	
Russian (Russia)	ru-RU	Latest Short	V			V	V	V	
Russian (Russia)	ru-RU	Phone call		V	V		V	V	
Serbian (Serbia)	sr-RS	Command and search			V		V		
Serbian (Serbia)	sr-RS	Default			V		~		
Sinhala (Sri Lanka)	si-LK	Command and search					~		
Sinhala (Sri Lanka)	si-LK	Default					V		
Slovak (Slovakia)	sk-SK	Command and search					~		
Slovak (Slovakia)	sk-SK	Default					~		
Slovenian (Slovenia)	sl-SI	Command and search					~		

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Slovenian (Slovenia)	sl-SI	Default					~		
Spanish (Argentina)	es- AR	Command and search					V	✓	
Spanish (Argentina)	es- AR	Default					V	V	
Spanish (Bolivia)	es- BO	Command and search					V	V	
Spanish (Bolivia)	es- BO	Default					V	V	
Spanish (Chile)	es-CL	Command and search					V	V	
Spanish (Chile)	es-CL	Default					V	V	
Spanish (Colombia)	es- CO	Command and search					V	V	
Spanish (Colombia)	es- CO	Default					V	V	
Spanish (Costa Rica)	es- CR	Command and search					V	V	
Spanish (Costa Rica)	es- CR	Default					V	✓	
Spanish (Dominican Republic)	es- DO	Command and search					V	~	
Spanish (Dominican Republic)	es- DO	Default					V	~	
Spanish (Ecuador)	es- EC	Command and search					V	V	
Spanish (Ecuador)	es- EC	Default					V	V	
Spanish (El Salvador)	es- SV	Command and search					V	V	
Spanish (El Salvador)	es- SV	Default					V	✓	
Spanish (Guatemala)	es- GT	Command and search					V	✓	
Spanish (Guatemala)	es- GT	Default					~	✓	
Spanish (Honduras)	es- HN	Command and search					~	✓	
Spanish (Honduras)	es- HN	Default					~	V	
Spanish (Mexico)	es- MX	Command and search					V	V	
Spanish (Mexico)	es- MX	Default					~	V	
Spanish (Nicaragua)	es-NI	Command and search					~	V	

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Spanish (Nicaragua)	es-NI	Default					V	✓	
Spanish (Panama)	es-PA	Command and search					V	✓	
Spanish (Panama)	es-PA	Default					V	V	
Spanish (Paraguay)	es- PY	Command and search					V	V	
Spanish (Paraguay)	es- PY	Default					V	V	
Spanish (Peru)	es- PE	Command and search					V	V	
Spanish (Peru)	es- PE	Default					V	V	
Spanish (Puerto Rico)	es- PR	Command and search					~	✓	
Spanish (Puerto Rico)	es- PR	Default					~	✓	
Spanish (Spain)	es- ES	Command and search		~	~		V	✓	
Spanish (Spain)	es- ES	Default		V	~		V	V	
Spanish (Spain)	es- ES	Enhanced phone call		V		V	V	V	
Spanish (Spain)	es- ES	Latest Long	V			V	V	V	
Spanish (Spain)	es- ES	Latest Short	V			~	V	V	
Spanish (United States)	es- US	Command and search	V		V		V	~	
Spanish (United States)	es- US	Default	V		V		V	~	
Spanish (United States)	es- US	Enhanced phone call	V		~		V	~	
Spanish (United States)	es- US	Latest Long	V			V	V	~	
Spanish (United States)	es- US	Latest Short	V			V	V	~	
Spanish (United States)	es- US	Phone call	V		~		V	~	
Spanish (Uruguay)	es- UY	Command and search					V	V	
Spanish (Uruguay)	es- UY	Default					V	V	
Spanish (Venezuela)	es- VE	Command and search					~	V	

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Spanish (Venezuela)	es- VE	Default					V	V	
Sundanese (Indonesia)	su-ID	Command and search					~		
Sundanese (Indonesia)	su-ID	Default					V		
Swahili (Kenya)	sw- KE	Command and search					~		
Swahili (Kenya)	sw- KE	Default					V		
Swahili (Tanzania)	sw- TZ	Command and search					V		
Swahili (Tanzania)	sw- TZ	Default					V		
Swedish (Sweden)	sv-SE	Command and search	V		~		V	V	
Swedish (Sweden)	sv-SE	Default	V		~		V	✓	
Tamil (India)	ta-IN	Command and search			~		V		
Tamil (India)	ta-IN	Default			v		~		
Tamil (Malaysia)	ta-MY	Command and search					V		
Tamil (Malaysia)	ta-MY	Default					V		
Tamil (Singapore)	ta-SG	Command and search					V		
Tamil (Singapore)	ta-SG	Default					V		
Tamil (Sri Lanka)	ta-LK	Command and search					V		
Tamil (Sri Lanka)	ta-LK	Default					~		
Telugu (India)	te-IN	Command and search			~		~		
Telugu (India)	te-IN	Default			v		~		
Thai (Thailand)	th-TH	Command and search			~		~		
Thai (Thailand)	th-TH	Default			~		V		
Thai (Thailand)	th-TH	Latest Long				~	~		
Thai (Thailand)	th-TH	Latest Short				~	~		
Turkish (Turkey)	tr-TR	Command and search	V		~		~	✓	
Turkish (Turkey)	tr-TR	Default	<i>'</i>		~		~	V	
Turkish (Turkey)	tr-TR	Latest Long				V	V	V	

Name	BCP- 47	Model	Automatic punctuation	Diarization	Boost	Word-level confidence	Profanity filter	Spoken punctuation	Spoken emojis
Turkish (Turkey)	tr-TR	Latest Short				V	V	V	
Ukrainian (Ukraine)	uk- UA	Command and search			~		V		
Ukrainian (Ukraine)	uk- UA	Default			~		~		
Ukrainian (Ukraine)	uk- UA	Latest Long				~	~		
Ukrainian (Ukraine)	uk- UA	Latest Short				~	~		
Urdu (India)	ur-IN	Command and search					~		
Urdu (India)	ur-IN	Default					~		
Urdu (Pakistan)	ur-PK	Command and search			~		V		
Urdu (Pakistan)	ur-PK	Default			~		V		
Uzbek (Uzbekistan)	uz- UZ	Command and search					~		
Uzbek (Uzbekistan)	uz- UZ	Default					V		
Vietnamese (Vietnam)	vi-VN	Command and search			~		V		
Vietnamese (Vietnam)	vi-VN	Default			~		~		
Vietnamese (Vietnam)	vi-VN	Latest Long	✓			~	~		
Vietnamese (Vietnam)	vi-VN	Latest Short	V			V	V		
Zulu (South Africa)	zu-ZA	Command and search			~		V		
Zulu (South Africa)	zu-ZA	Default			~		~		

^{*} Language tags follow the <u>HTTP/1.1 specification, section 3.10</u>.

Was this helpful?