Data analysis of Arabidopsis experiment B1

Nine Luijendijk

2023-05-26

```
library(readxl)
library(tidyverse)
library(gdata)
library(car)
library(cowplot)
library(magick)
library(here)
```

The first step is to load in the data from the Excel file and combine it with the metadata.

```
data_raw <- read_excel("data/arabidopsis_data.xlsx", col_types = c("text", rep("numeric", 8), "text")) 

metadata <- tibble("Group" = c("L1", "L2", "S3", "S4", "L5", "L6", "S7", "S8"),
       "Population" = rep(c("Bovra", "Smadalen", "Helin", "Spiterstulen"), each = 2),
       "Size" = rep(c("Large", "Small", "Large", "Small"), each = 2),
       "Elevation" = rep("High", each = 8),
       "Condition" = rep(c("Stable", "Declining", "Declining", "Declining"), each = 2), #difference bet
       "Soil" = rep(c("Riverbed", "Riverbed", "Scree", "Rocks"), each = 2),
       "Treatment" = c("Unsalted", "Salted", "Unsalted", "Salted", "Unsalted", "Salted", "Unsalted", "Sa
       "Conc_NaCl" = c(0, 50, 0, 50, 0, 50, 0, 50),
       "Conc_unit" = rep("mM", each = 8),
       "Length_unit" = rep("cm", each = 8),
       "Weight_unit" = rep("grams"), each = 8)

data <- mutate(data_raw,
               "Length_dif" = data_raw$Length_longest_leaf_a - data_raw$Length_longest_leaf_b,
               "Number_dif" = data_raw$Number_leaves_a - data_raw$Number_leaves_b) #calculating differe

data_complete <- left_join(data, metadata, by = "Group") #create one complete dataframe
```

Now to begin the data analysis, the Shapiro-Wilk values of each group are calculated too see whether the values are normally distributed.

```
names <- c("Wet_weight", "Length_dif", "Number_dif") #collect the names of the columns of interest

sw_results <- vector("list", 3) #prepare an empty list

for (i in 1:3) { #create a list of dataframes where every dataframe contains its Shapiro-Wilk p-values
result <- data_complete %>% group_by(Size, Treatment) %>% summarize(sw = shapiro.test(!!sym(names[i]))$p
result <- unite(result, "Treatment", Size, Treatment)
 sw_results[[i]] <- result
}

merged <- sw_results %>% reduce(full_join, by= "Treatment") #merge all the dataframes from the list
```

```
tidy_sw_results <- pivot_longer(data = merged, cols = names,
                                names_to = "Info",  values_to = "ShapiroWilk_p.value") #make the dataframe

tidy_sw_results %>% filter(ShapiroWilk_p.value > 0.05) #filter for which groups are normally distribute
tidy_sw_results %>% filter(ShapiroWilk_p.value < 0.05) #filter for which groups are NOT normally distri
```

All groups of interest are normally distributed, except for the difference in number of leaves

To check whether there is a difference between the wet weights and growth (difference in length of the longest leaf) between the salted and unsalted groups, a t-test is used after checking for equal variance:

```
leveneTest(data_complete$Wet_weight ~ as.factor(Treatment), data = data_complete) #Pr(>F) = 0.4168, whi
```

```
## Levene's Test for Homogeneity of Variance (center = median)
##       Df F value Pr(>F)
## group  1   0.667 0.4168
##       71
```

```
leveneTest(data_complete$Length_dif ~ as.factor(Treatment), data = data_complete) #Pr(>F) = 0.4793, whi
```

```
## Levene's Test for Homogeneity of Variance (center = median)
##       Df F value Pr(>F)
## group  1  0.5058 0.4793
##       72
```

```
t.test(formula = data_complete$Wet_weight ~ data_complete$Treatment,
       paired = FALSE, var.equal = TRUE)$p.value %>% round(.,3) #t-test, p = 0.011, which means there i
```

```
## [1] 0.011
```

```
data_complete %>% group_by(Treatment) %>%
  summarize(mean_noleaves.increase = mean(Number_dif, na.rm = TRUE),
            mean_lengthleave.increase = mean(Length_dif, na.rm = TRUE),
            mean_wetweight = mean(Wet_weight, na.rm = TRUE),
            stdev=sd(Number_dif, na.rm = TRUE))
```

```
## # A tibble: 2 x 5
##   Treatment mean_noleaves.increase mean_lengthleave.increase mean_wetwei~1 stdev
##   <chr>                      <dbl>                     <dbl>         <dbl> <dbl>
## 1 Salted                      29.5                      3.62          3.51  18.2
## 2 Unsalted                    28.7                      4.89          2.86  20.7
## # ... with abbreviated variable name 1: mean_wetweight
```

Zooming in, the large population-salted and small population-salted groups will be compared using a t-test for the wet weight and length-increase and a Wilcoxon test for the increase in number of leaves (as this group's values were not normally distributed):

```
data_salted <- subset(data_complete, Treatment == "Salted")
leveneTest(data_salted$Wet_weight ~ as.factor(Size), data = data_salted) #Pr(>F) = 0.3754 which means e
```

```
## Levene's Test for Homogeneity of Variance (center = median)
##       Df F value Pr(>F)
## group  1  0.8061 0.3754
##       35
```

```
t.test(formula = data_salted$Wet_weight ~ data_salted$Size,
       paired = FALSE, var.equal = TRUE)$p.value %>% round(.,3) #t-test, p = 0.848, which means there i
```

```
## [1] 0.848
```

```
data_salted <- subset(data_complete, Treatment == "Salted")
leveneTest(data_salted$Length_dif ~ as.factor(Size), data = data_salted) #Pr(>F) = 0.7135 which means e
```

```
## Levene's Test for Homogeneity of Variance (center = median)
##       Df F value Pr(>F)
## group  1  0.1369 0.7135
##       36
```

```
t.test(formula = data_salted$Length_dif ~ data_salted$Size,
       paired = FALSE, var.equal = TRUE)$p.value %>% round(.,3) #t-test, p = 0.563, which means there i
```

```
## [1] 0.563
```

```
wilcox.test(Number_dif ~ Size, data = data_salted) #Wilcoxon test, p = 0.4735, which means there is no
```

```
##
##  Wilcoxon rank sum test with continuity correction
##
## data:  Number_dif by Size
## W = 205, p-value = 0.4735
## alternative hypothesis: true location shift is not equal to 0
```

The data can be plotted, where it's visualized how little difference there is:

```
summary_salted <- data_salted %>%
  group_by(Size) %>%
  summarize(mean_noleaves.increase = mean(Number_dif, na.rm = TRUE),
            mean_lengthleaves.increase = mean(Length_dif, na.rm = TRUE),
            mean_wetweight = mean(Wet_weight, na.rm = TRUE),
            stdevlengthleave.increase = sd(Length_dif, na.rm = TRUE),
            stdevwetweight = sd(Wet_weight, na.rm = TRUE),
            stdevNumber = sd(Number_dif, na.rm = TRUE))

plot_length <- summary_salted %>% #plot the increase in longest leaf length grouped by population size
  ggplot(aes(x = Size, y = mean_lengthleaves.increase))+
  geom_col(aes(fill = Size))+
  geom_errorbar(aes(ymin = mean_lengthleaves.increase - stdevlengthleave.increase,
                    ymax = mean_lengthleaves.increase + stdevlengthleave.increase), width=.2)+
  theme_light()+
  labs(title = "Increase in length of the longest\nleaf, grouped by population",
       subtitle = "Error bars depict 1 standard deviation",
       x="Population size",
       y="Mean increase in the length\nof the longest leaf in cm")+
  theme(legend.position = "none", text = element_text(size=12), plot.title = element_text(size=14),
        plot.subtitle = element_text(size=12))+
  scale_fill_manual(values=c("#e457b5", "#57e486"))

plot_noleaves <- summary_salted %>% #plot the increase in number of leaves grouped by population
  ggplot(aes(x = Size, y = mean_noleaves.increase))+
  geom_col(aes(fill = Size))+
  geom_errorbar(aes(ymin = mean_noleaves.increase - stdevNumber,
                    ymax = mean_noleaves.increase + stdevNumber), width=.2)+
  theme_light()+
  labs(title = "Increase in number of leaves,\ngrouped by population size",
       subtitle = "Error bars depict 1 standard deviation",
       x="Population size",
```

```
       y="Mean increase in the number of leaves")+
  theme(legend.position = "none", text = element_text(size=12), plot.title = element_text(size=15),
        plot.subtitle = element_text(size=12))+
  scale_fill_manual(values=c("#e457b5", "#57e486"))

plot_wetweight <- summary_salted %>% #plot the increase in number of leaves grouped by population
  ggplot(aes(x = Size, y = mean_wetweight))+
  geom_col(aes(fill = Size))+
  geom_errorbar(aes(ymin = mean_wetweight - stdevwetweight,
                    ymax = mean_wetweight + stdevwetweight), width=.2)+
  theme_light()+
  labs(title = "Wet weight of the plants,\ngrouped by population size",
       subtitle = "Error bars depict 1 standard deviation",
       x="Population size",
       y="Mean wet weight in grams")+
  theme(legend.position = "none", text = element_text(size=12), plot.title = element_text(size=15),
        plot.subtitle = element_text(size=12))+
  scale_fill_manual(values=c("#e457b5", "#57e486"))

plotgrid1 <- plot_grid(plot_length, plot_wetweight, plot_noleaves, #combine the 3 plots into 1 figure
          labels = c("A", "B", "C"),
          ncol = 3, nrow = 1)
```



Figure 1: Figure 1: Bar graphs showing A) the increase in longest leaf length grouped by population size, B) the increase in number of leaves grouped by population size, and C) the increase in number of leaves grouped by population size, with error bars depicting 1 standard deviation.

Population size is only used as a proxy for inbreeding, but the genotypes of these plants are still unknown. This is why the populations need to be looked at individually as well:

```
data_complete %>%
  group_by(Population) %>%
  summarise(ShapiroWilk_p.value = shapiro.test(Length_dif)$p.value) #Shapiro-Wilk test, all p-values ar
```

```
## # A tibble: 4 x 2
##   Population   ShapiroWilk_p.value
##   <chr>                      <dbl>
```

```
## 1 Bovra                     0.717
## 2 Helin                     0.442
## 3 Smadalen                  0.945
## 4 Spiterstulen              0.909
```

```
data_complete %>%
  group_by(Population) %>%
  summarise(ShapiroWilk_p.value = shapiro.test(Wet_weight)$p.value) #Shapiro-Wilk test, all p-values ar
```

```
## # A tibble: 4 x 2
##   Population   ShapiroWilk_p.value
##   <chr>                      <dbl>
## 1 Bovra                      0.532
## 2 Helin                      0.646
## 3 Smadalen                   0.301
## 4 Spiterstulen               0.276
```

```
data_complete %>%
  group_by(Population) %>%
  summarise(ShapiroWilk_p.value = shapiro.test(Number_dif)$p.value) #Shapiro-Wilk test, one of the p-va
```

```
## # A tibble: 4 x 2
##   Population   ShapiroWilk_p.value
##   <chr>                      <dbl>
## 1 Bovra                     0.955
## 2 Helin                     0.316
## 3 Smadalen                  0.124
## 4 Spiterstulen              0.0147
```

```
leveneTest(data_complete$Length_dif ~ as.factor(Population), data = data_complete) #Pr(>F) = 0.5092, wh
```

```
## Levene's Test for Homogeneity of Variance (center = median)
##       Df F value Pr(>F)
## group  3  0.7798 0.5092
##       70
```

```
leveneTest(data_complete$Wet_weight ~ as.factor(Population), data = data_complete) #Pr(>F) = 0.5227, wh
```

```
## Levene's Test for Homogeneity of Variance (center = median)
##       Df F value Pr(>F)
## group  3   0.756 0.5227
##       69
```

```
aov(Length_dif ~ Population, data_complete) %>% summary.aov() #Pr(>F) = 0.0635, which means there is no
```

```
##             Df Sum Sq Mean Sq F value Pr(>F)
## Population   3  28.06   9.354   2.538 0.0635 .
## Residuals   70 257.95   3.685
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
aov(Wet_weight ~ Population, data_complete) %>% summary.aov() #Pr(>F) = 0.397, which means there is no
```

```
##             Df Sum Sq Mean Sq F value Pr(>F)
## Population   3   3.64   1.214   1.003  0.397
## Residuals   69  83.47   1.210
## 1 observation deleted due to missingness
```

```r
kruskal.test(Number_dif ~ Population, data = data_complete) #Kruskal-Wallis test, p = 0.0002492, which
```

```
##
##  Kruskal-Wallis rank sum test
##
## data:  Number_dif by Population
## Kruskal-Wallis chi-squared = 19.194, df = 3, p-value = 0.0002492
```

```r
summary_complete_pop <- data_complete %>%
  group_by(Population) %>%
  summarize(mean_noleaves.increase = mean(Number_dif, na.rm = TRUE),
            mean_lengthleaves.increase = mean(Length_dif, na.rm = TRUE),
            mean_wetweight = mean(Wet_weight, na.rm = TRUE),
            stdevlengthleave.increase = sd(Length_dif, na.rm = TRUE),
            stdevwetweight = sd(Wet_weight, na.rm = TRUE),
            stdevNumber = sd(Number_dif, na.rm = TRUE))
```

And again, these can be plotted:

```r
plot_length2 <- summary_complete_pop %>% #plot the increase in longest leaf length grouped by populatio
  ggplot(aes(x = Population, y = mean_lengthleaves.increase))+
  geom_col(aes(fill = Population), color = c("#e457b5", "#e457b5", "#57e486", "#57e486"), linewidth = 2
  geom_errorbar(aes(ymin = mean_lengthleaves.increase - stdevlengthleave.increase,
                    ymax = mean_lengthleaves.increase + stdevlengthleave.increase), width=.2)+
  theme_light()+
  labs(title = "Increase in length of the longest\nleaf, grouped by population",
       subtitle = "Error bars depict 1 standard deviation",
       x="Population",
       y="Mean increase in the length\nof the longest leaf in cm")+
  theme(legend.position = "none", text = element_text(size=12), plot.title = element_text(size=14),
        plot.subtitle = element_text(size=12))+
  scale_fill_manual(values=c("#8111ee", "#7eee11", "#f0860f", "#0f79f0"))

plot_noleaves2 <- summary_complete_pop %>% #plot the increase in number of leaves grouped by population
  ggplot(aes(x = Population, y = mean_noleaves.increase))+
  geom_col(aes(fill = Population), color = c("#e457b5", "#e457b5", "#57e486", "#57e486"), linewidth = 2
  geom_errorbar(aes(ymin = mean_noleaves.increase - stdevNumber,
                    ymax = mean_noleaves.increase + stdevNumber), width=.2)+
  theme_light()+
  labs(title = "Increase in number of leaves,\ngrouped by population",
       subtitle = "Error bars depict 1 standard deviation",
       x="Population",
       y="Mean increase in the number of leaves")+
  theme(legend.position = "none", text = element_text(size=12), plot.title = element_text(size=15),
        plot.subtitle = element_text(size=12))+
  scale_fill_manual(values=c("#8111ee", "#7eee11", "#f0860f", "#0f79f0"))

plot_wetweight2 <- summary_complete_pop %>% #plot the increase in number of leaves grouped by populatio
  ggplot(aes(x = Population, y = mean_wetweight))+
  geom_col(aes(fill = Population), color = c("#e457b5", "#e457b5", "#57e486", "#57e486"), linewidth = 2
  geom_errorbar(aes(ymin = mean_wetweight - stdevwetweight,
                    ymax = mean_wetweight + stdevwetweight), width=.2)+
  theme_light()+
  labs(title = "Wet weight of the plants,\ngrouped by population",
       subtitle = "Error bars depict 1 standard deviation",
```

```
       x="Population",
       y="Mean wet weight in grams")+
  theme(legend.position = "none", text = element_text(size=12), plot.title = element_text(size=15),
        plot.subtitle = element_text(size=12))+
  scale_fill_manual(values=c("#8111ee", "#7eee11", "#f0860f", "#0f79f0"))

plotgrid2 <- plot_grid(plot_length2, plot_wetweight2, plot_noleaves2, #combine the 3 plots into 1 figur
          labels = c("A", "B", "C"),
          ncol = 3, nrow = 1)
```



Figure 2: Figure 2: Bar graphs showing A) the increase in longest leaf length grouped by population, B) the increase in number of leaves grouped by population, and C) the increase in number of leaves grouped by population, with error bars depicting 1 standard deviation and the bar borders showing wether the population is large (pink) or small (green).

Different types of phenotypes were scored, like the color and shape of the leaves. These scores can be visualized as well:

```
data_color <- data_complete %>% #prepare color data for plotting
  mutate(Color_graph = case_when(
    Color == 1 ~ "Green",
    Color == 2 ~ "Yellow",
    Color == 3 ~ "Red",
    Color == 4 ~ "Red and\nyellow"))

plot_color <- data_color %>% #plot number of leaves of each color, grouped by treatment
  ggplot()+
  geom_bar(aes(x = Color_graph, fill = Treatment), position = position_dodge2(width = 0.9, preserve = "
  theme_light()+
  labs(title = "Number of leaves of each color,\ngrouped by treatment",
       x="Color",
       y="Count")

plot_color2 <- data_color %>% #plot number of leaves of each color, grouped by population
  ggplot()+
  geom_bar(aes(x = Color_graph, fill = Population, color = Size), linewidth = 1,
```

```
          position = position_dodge2(width = 0.9, preserve = "single"))+
  theme_light()+
  labs(title = "Number of leaves of each color,\ngrouped by population",
       x="Color",
       y="Count")+
  scale_fill_manual(values=c("#8111ee", "#7eee11", "#f0860f", "#0f79f0"))+
  scale_color_manual(values = c("#e457b5", "#57e486"))+
  guides(color=guide_legend(title="Population size"))

plot_shape_salt <- data_complete %>% #plot number of leaves of each shape, grouped by treatment
  ggplot()+
  geom_bar(aes(x = Leaf_shape, fill = Treatment), position = position_dodge2(width = 0.9, preserve = "si
  theme_light() +
  labs(title = "Number of leaves of each shape,\ngrouped by treatment",
       x="Leaf shape",
       y="Count")

plot_shape_popsize <- data_complete %>% #plot number of leaves of each shape, grouped by population siz
  ggplot()+
  geom_bar(aes(x = Leaf_shape, fill = Size), position = position_dodge2(width = 0.9, preserve = "single
  theme_light() +
  labs(title = "Number of leaves of each shape,\ngrouped by population size",
       x="Leaf shape",
       y="Count")+
  scale_fill_manual(values=c("#e457b5", "#57e486"))+
  guides(fill=guide_legend(title="Population size"))

plot_shape_pop <- data_complete %>% #plot number of leaves of each shape, grouped by population
  ggplot()+
  geom_bar(aes(x = Leaf_shape, fill = Population, color = Size), linewidth = 2,
           position = position_dodge2(width = 0.9, preserve = "single"))+
  theme_light() +
  labs(title = "Number of leaves of each shape,\ngrouped by population",
       x="Leaf shape",
       y="Count")+
  scale_fill_manual(values=c("#8111ee", "#7eee11", "#f0860f", "#0f79f0"))+
  scale_color_manual(values = c("#e457b5", "#57e486"))+
  guides(color=guide_legend(title="Population size"))

img_leafshapes <- image_read(here("images/leaf_shapes.png")) %>% image_ggplot() #import the picture sho

plotgrid3 <- plot_grid(plot_color, plot_color2, plot_shape_salt, img_leafshapes, plot_shape_popsize, pl
          labels = c("A", "B", "C", "D", "E", "F"),
          ncol =2, nrow = 3)
```



Figure 3: Figure 3: Bar graphs and an image showing A) the number of leaves of each color, grouped by treatment, B) the number of leaves of each color, grouped by population, C) the number of leaves of each shape, grouped by treatment D) the picture showing which shape is equal to which number, E) the number of leaves of each shape, grouped by population size, and F) the number of leaves of each shape, grouped by population.