1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
925
15800
6150
11855
9000
8700
8150
8180
8600
8650
6200
8650
8650
6400
7490
7815
8650
7785
L
K
J
H
G
F
E
D
C
B
A
4125
9570
7730
14965
11765
11820
7765
8955
10900
RESIDENTIAL CARPARK
DRIVEWAY
E.M.R. (FOR EV CHARGER)
EV CHARGER RM. (FOR CARPARK)
ACCESSIBLE CARPARKING
SUMP PIT FOR PETROL INTERCEPTOR
SMOKE VENT
CAVITY WALL
LIFT PIT
LIFT PIT LEV. -10.20
PRESSURIZATION STAIRCASE & LIFT LOBBY
ST-B3
ST-B1
ST-B6
INDEPENDENT STAIRCASE FOR B3/F
FIRE HYDRANT AT H/L (HALF LANDING)
LOBBY AREA
FALL 1:20.15
RAMP UP
HANDRAILS ON BOTHSIDE
ACCESS PANEL
LIFT PIT (FOR L6)
PIT FOR LIFTING PLATFORM ABOVE (MIN. 2400H HEADROOM)
MASS CONCRETE FILL
EXIT
M-EV
EV
R01–R102
V01–V17
RM01
RM02
RM04
RM08
RM09
RM10
RM11
RM12
34075
12750
4350
16775
39622
26480
6742
X
Y
Z
D
E
F

PUBLIC VEHICLE PARK (PVP)
DRIVEWAY
COMMERCIAL CARPARK
MOTOR CYCLE PARKING SPACE
FAN ROOM (FOR PVP)
EV CHARGER RM. (FOR PVP)
LIFT LOBBY
ELV ROOM (FOR PVP)
EV CHARGER RM. (FOR PVP)
F.S. PUMP RM. (FOR TOWER 5)
54m³ SPRINKLER WATER TANK (FOR TOWER 3)
27m³ F.S. TANK WATER (FOR TOWER 3)
SPRINKLER WATER TANK & PUMP RM. (FOR TOWER 3)
F.S. WATER PUMP RM. (FOR TOWER 3)
POTABLE WATER TANK & PUMP ROOM (FOR COMMERCIAL)
26.635m³ POTABLE WATER TANK B (COMMERCIAL)
26.635m³ POTABLE WATER TANK A (COMMERCIAL)
EV CHARGER RM. (FOR PVP)
E.M.R. (FOR EV CHARGER)
POTABLE & FLUSHING WATER TANK & UPFEED PUMP RM. (FOR TOWER 2)
MASS CONCRETE FILL
INDEPENDENT STAIRCASE FOR B3/F FIRE HYDRANT FOR B3/F
FLUSHING WATER TANK
PRESSURIZATION STAIRCASE
S.P.D. & L.P.D.
ELV RM.
EV CHARGER ROOM (FOR COMMERCIAL)
E.M.R.
LIFTING PLATFORM FOR LOADING/UN-LOADING
LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 3)
LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 2)
LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 1)
POTABLE WATER TANK & UPFEED PUMP RM. (FOR TOWER 1)
27m³ F.S. TANK WATER (FOR TOWER 1)
WATER METER RM. (FOR COMMERCIAL & RESIDENTIAL)
TURN-TABLE
T.B.E. RM.7 (FOR RESIDENTIAL)
F.S. & SPRINKLER WATER TANK AND PUMP ROOM (FOR TOWER 1)
54m³ SPRINKLER WATER TANK (FOR TOWER 1)
LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR NON-INDUSTRIAL)
RAMP UP 1:10
RAMP DN 1:10
FALL 1:28
HOR. DIST. = 47.485 m < 48m
DIST. = 59.938 m < 60m
DIST. = 59.739 m < 60m
DIST. = 40.576 m < 48m
DIST. = 51.149 m < 60m
SMOKE VENT
M.L. AT L/L
R.C. PLINTH 150mm H.
LIFT PIT LEVEL -6.10
LIFT PIT LEVEL -8.20
-4.02
-4.10
-3.95
-3.67
-3.20
-5.52
-6.08
-6.20
-6.70
ST-B1
ST-B2
ST-B3
ST-B4
ST-B5
ST-B6
ST-B7
ST-B8
ST-B9
P001–P100
C201–C246
LG01–LG11
V18 V19 V20
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
A B C D E F G H J K L
15800 6150 11855 9000 8700 8150 8180 8600 8650 6200 8650 8650 6400 7490 7815 8650 7785
4125 9570 7730 14965 11765 11820 7765 8955 10900 10900

7
ST-B1

PART PLAN FOR ST-B1
AT UPPER PART OF B2/F

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
L
K
J
H
G
F
E
D
C
B
A
ELV. RM. (FOR COMMERCIAL)
MASTER METER ROOM (FOR COMMERCIAL & RESIDENTIAL)
SMOKE EXTRACTION FAN ROOM (FOR COMMERCIAL)
MAKE UP FAN ROOM
SHOP B04
SHOP B03
SHOP B02
SHOP B05
SHOP B01
PAU ROOM (FOR COMMERCIAL)
E.M.R. (FOR COMMERCIAL)
POTABLE WATER TANK
POTABLE WATER TANK & UPFEED PUMP RM. 2 (FOR TOWER 3)
POTABLE WATER TANK & UPFEED PUMP RM. 1 (FOR TOWER 3)
BACKFILLED SOIL
36m³ F.S. WATER TANK
SPRINKLER & F.S. WATER TANK & PUMP RM. (FOR PODIUM AND TOWER 2)
124m³ SPRINKLER WATER TANK
54m³ SPRINKLER WATER TANK
SPRINKLER WATER TANK & PUMP RM. (FOR TOWER 5)
T.B.E. ROOM 3 (FOR COMMERCIAL)
27m³ F.S. WATER TANK
T.B.E. ROOM 2 (FOR RESIDENTIAL)
FLUSHING WATER METER RM.
POTABLE & FLUSHING WATER TANK & UPFEED PUMP ROOM (FOR R.R.F.)
T.B.E. ROOM 1 (FOR RESIDENTIAL)
T.B.E. ROOM 4 (FOR COMMERCIAL)
POTABLE & FLUSHING WATER TANK & UPFEED PUMP ROOM (FOR TOWER 5)
P.D. RM. (FOR COMMERCIAL)
FAN ROOM (FOR COMMERCIAL)
ELEC./CABLE DUCT
DUCT SPACE
FLUSHING WATER TANK & UPFEED PUMP RM. 2 (FOR TOWER 3)
FLUSHING WATER TANK & UPFEED PUMP RM. 1 (FOR TOWER 3)
SUNKEN PLAZA
ESC-1
ESC-2
SHOPPING ARCADE
PAD
P.A.U. ROOM
UPPER PART OF B2 DRIVEWAY
P.D. ROOM (FOR COMMERCIAL & RESIDENTIAL CARPARK)
ELV. RM. (FOR COMMERCIAL)
PRESSURIZATION STAIRCASE & LIFT LOBBY
PRESSURIZATION FAN ROOM
F. LAV.
M. LAV.
ACCESSIBLE TOILET
JANITOR RM.
S.P.D. & L.P.D.
LIFT LOBBY
LOBBY AREA =6.445 m²
E.M.R. (FOR COMMERCIAL)
DRIVEWAY RAMP UP 1:10
DRIVEWAY RAMP DN 1:10
AIR DUCT (FOR CARPARK)
T.B.E. RM.6 (FOR COMMERCIAL)
T.B.E. RM.5 (FOR RESIDENTIAL)
WATER METER ROOM
ELV. ROOM (FOR COMMERCIAL)
COMMERCIAL CARPARK
DRIVEWAY
C101
C102
C103
C104
C105
C106
C107
C108
C109
C110
C111
C112
RAMP DN 1:12
A.M.R.
S.E.S. PANEL ROOM
LOADING/UNLOADING BAY (11m x 3.5m x 4.7 HEADROOM) (FOR NON-INDUSTRIAL)
HG01
HG02
HG03
HG04
HG05
HG06
LG12
TURN-TABLE
PIPE DUCT ROOM
STAIRCASE EXTRACTION SYSTEM VENT DUCT
REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER 1
REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER 2
PARKING SPACE FOR RCV (12m x 5m x 4.5m HEADROOM)
ROLLER SHUTTER W/ MG F.R.R.
FIRE SHUTTER (FR2)
SMOKE VENT
LOBBY AREA =5.106 m²
LOBBY AREA =7.314 m²
LOBBY AREA =9.534 m²
ST-B1
ST-B2
ST-B3
ST-B4
ST-B6
ST-B7
ST-B8
ST-B9
ST-B10
ST-B11
LIFT PIT
LIFT SHAFT
UPPER PART OF REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER

PART PLAN FOR ST-B8
AT UPPER PART OF B1/F

PART PLAN FOR ST-B4
AT UPPER PART OF B1/F

PART PLAN FOR ST-B1
AT UPPER PART OF B1/F

PART PLAN FOR ST-B7
AT LEVEL 1.725

PART PLAN FOR ST-B3
AT UPPER PART OF B1/F

PART PLAN FOR ST-B11
AT UPPER PART OF B1/F

PART PLAN FOR ST-B2
AT LEVEL 2.075

PROFILE OF FOOTBRIDGE SUPPORTS AND CONNECTIONS FOR FUTURE FOOTBRIDGE ABOVE (UNDER SEPERATE SUBMISSION)
PAVEMENT (2.1m WIDTH APPROX.)
PAVEMENT (2m WIDTH APPROX.)
PAVEMENT (7m WIDTH APPROX.)
PAVEMENT (3.9m WIDTH APPROX.)
PAVEMENT
PUBLIC LANE
BOUNDARY OF ADJACENT LOT
ADJOINING LOT (4.9m WIDTH APPROX.)
WAN ON STREET (12.17m WIDTH APPROX.)
ADJOINING BUILDING
ADJC
SHOP G01
SHOP G02
SHOP G03
SHOP G04
SHOP G05
SHOP G06
SHOP G07
SHOP G08
SHOP G09
SHOP G10
SHOP G11
SHOP G12
SHOP G13
SHOP G14
SHOP G15
SHOP G16
SHOP G17
SHOP G18
SHOP G19
SHOP G20
SHOP G21
SHOP G22
SHOP G23
SHOP G24
SHOP G25
ENTRANCE LOBBY (TOWER 1)
ENTRANCE LOBBY (TOWER 2)
ENTRANCE LOBBY (TOWER 3)
ENTRANCE LOBBY (TOWER 5)
PRESSURIZATION FAN ROOM
STAIRCASE PRESSURIZATION ROOM
DRIVEWAY RAMP DN 1:10
DRIVEWAY
RAMP DN 1:30
RUN IN
RUN OUT
VOID
VERTICAL GREEN
RAMP 1:21
PLANTER
A.D. (S.P.S.)
H.V. CABLE RISER ROOM
AIR DUCT ROOM
P.A.U. ROOM
ACCESSIBLE TOILET
ELV RM.
SWITCH ROOM
F.S.A.P.
FIREMAN'S EMERGENCY SWITCH FOR EV STAIRLOCK
TRANSFER PLATE ABOVE
BUILDING LINE ABOVE
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
L K J H G F E D C B A

PART PLAN FOR ST-07 AT UPPER PART OF G/F

PART PLAN FOR ST-11 AT UPPER PART OF G/F

PART PLAN FOR ST-04 & ST-10 AT UPPER PART OF G/F

PART PLAN FOR ST-01 & ST-12 AT UPPER PART OF G/F

PART PLAN FOR ST-02 & ST-03 AT UPPER PART OF G/F

PART PLAN FOR ST-05 AT UPPER PART OF G/F

PART PLAN FOR ST-06 AT UPPER PART OF G/F

PART PLAN FOR ST-09 AT UPPER PART OF G/F

PART PLAN FOR ST-T1 AT UPPER PART OF G/F


SHOP 115
SHOP 119
SHOP 118
SHOP 116
SHOP 117
SHOPPING ARCADE
PUMP ROOM (WASTE WATER)
FOOTBRIDGE
EXTENT OF FOOTBRIDGE
FLAT ROOF
PLANTER
SHOP 108
SHOP 110
SHOP 109
SHOPPING ARCADE
SHOP 114
SHOP 113
SHOP 112
SHOP 111
CHILLER PLANT RM.
ELV ROOM (FOR RETAIL)
SHOP 107
SHOP 106
SHOP 105
BARYCARE ROOM
TRANSFORMER RM. NO.1
PLANT DELIVERY ACCESS AREA
L.V. SWITCH RM. NO.1
TRANSFORMER RM. NO.2
L.V. SWITCH RM. NO.2A
VOID
SHOP 122
SHOPPING ARCADE
ACCESSIBLE TOILET
MANAGEMENT OFFICE (FOR RETAIL)
E.M.R.
P.A.U. ROOM
F.LAV.
M.LAV.
JANITOR
SHOP 101
SHOP 102
SHOP 103
SHOP 104
PUBLIC INFORMATION OR SERVICE COUNTERS
FLAT ROOF 10.05
MIN. 900mm METAL RAILING
DOGHOUSE
A 08
21 A/GBP/19
22 A/GBP/19
LIFT SHAFT
ST-01
ST-02
ST-03
ST-04
ST-05
ST-06
ST-09
ST-10
ST-11
ST-12
ESC-3
ESC-4
ESC-5
ESC-6
EXTENT OF FOOTBRIDGE
FOOTBRIDGE SUPPORTS AND CONNECTIONS FOR FUTURE FOOTBRIDGE (UNDER SEPARATED SUBMISSION FOR FUTURE FOOTBRIDGE)
HOR. DIST. = 42.026 m < 60m
DEADEND TRAVEL DIST. F TO G = 13.447 m < 18m
HOR. DIST. F TO H = 18.121 m < 36m
HOR. DIST. D TO E = 54.553 m < 60m
HOR. DIST. J TO P = 28.523 m < 36m
DEADEND TRAVEL DIST. M TO N = 9.116 m < 18m
HOR. DIST. M TO P = 20.788 m < 36m
1 2 3 4 5 6 7 8 9 10
A B C D E F G H J K L


CHILD CARE CENTRE
10.25
10.20
DEADEND TRAVEL DIST. L TO M = 12.400 m < 18m
TRAVEL DIST. L TO N = 28.246 m < 36m
LIFT SHAFT
TRANSFORMER RM. NO.3
ST-07
ST-08
ST-T1
A.D.
P.D.
E.M.R.
UNISEX TOILET
11 12 13 14 15 16 17 18


7
8
B
8180
13.278
3375
1100
200
1100
1575
1100
100
360
DN 15R
UP 10R
DN18R
UP13R
DN 17R
ST-02
ST-03
FH FH
13.075

PART PLAN FOR ST-02 & ST-03 AT UPPER PART OF 1/F


2250
1150
FFL
DIM. REFER TO FLOOR PLAN
TOTAL DIM. OF OPENABLE WINDOW

TYPICAL DETAIL OF OPENABLE WINDOW

(FOR COMPARTMENT EXCEEDING 7,000m3)
SCALE: 1:50

OPENABLE WINDOW CA

(FOR F.S.D. ONLY)

OPENABLE WINDOW AREA REQ'D : 2438.47

OPENABLE WINDOW AREA PRO'D : (28.00 +

(OW1)

= 156.19


2/F 16.65
1/F 10.20
OPENABLE WINDOW
SLIDING
6450


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
L
K
J
H
G
F
E
D
C
B
A
PLANTER
FUNCTION RM. 1
COVERED LANDSCAPE AREA
FUNCTION RM. 2
WATER FEATURE
LAV. 2
LAV. 3
JANITOR RM.
EXTENT OF FOOTBRIDGE
FOOTBRIDGE
FALL 1:60
COVERED LANDSCAPE AREA
MANAGEMENT OFFICE (FOR RESIDENTIAL)
FAMILY TOILET
ACC. TOILET
COVERED LANDSCAPE
BALL COURT
RAISED FLOOR
L.V. SWITCH ROOM 3
FUNCTION RM. 3
OWNER'S COMMITTEE OFFICE
E.M.R.
PERFORATED FENCE WALL (FREE AREA > 2/3)
GLASS CANOPY
FOOTBRIDGE
ST-09
LOUNGE 1
LOUNGE 2
LOUNGE 3
R.R.F. ENTRANCE HALL
SITTING AREA 2
STUDY RM. 2
STUDY RM. 1
ELV. RM.
CARPARK SHUTTLE LIFT LOBBY
WATER FEATURE
JACUZZI
M. CHANGING ROOM
OUTDOOR SWIMMING POOL
PLANTER
VOID
OUTDOOR SWIMMING POOL
POOL DECK
F. CHANGING ROOM
ACC TOILET
JACUZZI
CHILDREN PLAY ROOM
STORE ROOM
STUDY RM. 3
MUSIC ROOM
M. LAV.
F. LAV.
SEATING AREA 1
LAWN
AIR DUCT ROOM (SES)
OUTDOOR SWIMMING POOL
POOL DECK
GYMNASIUM 2
GYMNASIUM 1
WATER FEATURE
SPA 1
SPA 2
ACCESSIBLE TOILET
GAME RM. 1
GAME RM. 2
T.G. RM.
E.M.R. (FOR R.R.F.)
ST-01
ST-02
ST-03
ST-04
ST-05
ST-06
ST-07
ST-08
ST-10
ST-11
PROJECTING PLANTER
METAL CLADDING
TRANSFER PLATE ABOVE
ARCH. FEATURE
LIFT VENT AT H/L
M.L. AT H/L


8
G
F
11765
18.50
ST-04

PART PLAN FOR ST-04 AT UPPER PART OF 2/F


7
8
8180
B
ST-02
ST-03
18.15
15.35
BUILDING LINE OF STAIRCASE "ST-03"
17.825
19.025
16.40

PART PLAN FOR ST-02 & ST-03 AT UPPER PART OF 2/F


3
4
5
6
G
F
E
D
C
B
LIFT SHAFT
AIR RELEASE FAN ROOM (FOR ST-09)
ST-09
MAINTENANCE CORRIDOR
VOID
2,400OL RC SURGE TANK
FILTRATION PLANT ROOM (FOR SWIMMING POOL)
UPPER PART OF CHILLER PLANT ROOM
200mm BEARING WALL ABOVE INVERTED BEAM
600mmX600mm OPENING ABOVE INVERTED BEAM
14.35
15.20

PART PLAN FOR POOL DECK AT LEVEL 15.20


3
4
5
6
7
8
11855
9000
8700
8150
8180
23.65
PLANTER
22.55 (TOS)
22.60
21.30
21.00
19.95
TRANSFER PLATE
TRANSFER
POOL DECK
OUTDOOR
18.20 OUTDOOR
POOL

FACING STREET
FACING STREET
FACING STREET
FACING STREET
FACING STREET
MA TAU WAI ROAD
WAN ON STREET
ADJOINING LOT
ADJOINING BUILDING
TOWER 1
TOWER 2
TOWER 3
TOWER 5
TOP OF TRANSFER PLATE (COMMON) (ACCESS BY GONDOLA)
COMMON FLAT ROOF (ACCESS BY GONDOLA)
FLAT ROOF
PLANTER
TRELLIS
METAL CANOPY (ACCESS BY GONDOLA)
ROOF W/ ALUM. CLADDING (ACCESS BY GONDOLA)
RC PARAPET WALL 900mm H.
PORTAL FOR METAL GATE
ARCH. FEATURE
BUILDING LINE BELOW
S.S. HATCH COVER
CALCULATION OF PRESCRIBED WINDOW REFER TO DRAWING No. A\GBP\17
TOWER 5
TRANSFER PLATE
MIN. 70% PERFORATED METAL GRILLE ON R.C.P.W. 1800H. A.F.F.L.
3250 x 23 STOREYS = 74750
100.00 R/F
7/F
6/F
5/F
3/F
B.L.
14300
39900
17500
20875
18375
36675
43200
7375
62105
36390
61425

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 23.00) / 6 = 13.058
HORIZONTAL PLANE AREA PROVIDED
= 13.100 x 2.300 =30.130 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 23.00) / 3 = 26.117
HORIZONTAL PLANE AREA PROVIDED
= 26.200 x 2.300 =60.260 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 22.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 22.00) / 4 = 19.838
HORIZONTAL PLANE AREA PROVIDED
= 20.00 x 2.300 =46.000 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF FENCE WALL : 101.525
LEVEL OF WINDOW SILL AT 3/F : 23.05
REQUIRED LENGTH OF RECTANGULAR PLANE
= (101.525 – 23.05) / 8 = 9.809
RECTANGULAR HORIZONTAL PLANE AREA PROVIDED
= 9.850 x 2.300 = 22.655 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
(FOR 5/F TO 30/F)
LEVEL OF MAIN ROOF PARAPET : 101.525
LEVEL OF WINDOW SILL AT 5/F : 26.250
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.525 – 26.250) / 6 = 12.546
HORIZONTAL PLANE AREA PROVIDED
= 12.550 x 2.300 = 28.865 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.350
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.350 – 23.00) / 6 = 13.058
HORIZONTAL PLANE AREA PROVIDED
= 13.500 x 2.300 = 31.050 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 23.00) / 3 = 26.117
HORIZONTAL PLANE AREA PROVIDED
= 26.200 x 2.300 =60.260 > 21 m² (REQUIRED)

DIAGRAMMATIC SECTION FOR TOWER 5 FLAT M AT 3/F

DIAGRAMMATIC SECTION FOR TOWER 5 FLAT M AT 3/F


LIV./DIN.
AREA = 19.024 m²
*BATH.
AREA = 2.500 m²
*LAV.
AREA
=1.063 m²

3/F – 30/F T1–FLAT A (LIV./DIN., BATH. & LAV.) ROOM AREA


2800
(WINDOW AREA)
1285
(OPENABLE AREA)
S.F.L.
600
3250
2650
(OPENABLE AREA)
S.D.
F.
2300
(GLAZING AREA)
350

WINDOW AREA CALCULATION
FOR T1–FLAT A (LIV./DIN., BATH. & LAV.)
(FOR T1–FLAT B TO H, J TO M (LIV./DIN. & BATH))

ROOM AREA = 19.024 s.m.

WINDOW AREA REQ'D = 19.024 / 10 = 1.902 s.m.
WINDOW AREA PROV'D = 2.800 x 2.300 x 0.70
= 4.508 s.m. > 1.902 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 19.024/16 + 2.500 / 10 + 1.063 / 10 = 1.545 s.m.
OPENABLE WINDOW AREA PROV'D = (1.285 x 2.650 x 0.70)
= 2.384 s.m. > 1.545 s.m. (REQUIRED)


M.B.R.
AREA = 9.333 m²
*M. BATH
AREA = 3.255 m²

3/F – 30/F T1–FLAT A (M.B.R. & M. BATH) ROOM AREA


2616
(WINDOW AREA)
550
1416
650
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
1100
S.H.
F.
350

WINDOW AREA CALCULATION
FOR T1–FLAT A (M.B.R. & M. BATH)

ROOM AREA = 9.333 s.m.

WINDOW AREA REQ'D = 9.333 / 10 = 0.933 s.m.
WINDOW AREA PROV'D = 2.616 x 2.300 x 0.70
= 4.212 s.m. > 0.933 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 9.333 /16 + 3.255 /10 = 0.909 s.m.
OPENABLE WINDOW AREA PROV'D = (0.65 + 0.55) x 1.200 x 0.70
= 1.008 s.m. > 0.909 s.m. (REQUIRED)


B.R.1/B.R.2
AREA = 4.400 m²

3/F – 30/F T1–FLAT A (B.R.1 & B.R.2) ROOM AREA


2075
(WINDOW AREA)
550
1525
(OPENABLE AREA)
S.F.L.
600
3250
2300
(FACE TO STREET)
1200
(OPENABLE AREA)
1100
S.H.
F.
350

WINDOW AREA CALCULATION
FOR T1–FLAT A (B.R.1 & B.R.2)
(FOR T1–FLAT B TO H, J TO L (B.R.1 & B.R.2))

ROOM AREA = 4.400 s.m.

WINDOW AREA REQ'D = 4.400 / 10 = 0.440 s.m.
WINDOW AREA PROV'D = 2.075 x 2.300 x 0.70
= 3.341 s.m. > 0.440 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.400 /16 = 0.275 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. > 0.275 s.m. (REQUIRED)


M.B.R.
AREA = 8.879 m²

3/F – 30/F T1–FLAT M (M.B.R.) ROOM AREA


2337.5
(WINDOW AREA)
650
1687.5
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
700
100
300
S.H.
F.
350

WINDOW AREA CALCULATION
FOR T1–FLAT M (M.B.R.)
(FOR T1–FLAT F (M.B.R.))

ROOM AREA = 8.879 s.m.

WINDOW AREA REQ'D = 8.879 / 10 = 0.888 s.m.
WINDOW AREA PROV'D = 2.3375 x 2.300 x 0.70
= 3.763 s.m. > 0.888 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 8.879 /16 = 0.555 s.m.
OPENABLE WINDOW AREA PROV'D = 0.650 x (1.200 + 0.10) x 0.80
= 0.676 s.m. > 0.555 s.m. (REQUIRED)


*M.BATH.
AREA = 3.255 m²
*BATH.
AREA = 2.500 m²
LIV./DIN.
AREA = 16.408 m²

3/F – 30/F T1–FLAT M (LIV./DIN., M.BATH & BATH.) ROOM AREA


2600
(WINDOW AREA)
1315
(OPENABLE AREA)
S.F.L.
600
3250
2650
(OPENABLE AREA)
S.D.
F.
2300
(GLAZING AREA)
350

WINDOW AREA CALCULATION
FOR T1–FLAT M (LIV./DIN., M.BATH. & BATH.)

ROOM AREA = 16.408 s.m.

WINDOW AREA REQ'D = 16.408 / 10 = 1.641 s.m.
WINDOW AREA PROV'D = 2.600 x 2.300 x 0.70
= 4.186 s.m. > 1.641 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 16.408/16 + 2.500 / 10 + 3.255 / 10 = 1.601 s.m.
OPENABLE WINDOW AREA PROV'D = (1.315 x 2.650 x 0.70)
= 2.439 s.m. > 1.601 s.m. (REQUIRED)


*BATH.
AREA
= 2.500 m²
LIV./DIN.
AREA = 17.581 m²

3/F – 30/F T2–FLAT A (LIV./DIN. & BATH.) ROOM AREA


2277.5
(WINDOW AREA)
1175
1102.5
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
F.
S.D.
2650
(OPENABLE AREA)
350

WINDOW AREA CALCULATION
FOR T2–FLAT A (LIV./DIN. & BATH.)
(FOR T2–FLAT B TO H, J TO N, P & Q (LIV./DIN. & BATH))

ROOM AREA = 17.581 s.m.

WINDOW AREA REQ'D = 17.581 / 10 = 1.758 s.m.
WINDOW AREA PROV'D = 2.2775 x 2.300 x 0.70
= 3.667 s.m. > 1.758 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 17.581 /16 + 2.500 / 10 = 1.349 s.m.
OPENABLE WINDOW AREA PROV'D = (1.1025 x 2.650 x 0.70)
= 2.045 s.m. > 1.349 s.m. (REQUIRED)


M.B.R.
AREA = 9.203 m²

3/F – 30/F T2–FLAT A (M.B.R.) ROOM AREA


2716
(WINDOW AREA)
650
1516
550
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
1100
S.H.
F.
350

WINDOW AREA CALCULATION
FOR T2–FLAT A (M.B.R.)

ROOM AREA = 9.203 s.m.

WINDOW AREA REQ'D = 9.203 / 10 = 0.920 s.m.
WINDOW AREA PROV'D = 2.716 x 2.300 x 0.70
= 4.373 s.m. > 0.920 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 9.203 /16 = 0.575 s.m.
OPENABLE WINDOW AREA PROV'D = (0.65 + 0.55) x 1.200 x 0.70
= 1.008 s.m. > 0.575 s.m. (REQUIRED)


B.R.1
AREA = 4.950 m²

3/F – 30/F T2–FLAT J (B.R.1) ROOM AREA


1450
(WINDOW AREA)
900
550
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
1100
S.H.
F.
350

WINDOW AREA CALCULATION
FOR T2–FLAT J (B.R.1)
(FOR T2–FLAT B TO D, G, H, K TO N & P (B.R.1))

ROOM AREA = 4.950 s.m.

WINDOW AREA REQ'D = 4.950 / 10 = 0.495 s.m.
WINDOW AREA PROV'D = 1.450 x 2.300 x 0.70
= 2.335 s.m. > 0.495 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.950 /16 = 0.309 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. > 0.309 s.m. (REQUIRED)


B.R.2
AREA = 4.350 m²

3/F – 30/F T2–FLAT A (B.R.2) ROOM AREA


1937.5
(WINDOW AREA)
550
1387.5
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
1100
S.H.
F.
350

WINDOW AREA CALCULATION
FOR T2–FLAT A (B.R.2)
(FOR T2–FLAT A, E, F, J & Q (B.R.1))
(FOR T2–FLAT B TO H, K TO N, P & Q (M.B.R.))

ROOM AREA = 4.350 s.m.

WINDOW AREA REQ'D = 4.350 / 10 = 0.435 s.m.
WINDOW AREA PROV'D = 1.9375 x 2.300 x 0.70
= 3.119 s.m. > 0.435 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.350 /16 = 0.272 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. > 0.272 s.m. (REQUIRED)


T1-1G
T1-1H
T1-1J
T1-10
12650
2825
3900
5925
T1-R
T1-Q
T1-AM
T1-P
T1-N
T1-AK
T1-M
T1-AJ
T1-L
T1-AH
T1-K
T1-AG
T1-J
T1-AF
T1-H
T1-AE
T1-AD
T1-G
T1-AC
T1-F
T1-E
T1-D
T1-C
T1-B
T1-A
T1-AB
T1-AA
T1-1
T1-1A
T1-1B
T1-1C
T1-1D
T1-1E
T1-1F
T1-2
T1-3
T1-4
T1-5
T1-6
T1-7
T1-8
T1-9
37925
2275
7500
3650
9150
6825
7050
7225
4300
6950
6800
6800
6800
4325
2625
4750
50575
71175
X
Y
Z
F
G
A
TOWER 1
TOWER 2
FLAT A
FLAT B
FLAT C
FLAT D
FLAT E
FLAT F
FLAT G
FLAT H
FLAT J
FLAT K
FLAT L
FLAT M
FLAT N
FLAT P
FLAT Q
LIV./DIN.
M.B.R.
B.R.1
B.R.2
BATH
KIT.
OPEN KIT.
BAL & U.P.
LIFT L1
LIFT L2
LIFT L3
LIFT L4
LIFT L5
LIFT L6
TOWER 1 LIFT LOBBY
TOWER 2 LIFT LOBBY
STORE
E.M.R.
P.D.
UTILITY
VERTICAL ALUM. GRILLE
F.A. AT H/L
A.F.
DIST. TO T.B.S. = 40.665 m

5TH TO 30TH FLOOR PLAN – TOWER 1 & TOWER 2 (23 STOREYS)

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.
3. SLIDING PANEL TO BE PROVIDED AT WHICH MARKED WITH "#" (REFER TO SLIDING PANEL SCHEDULE DWG. NO. A/GBP/12)
4. LIGHTING AND VENTILATION PROVISION TO ADOPT PERFORMANCE–BASED APPROACH FOR THE ROOM MARKED WITH (##) (REFER DWG. NO. A/GBP/10, A/GBP/10.1)
5. 5 ACH MECHANICAL VENTILATION SHALL BE PROVIDED TO KITCHENS USING UVA METHOD.

LEGEND:

▨	NON–STRUCTURAL PREFABRICATE EXTERNAL WALL (THICKNESS MAX. 150mm)
┆ ┆	COMMON AREA FOR MAINTENANCE
▧	A/C PLATFORM


S.F.L.
KIT.
3250
120
50
50
120
150
MIN.800
2450
ALUM. A.F.
ALUM. GRILLES
(W/. NOT LESS THAN 70% PERMEABILITY)
SUPPORTING FRAME

A — TYPICAL DETAIL OF ALUM. GRILLES. FOR SCREENING OF EXTERNAL PIPES AT T2

SLIDING PANEL SCHEDULE

TOWER 1		
FLAT	ROOM	FLOOR
E	LIV./DIN.#2	3/F–5/F
	B.R.1#3	
	M.B.R.#3	3/F
F	LIV./DIN.#2	3/F–5/F
	B.R.1#3	3/F–6/F
	M.B.R.#3	3/F–8/F
G	LIV./DIN.#2	5/F–8/F
	M.B.R.#3	5/F–9/F
	B.R.1#3	5/F–8/F
H	LIV./DIN.#2	5/F–8/F
	M.B.R.#3	5/F–8/F
	B.R.1#3	
J	LIV./DIN.#2	5/F–8/F
	M.B.R.#3	5/F–8/F
	B.R.1#3	5/F–9/F
K	LIV./DIN.#2	5/F–9/F
	M.B.R.#3	5/F–9/F
	B.R.1#3	5/F–9/F
L	LIV./DIN.#2	5/F–10/F
	B.R.1#3	3/F–10/F
	M.B.R.#3	5/F–10/F
M	LIV./DIN.#2	3/F–12/F
	M.B.R.#3	3/F–16/F
	B.R.1#3	
	B.R.2#3	3/F–15/F

#2: ACOUSTIC DOOR
#3: ACOUSTIC WINDOW

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS
呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
5TH - 30TH FLOOR PLAN
FOR TOWER 1 & TOWER 2

Drawn By TWM Date 08/2025
Checked By AW Date 08/2025
Approved By AL Date 08/2025
Project No. 21163KL Issue Date 08/2025
File Path : U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_13 (Final Amendment)_Hand Amend\PLOT\A_GBP_12.dwg
Scale 1:100 By CAD
Drawing Number : A/GBP/12
Revision Number : I
Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by
LEUNG Kit Man Andy
AP(A) 80/85
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.


TOWER 1
TOWER 2
TOWER 1
TOWER 2

TOWER 1 & TOWER 2 ROOF FLOOR DIAGRAM

(UNDER PLANNING DEPARTMENT)
SCALE 1:200

	TOWER 1	TOWER 2
— — AREA OF ROOF	576.291 m²	600.794 m²
▨ AREA OF ROOF W/O. ROOF TOP STRUCTURE	400.750 m² (69.540 % OF ROOF AREA)	360.058 m² (59.930 % OF ROOF AREA)

T1-1G
T1-1H
T1-1J
T1-10
T1-R
T1-Q
T1-P
T1-N
T1-M
T1-K
T1-J
T1-H
T1-G
T1-F
T1-E
T1-D
T1-C
T1-B
T1-A
T1-AM
T1-AK
T1-AJ
T1-AH
T1-AG
T1-AF
T1-AE
T1-AD
T1-AC
T1-1F
T1-AB
T1-AA
T1-1
T1-1A
T1-1B
T1-1C
T1-1D
T1-1E
T1-2
T1-3
T1-4
T1-5
T1-6
T1-7
T1-8
T1-9
X
Z
Y
F
G
ROOF
FLUSHING WATER PUMP RM.
LIFT OVERRUN
POTABLE WATER PUMP RM.
12,500L POTABLE WATER TANK
4,320L FLUSHING WATER TANK
10,000L POTABLE WATER TANK
FAN ROOM
TOWER 1
TOWER 2
DELETE

PART PLAN AT LEVEL 102.975


T1-10
T1-P
T1-N
E.&D.C.
FAN RM.
METAL LOUVRE

PART PLAN AT LEVEL 102.90


T1-1H
T1-1J
T1-AJ
T1-AH
T1-AG
3900
EMERGENCY GENERATOR RM.
METAL LOUVRE

PART PLAN AT LEVEL 102.150

ROOF PLAN – TOWER 1 & TOWER 2

LEGEND:

(S1)	REFUGE FLOOR NOTICE
(S2)	STAIR NO. SIGN
(S3)	DIRECTIONAL SIGN TO EXIT STAIRCASE
(S4)	A SIGN INDICATING THE ENTRANCE TO THE REFUGE FLOOR
▨	NET REFUGE AREA : TOWER 1 = 282.767 m², TOWER 2 = 310.287 m²

THE PERCENTAGE OF THE NET REFUGE AREA

	TOWER 1	TOWER 2
THE G.F.A. OF THE LARGEST FLOOR PLATE	561.518 m²	608.058 m²2
PERCENTAGE OF REFUGE AREA PROVIDED	282.767 / 561.518 x 100% 50.358 % > 50% (REQUIRED)	310.287 / 608.058 x 100% 51.029 % > 50% (REQUIRED)

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS
呂 元 祥 建 築 師 事 務 所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ROOF FLOOR PLAN
FOR TOWER 1 & TOWER 2

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_13 (Final Amendment)_Hand Amend\PLOT\A_GBP_13.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/13
Revision Number : I

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by
LEUNG Kit Man Andy
AP(A) 80/85
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.


GREEN ROOF
ROOF (FOR TOWER 2) (WATERPROOF MEMBRANE ON C/S LAID TO FALL)
ROOF (FOR TOWER 1) (WATERPROOF MEMBRANE ON C/S LAID TO FALL)
DOGHOUSE
S.S. HATCH COVER
R.C. PLINTH
R.C. PARAPET WALL
R.C. FINS
ARCH. FEATURE
ARCHITECTURAL FEATURE
METAL LOUVRE
LIGHTNING POLE (STRUCTURAL SUBMISSION UNDER SEPARATE SUBMISSION)
EMERGENCY GENERATOR RM. 3
EMERGENCY GENERATOR RM. 4
LIFT MACHINE ROOM (TOWER 2)
LIFT MACHINE ROOM (TOWER 1)
POTABLE WATER PUMP ROOM (TOWER 2)
4320L FLUSHING WATER TANK
FLUSHING WATER PUMP RM. (TOWER 1)
STAIRCASE FOR MAINTENANCE
W.L. W/ WIND GUARD
37925
50575
71175
58625
12650

B LIGHTNING POLE SECTION

TOP ROOF PLAN – TOWER 2

TOP ROOF PLAN – TOWER 1

UPPER ROOF PLAN – TOWER 1 & TOWER 2

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment	TWM	AW	AL	05/2024
	(Re-submission)				
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment	TWM	AW	AL	02/2025
	(Re-submission)				
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment	TWM	AW	AL	10/2025
	(Re-submission)				
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂 元 祥 建 築 師 事 務 所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
UPPER ROOF FLOOR PLAN
FOR TOWER 1 & TOWER 2

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_13 (Final Amendment)_Hand Amend\PLOT\A_GBP_14.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/14
Revision Number : I

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by
LEUNG Kit Man Andy
AP(A) 80/85
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.

SLIDING PANEL SCHEDULE

TOWER 3		
FLAT	ROOM	FLOOR
D	LIV./DIN.#2	3/F–30/F
	B.R.1#1#3	
	M.B.R.#3	
E	LIV./DIN.#2	3/F–30/F
	B.R.1#1#3	
	M.B.R.#3	
F	LIV./DIN.#2	10/F–30/F
	M.B.R.#3	
	B.R.1 #3	11/F–30/F
G	LIV./DIN.#2	15/F–30/F
	M.B.R.#3	17/F–26/F
	B.R.1 #3	11/F–30/F

#1 : WITH SOUND ABSORPTIVE MATERIAL
#2 : ACOUSTIC DOOR
#3 : ACOUSTIC WIDNOW



5TH TO 30TH FLOOR PLAN – TOWER 3 (23 STOREYS)

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.
3. SLIDING PANEL TO BE PROVIDED AT WHICH MARKED WITH "#" (REFER TO SLIDING PANEL SCHEDULE DWG. NO. A/GBP/19)
4. LIGHTING AND VENTILATION PROVISION TO ADOPT PERFORMANCE–BASED APPROACH FOR THE ROOM MARKED WITH (##) (REFER DWG. NO. A/GBP/10)
5. 5 ACH MECHANICAL VENTILATION SHALL BE PROVIDED TO KITCHENS USING UVA METHOD.

LEGEND:

▨ A/C PLATFORM



3RD FLOOR PLAN – TOWER 3

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. ALL DIMENSION ARE SAME AS 5/F – 30/F, EXCEPT OTHERWISE NOTED.
3. SLIDING PANEL TO BE PROVIDED AT WHICH MARKED WITH "#" (REFER TO SLIDING PANEL SCHEDULE DWG. NO. A/GBP/19)
4. LIGHTING AND VENTILATION PROVISION TO ADOPT PERFORMANCE–BASED APPROACH FOR THE ROOM MARKED WITH (##) (REFER DWG. NO. A/GBP/10)
5. 5 ACH MECHANICAL VENTILATION SHALL BE PROVIDED TO KITCHENS USING UVA METHOD.

LEGEND:

▨ A/C PLATFORM



3/F – 30/F FLAT A (LIV./DIN. & BATH. & M.BATH.) ROOM AREA



WINDOW AREA CALCULATION

FOR FLAT A (LIV./DIN. & BATH. & M.BATH.)
(FOR FLAT B TO H, J TO N & P (LIV./DIN. & BATH. & M.BATH.))

ROOM AREA = 17.433 s.m.

WINDOW AREA REQ'D = 17.433 / 10 = 1.743 s.m.
WINDOW AREA PROV'D = (2.600 x 2.300 x 0.70)
= 4.186 s.m. > 1.743 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 17.433 /16 + 2.500 /10 + 3.255 /10 = 1.665 s.m.
OPENABLE WINDOW AREA PROV'D = 1.315 x 2.650 x 0.70
= 2.439 s.m. > 1.665 s.m. (REQUIRED)



3/F – 30/F FLAT A (M.B.R. & M. BATH.) ROOM AREA



WINDOW AREA CALCULATION

FOR FLAT A (M.B.R. & M. BATH.)
(FOR FLAT B (M.B.R. & M. BATH.))

ROOM AREA = 8.753 s.m.

WINDOW AREA REQ'D = 8.753 / 10 = 0.875 s.m.
WINDOW AREA PROV'D = (1.6875 x 2.300 x 0.70)
= 2.717 s.m. > 0.875 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 8.753 /16 = 0.547 s.m.
OPENABLE WINDOW AREA PROV'D = 0.650 x (1.200 + 0.10) x 0.8
= 0.676 s.m. > 0.547 s.m. (REQUIRED)



3/F – 30/F FLAT F (B.R.1) ROOM AREA



WINDOW AREA CALCULATION

FOR FLAT F (B.R.1)
(FOR FLAT A TO E, G, H, J TO N & P (B.R.1))
(FOR FLAT A TO H, J TO N & P (M.B.R. & M. BATH.))

ROOM AREA = 4.900 s.m.

WINDOW AREA REQ'D = 4.900 / 10 = 0.490 s.m.
WINDOW AREA PROV'D = (1.475 x 2.300 x 0.70)
= 2.375 s.m. > 0.490 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.900 /16 = 0.306 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. > 0.306 s.m. (REQUIRED)



3/F – 30/F FLAT A (B.R.2) ROOM AREA



WINDOW AREA CALCULATION

FOR FLAT A (B.R.2)
(FOR FLAT B (B.R.2))

ROOM AREA = 4.350 s.m.

WINDOW AREA REQ'D = 4.350 / 10 = 0.435 s.m.
WINDOW AREA PROV'D = (1.5625 x 2.300 x 0.70)
= 2.516 s.m. > 0.435 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.350 /16 = 0.272 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. > 0.272 s.m. (REQUIRED)



DIAGRAM OF SUNKEN SLAB EXTENT (5th TO 30th FLOOR)

SCALE 1:200

LEGEND:

▨ SUNKEN SLAB

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment	TWM	AW	AL	05/2024
	(Re-submission)				
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment	TWM	AW	AL	02/2025
	(Re-submission)				
F	6th Amendment	TWM	AW	AL	02/2025
G	8th Amendment	TWM	AW	AL	05/2025
H	9th Amendment	TWM	AW	AL	08/2025
H	9th Amendment	TWM	AW	AL	10/2025
	(Re-submission)				
I	10th Amendment	TWM	AW	AL	12/2025
J	11th Amendment	TWM	AW	AL	02/2026
K	13th Amendment	TWM	AW	AL	06/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS
呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
3RD - 30TH FLOOR PLAN
FOR TOWER 3

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_15_Hand Amend\PLOT\A_GBP_15.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/15
Revision Number : K

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by
WONG Chi Kin Kenneth
AP(A) 19/95
08 July 2026

Received on
08 July 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
08 July 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.


T3-8
T3-12
T3-17
T3-B
13125
9875
22950
ROOF
GREEN ROOF
ARCH. FEATURE
R.C. PLINTH
LIGHTNING POLE

TOP ROOF PLAN – TOWER 3


LIGHTNING POLE (STRUCTURAL SUBMISSION UNDER SEPARATE SUBMISSION)
R.C. PLINTH

LIGHTNING POLE SECTION



TOWER 3 ROOF FLOOR DIAGRAM

(UNDER PLANNING DEPARTMENT)
SCALE 1:200

— —	AREA OF ROOF	= 652.004 m²
▨	AREA OF ROOF W/O. ROOF TOP STRUCTURE	= 451.783 m² (69.291 % OF ROOF AREA)


T3-1
T3-2
T3-5
T3-7
T3-9
T3-11
T3-13
T3-16
T3-19
T3-21
T3-E
T3-D
T3-C
T3-B
T3-A
T3-3
T3-4
T3-6
T3-8
T3-10
T3-12
T3-14
T3-15
T3-17
T3-18
T3-20
57400
3100L FLUSHING WATER TANK
3100L FLUSHING WATER TANK
FLUSHING WATER PUMP ROOM
LIFT MACHINE ROOM 2
GREEN ROOF
GREEN ROOF
GREEN ROOF
ARCHITECTURAL FEATURE
R.C. FINS
R.C. PARAPET WALL

UPPER ROOF PLAN – TOWER 3


T3-1
T3-2
T3-5
T3-7
T3-9
T3-11
T3-13
T3-16
T3-19
T3-21
T3-E
T3-D
T3-C
T3-B
T3-A
T3-3
T3-4
T3-6
T3-8
T3-10
T3-12
T3-14
T3-15
T3-17
T3-18
T3-20
57400
ROOF
13,200L POTABLE WATER TANK
POTABLE WATER PUMP ROOM
13,200L POTABLE WATER TANK
LIFT OVERRUN
LIFT OVERRUN
FAN ROOM
CURTAIN WALL CAPPING
SITE BOUNDARY

ROOF PLAN – TOWER 3

LEGEND:

(S1)	REFUGE FLOOR NOTICE
(S2)	STAIR NO. SIGN
(S3)	DIRECTIONAL SIGN TO EXIT STAIRCASE
(S4)	A SIGN INDICATING THE ENTRANCE TO THE REFUGE FLOOR
▨	NET REFUGE AREA = 340.816 m²

THE PERCENTAGE OF THE NET REFUGE AREA

THE G.F.A. OF THE LARGEST FLOOR PLATE = 663.064 m²
PERCENTAGE OF REFUGE AREA PROVIDED = 340.816 / 663.064 x 100%
= 51.400 % > 50% (REQUIRED)


DELETE
T3-9
T3-C

PART PLAN AT LEVEL 102.975

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS
呂 元 祥 建 築 師 事 務 所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ROOF FLOOR PLAN
FOR TOWER 3

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_13 (Final Amendment)_Hand Amend\PLOT\A_GBP_16.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/16
Revision Number : I

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by
LEUNG Kit Man Andy
AP(A) 80/85
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.525
LEVEL OF WINDOW SILL AT 18/F : 62.05
REQUIRED LENGTH OF RECTANGULAR PLANE
= (101.525 – 62.05) / 6 = 6.579
RECTANGULAR HORIZONTAL PLANE AREA PROVIDED
= 6.625 x 3.250 = 21.531 > 21 m² (REQUIRED)

18th TO 30th FLOOR PLAN – TOWER 5 (12 STOREYS)

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.

LEGEND:
▨ A/C PLATFORM


LIV./DIN.
AREA = 17.744 m²

3/F – 30/F FLAT A (LIV./DIN.) ROOM AREA


M.B.R.
AREA = 7.519 m²

3/F – 30/F FLAT H (M.B.R.) AREA


B.R.1
AREA = 4.830 m²

3/F – 30/F FLAT B (B.R.1) ROOM AREA


B.R.2
AREA = 4.350 m²

3/F – 30/F FLAT A (B.R.2) ROOM AREA


2175
(WINDOW AREA)
1100
975
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
S.D.
F.
2650
(OPENABLE AREA)
350

WINDOW AREA CALCULATION
FOR FLAT A (LIV./DIN.)
(FOR FLAT B TO H, J TO M (LIV./DIN.))

ROOM AREA = 17.744 s.m.

WINDOW AREA REQ'D = 17.744 / 10 = 1.774 s.m.
WINDOW AREA PROV'D = (2.175 x 2.300 x 0.70)
= 3.502 s.m. > 1.774 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 17.744 /16 = 1.109 s.m.
OPENABLE WINDOW AREA PROV'D = 1.100 x 2.650 x 0.70
= 2.041 s.m. > 1.109 s.m. (REQUIRED)


2466
(WINDOW AREA)
650
1816
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
1100
S.H.
F.
F.
350

WINDOW AREA CALCULATION
FOR FLAT H (M.B.R.)
(FOR FLAT A TO G, J TO M (M.B.R.))

ROOM AREA = 7.519 s.m.

WINDOW AREA REQ'D = 7.519 / 10 = 0.752 s.m.
WINDOW AREA PROV'D = 2.466 x 2.300 x 0.70
= 3.970 s.m. > 0.752 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 7.519 /16 = 0.470 s.m.
OPENABLE WINDOW AREA PROV'D = 0.65 x 1.200 x 0.70
= 0.546 s.m. > 0.470 s.m. (REQUIRED)


1225
(WINDOW AREA)
550
675
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
1100
S.H.
F.
F.
350

WINDOW AREA CALCULATION
FOR FLAT B (B.R.1)
(FOR FLAT A, C TO G, J TO M (B.R.1))

ROOM AREA = 4.830 s.m.

WINDOW AREA REQ'D = 4.830 / 10 = 0.483 s.m.
WINDOW AREA PROV'D = (1.225 x 2.300 x 0.70)
= 1.972 s.m. > 0.483 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.830 /16 = 0.302 s.m.
OPENABLE WINDOW AREA PROV'D = (0.550 x 1.200 x 0.70)
= 0.462 s.m. > 0.302 s.m. (REQUIRED)


1587.5
(WINDOW AREA)
550
1037.5
(OPENABLE AREA)
S.F.L.
600
3250
2300
(GLAZING AREA)
1200
(OPENABLE AREA)
1100
S.H.
F.
F.
350

WINDOW AREA CALCULATION
FOR FLAT A (B.R.2)

ROOM AREA = 4.350 s.m.

WINDOW AREA REQ'D = 4.350 / 10 = 0.435 s.m.
WINDOW AREA PROV'D = (1.5875 x 2.300 x 0.70)
= 2.556 s.m. > 0.435 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.350 /16 = 0.272 s.m.
OPENABLE WINDOW AREA PROV'D = (0.550 x 1.200 x 0.70)
= 0.462 s.m. > 0.272 s.m. (REQUIRED)



5th TO 17th FLOOR PLAN – TOWER 5 (11 STOREYS)

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.

LEGEND:
▨ A/C PLATFORM



PART PLAN AT 17th FLOOR PLAN – TOWER 5


S.F.L.
CORRIDOR
3250
ALUM. A.F.
ALUM. GRILLES (W/. NOT LESS THAN 70% PERMEABILITY)
2450
SUPPORTING FRAME
150
MIN.800

D – TYPICAL DETAIL OF ALUM. GRILLES. FOR SCREENING OF EXTERNAL PIPES AT T2


190
200
LIV./DIN.
805
50
B.W.
TRANSFER BEAM
1685
4040
ALUM. A.F.
CLADDING
90
CORBEL
100
350
1600
2440
TYPHOON-PROOF BAFFLE CEILING

E – TYPICAL DETAIL OF CLADDING & TYPHOON-PROOF BAFFLE CEILING
(STRUCTURAL SUBMISSION UNDER SEPARATE SUBMISSION)



3RD FLOOR PLAN – TOWER 5

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. ALL DIMENSION ARE SAME AS 5/F – 30/F, EXCEPT OTHERWISE NOTED.

LEGEND:
▨ A/C PLATFORM


R/F
100.00
18/F
61.00
3/F
22.00
2/F
14.85
1/F
10.00
3250 x 12 STOREYS = 39000
R.C. BEAM
1:8 PROJECTION
TRANSFER PLATE
G.F.A. EXEMPTION UNDER COVERED LANDSCAPE AREA
COVERED LANDSCAPE AREA
15.10
4040
2000
4650
4650

DIAGRAMMATIC SECTION X
SCALE 1:300


R.C. BEAM
1:8 PROJECTION
G.F.A. EXEMPTION UNDER MINOR PROJECTION AS PER PNAP APP–19 PARA. 6
4040
TRANSFER PLATE
COVERED LANDSCAPE AREA

DIAGRAMMATIC SECTION Y
SCALE 1:300

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
E	4th Amendment	TWM	AW	AL	08/2024
F	5th Amendment	TWM	AW	AL	12/2024
F	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
G	6th Amendment	TWM	AW	AL	02/2025
H	8th Amendment	TWM	AW	AL	05/2025
I	9th Amendment	TWM	AW	AL	08/2025
I	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
J	10th Amendment	TWM	AW	AL	12/2025
K	11th Amendment	TWM	AW	AL	02/2026
L	13th Amendment	TWM	AW	AL	06/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS
呂 元 祥 建 築 師 事 務 所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
3RD - 30TH FLOOR PLAN
FOR TOWER 5

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_15_Hand Amend\PLOT\A_GBP_17.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/17
Revision Number : L

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by
WONG Chi Kin Kenneth
AP(A) 19/95
08 July 2026

Received on
08 July 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
08 July 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



DIAGRAM OF SUNKEN SLAB EXTENT (18th TO 30th FLOOR)

SCALE 1:200

LEGEND:

▨ SUNKEN SLAB



DIAGRAM OF SUNKEN SLAB EXTENT (5th TO 17th FLOOR)

SCALE 1:200

LEGEND:

▨ SUNKEN SLAB


T5-5
T5-6
T5-8
T5-10
T5-D
T5-B
4175
6750
6275
GREEN ROOF
ROOF (FOR TOWER 5) (WATERPROOF MEMBRANE ON C/S LAID TO FALL)
DOGHOUSE
R.C. PLINTH
ARCH. FEATURE
S.S. HATCH COVER
LIGHTNING POLE TOP LEVEL = 114.845

TOP ROOF PLAN – TOWER 5


114.845
LIGHTNING POLE (STRUCTURAL SUBMISSION UNDER SEPARATE SUBMISSION)
108.575 (T.O.S)
108.175
R.C. PLINTH

F LIGHTNING POLE SECTION


T5-1
T5-2
T5-3
T5-4
T5-7
T5-9
T5-11
T5-13
T5-14
T5-15
T5-F
T5-E
T5-D
T5-C
T5-B
T5-A
T5-5
T5-6
T5-8
T5-10
T5-12
55050
41500
4975
6625
6775
6800
6800
6800
7200
4350
4725
6925
4175
6750
6275
5775
LIFT MACHINE ROOM
FLUSHING WATER PUMP ROOM
2,970L FLUSHING WATER TANK
ARCHITECTURAL FEATURE
104.265

UPPER ROOF PLAN – TOWER 5


T5-1
T5-2
T5-3
T5-4
T5-7
T5-9
T5-11
T5-13
T5-14
T5-15
T5-F
T5-E
T5-D
T5-C
T5-B
T5-A
T5-5
T5-6
T5-8
T5-10
T5-12
55050
41500
ROOF (REFUGE AREA)
POTABLE WATER PUMP ROOM
9,100L POTABLE WATER TANK
FAN ROOM (FOR R.S.M.R.R.)
LIFT OVERRUN
CURTAIN WALL CAPPING
ARCHITECTURAL FEATURE ABOVE
R.C. COVER FOR BAL. U.P. & A/C PLATFORM BELOW

ROOF PLAN – TOWER 5

LEGEND:

- S1 REFUGE FLOOR NOTICE
- S2 STAIR NO. SIGN
- S3 DIRECTIONAL SIGN TO EXIT STAIRCASE
- S4 A SIGN INDICATING THE ENTRANCE TO THE REFUGE FLOOR

▨ NET REFUGE AREA = 245.916 m^2

THE PERCENTAGE OF THE NET REFUGE AREA

THE G.A. OF THE LARGEST FLOOR PLATE = 490.398 m^2
PERCENTAGE OF REFUGE AREA PROVIDED = 245.916 / 490.398 x 100%
= 50.146 % > 50% (REQUIRED)


T5-4
T5-D
METAL LOUVRE –/120/120 F.R.R. W/. FIRE DAMPER
R.C. FINS ABOVE
R.C. FINS ABOVE
A/C PLATFORM FOR LIFT MACHINE RM.
2400
1100
DELETE



TOWER 5 ROOF FLOOR DIAGRAM

(UNDER PLANNING DEPARTMENT)
SCALE 1:200

– –	AREA OF ROOF	= 485.949 m^2
▨	AREA OF ROOF W/O. ROOF TOP STRUCTURE	= 323.718 m^2 (66.616 % OF ROOF AREA)

B.D. Ref : BD 2/4024/21
BIM Ref : - --
F.S.D. Ref : - --
D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ROOF FLOOR PLAN
FOR TOWER 5

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
U:\Studio_B\Proj_Data\2021\21163KL_Bailey Street & Wing Kwong Street\DRAWING\SUB\BD\GBP_13 (Final Amendment)_Hand Amend\PLOT\A_GBP_18.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/18
Revision Number : I

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by
LEUNG Kit Man Andy
AP(A) 80/85
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.


WING KWONG STREET
Bailey Garden
Upper East
Tower 1
Tower 2
Podium
E1


3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
124775
11855
9000
8700
8150
8180
8600
8650
6200
8650
8650
6400
7490
7815
8650
7785
B.L.
22.00
E/M ZONE
A.F.
TRANSFER PLATE
19.50
2/F 15.55
1/F 10.20
G/F 5.20
TRANSFER PLATE
GLASS WALL
CURTAIN WALL
METAL SIGNBOARD
STONE ARCH. FEATURE
R.C. FENCE WALL 2500H.
VERTICAL GREEN
ADJOINING BUILDING
METAL RAILING MIN. 1100mmH. A.F.F.L.
WAN ON STREET
PAVEMENT
T.G.B.
R.C. PARAPET WALL MIN. 1100mmH. A.F.F.L.
M.L.
VERTICAL GREEN 4.000mH.
2/F 15.20
1/F 10.20
G/F 5.30
ADJOINING BUILDING
ARCH. FEATURE
F.S.A.P.
(FOR PODIUM & BASEMENT)
F.S.A.P.
(FOR TOWER 1)
METAL SIGNAGE
H.R.
F.S.I. FOR ST-B10
GLASS WALL
F.S.A.P.
(FOR BASEMENT & PODIUM)

E1 ELEVATION (PODIUM)
SCALE :1:200


L
K
J
H
G
F
E
D
C
B
A
98495
4125
9570
7730
14965
11765
11820
7765
8955
10900
10900
B.L.
22.00
E/M ZONE
A.F.
TRANSFER PLATE
19.50
2/F 15.15
1/F 10.55
G/F 5.80
WING KWONG STREET
TRANSFER PLATE
GLASS WALL
CURTAIN WALL
METAL SIGNBOARD
ALUM. CLADDING
STONE CLADDING
ARCH. FEATURE
PERFORATED FEATURE WALL
GLASS CANOPY
METAL RAILING
M.L.
MIN. 900MM METAL RAILING
VENT SHAFT
PUBLIC LANE
BOUNDARY OF ADJACENT LOT
R.C. FENCE WALL 5000mm H.
5.55m FROM MEAN STREET LEVEL +4.65
VERTICAL GREEN 4.000mH.
ALUM. CLADDING
STONE ARCH. FEATURE
BAILEY STREET
R.C. FENCE WALL 2500H.
2/F 15.00
1/F 10.20
G/F 5.20

E2 ELEVATION (PODIUM)
SCALE :1:200


18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
146725
7785
8650
7815
7490
6400
8650
8650
6200
8650
8180
8150
8700
9000
11855
6150
15800
B.L.
22.00
E/M ZONE
A.F.
TRANSFER PLATE
19.50
2/F 15.20
1/F 10.20
G/F 5.30
ADJOINING BUILDING
PAVEMENT
TRANSFER PLATE
METAL RAILING MIN. 1100mmH. A.F.F.L.
T.G.B.
CURTAIN WALL
METAL SIGNBOARD
GLASS WALL
METAL DOOR
STONE CLADDING
WAN ON STREET
FUTURE FOOTBRIDGE WITHIN SITE
SUPPORTING FRAME
MA TAU WAI ROAD
2/F 15.15
1/F 10.55
G/F 5.80
2.525mH.~5.030mH. VERTICAL GREENING
ARCH. FEATURE
SPRINKLER CONTROL VALVE CABINET & SPRINKLER INLET (FOR TOWER 5)
F.S.A.P.
(FOR PODIUM & TOWER 5)
F.S.I. FOR ST-05, ST-06, ST-B4 & ST-B8
F.S.A.P.
(FOR BASEMENT, PODIUM & TOWER 3)
SPRINKLER CONTROL VALVE CABINET & SPRINKLER INLET (FOR TOWER 3)

E3 ELEVATION (PODIUM)
SCALE :1:200


A
B
C
D
E
F
G
H
J
K
L
98495
10900
10900
8955
7765
11820
11765
14965
7730
9570
4125
B.L.
22.00
E/M ZONE
A.F.
TRANSFER PLATE
19.50
2/F 15.00
1/F 10.20
G/F 5.20
BAILEY STREET
PAVEMENT
TRANSFER PLATE
TEMPERED GLASS BALUSTRADE MIN. 1100mmH. A.F.F.L.
GLASS WALL
CURTAIN WALL
METAL SIGNBOARD
T.G.B.
STONE CLADDING
ALUM. CLADDING
DRIVEWAY
WING KWONG STREET
2/F 15.15
1/F 10.55
G/F 5.80
SPRINKLER CONTROL VALVE RM. FOR TOWER 1 & F.S. INLET FOR ST-09 & ST-B11
ARCH. FEATURE
F.S. INLET FOR ST-02, ST-03 & ST-B7
F.S. INLET FOR ST-04, ST-10, ST-11 & ST-B1
H.R.
METAL GATE
F.S. INLET FOR ST-B6
SPRINKLER INLET (FOR T2, PODIUM & BASEMENT) F.S. INLET (FOR ST-B11)
METAL RAILING MIN. 1100mmH. A.F.F.L.
F.S.A.P.
(FOR PODIUM & TOWER 2)
F.S.A.P.
(FOR BASEMENT)

E4 ELEVATION (PODIUM)
SCALE :1:200


WING KWONG STREET
Upper East
Bailey Garden
Tower 1
Tower 2
Podium
E1


4
5
6
7
8
34030
9000
8700
8150
8180
22.00
TRANSFER PLATE
19.50
2/F
14.85
1/F
10.55
G/F
5.20
TRANSFER PLATE
GLASS WALL
STONE CLADDING
T.G.B.
CURTAIN WALL
ARCH. FEATURE
SUNKEN PLAZA

E5 ELEVATION (PODIUM)
SCALE :1:200


8
7
6
5
4
3
45885
8180
8150
8700
9000
11855
B.L.
22.00
TRANSFER PLATE
19.50
2/F
15.00
1/F
10.20
G/F
5.20
CLUBHOUSE ENTRANCE CANOPY
TRANSFER PLATE
GLASS WALL
T.G.B.
STONE CLADDING
CURTAIN WALL
H.R.
ARCH. FEATURE

E6 ELEVATION (PODIUM)
SCALE :1:200


G
H
J
22641
14965
7676
T.G.B.
2/F
14.85
1/F
10.55
G/F
5.20
ARCH. FEATURE

E7 ELEVATION (PODIUM)
SCALE :1:200


J
H
G
22641
7676
14965
GLASS CLADDING
T.G.B.
2/F
14.85
1/F
10.55
G/F
5.20
ARCH. FEATURE

E8 ELEVATION (PODIUM)
SCALE :1:200


J
K
L
13695
9570
4125
B.L.
22.00
TRANSFER PLATE
19.50
2/F
14.85
1/F
10.55
G/F
5.20
TRANSFER PLATE
T.G.B.
STONE CLADDING
CURTAIN WALL
GLASS WALL
ARCH. FEATURE

E9 ELEVATION (PODIUM)
SCALE :1:200


L
K
J
13695
4125
9570
B.L.
22.00
TRANSFER PLATE
19.50
2/F
15.00
1/F
10.20
G/F
5.20
TRANSFER PLATE
T.G.B.
STONE CLADDING
CURTAIN WALL
GLASS WALL
ARCH. FEATURE

E10 ELEVATION (PODIUM)
SCALE :1:200


J
K
L
13695
9570
4125
B.L.
22.00
TRANSFER PLATE
19.50
2/F
15.00
1/F
10.20
G/F
5.20
TRANSFER PLATE
ARCH. FEATURE
F.S. INLET FOR
PAVEMENT

E11 ELEVATION (PODIUM)
SCALE :1:200


F
E
D
C
28540
11820
7765
8955
22.00
TRANSFER PLATE
19.50
2/F
14.85
1/F
10.55
G/F
5.20
T.G.B.
PLANTER
CURTAIN WALL
NOTIONAL SHOPFRONT
ARCH. FEATURE

E12 ELEVATION (PODIUM)
SCALE :1:200


C
D
E
F
28540
8955
7765
11820
22.00
TRANSFER PLATE
19.50
2/F
15.00
1/F
10.20
G/F
5.20
T.G.B.
CURTAIN WALL
NOTIONAL SHOPFRONT
ARCH. FEATURE
HR

E13 ELEVATION (PODIUM)
SCALE :1:200


B
C
D
E
F
G
51205
10900
8955
7765
11820
11765
22.00
E/M ZONE
TRANSFER PLATE
19.50
2/F
15.00
ALUM. CLADDING
GLASS WALL
POOL DECK
OUTDOOR SWIMMING POOL
T.G.B.
STONE CLADDING
TRELLIS

E14 ELEVATION (PODIUM)
SCALE :1:200


F
E
D
C
19585
11820
7765
90°
22.00
TRANSFER PLATE
19.50
2/F
14.75
TRANSFER PLATE
STONE CLADDING
GLASS WALL
T.G.B.
ROOF W/ ALUM. CLADDING
ALUM. CLADDING

E15 ELEVATION (PODIUM)
SCALE :1:200


6
5
4
3
29555
8700
9000
11855
B.L.
22.00
TRANSFER PLATE
19.50
14.75
PLANTER
TRANSFER PLATE
GLASS WALL
POOL DECK
STONE CLADDING
TRELLIS

E16 ELEVATION (PODIUM)
SCALE :1:200