
RESIDENTIAL CARPARK
DRIVEWAY
LIFT PIT -6.10
LIFT PIT LEV. -10.20
PRESSURIZATION STAIRCASE & LIFT LOBBY
ST-B3
ST-B6
INDEPENDENT STAIRCASE FOR B3/F
FIRE HYDRANT AT H/L (HALF LANDING)
EV CHARGER RM (FOR CARPARK)
ACCESSIBLE CARPARKING
SUMP PIT FOR PETROL INTERCEPTOR
SMOKE VENT VB3-1
SMOKE VENT VB3-2
SMOKE VENT VB3-3
SMOKE VENT VB3-4
SMOKE VENT VB3-5
PRESSURIZATION STAIRCASE
ST-B1
LIFT 17
LIFT 18
LIFT PIT (FOR L6)
RAMP UP 1:15
RAMP UP 1:12
CAVITY WALL
ACCESS PANEL AT L1A
HANDRAILS ON BOTHSIDE
MASS CONCRETE FILL
DRIVEWAY FALL 1:20.15
DRIVEWAY FALL 1:20
DRIVEWAY FALL 1:8.3
DRIVEWAY FALL 1:6.67
DRIVEWAY FALL 1:5
DRIVEWAY FALL 1:6
DRIVEWAY FALL 1:7.5
DRIVEWAY FALL 1:8
DRIVEWAY FALL 1:10
DRIVEWAY FALL 1:12
DRIVEWAY FALL 1:15
DRIVEWAY FALL 1:16.67
DRIVEWAY FALL 1:20
DRIVEWAY FALL 1:25
DRIVEWAY FALL 1:33.33
DRIVEWAY FALL 1:50
DRIVEWAY FALL 1:100
FF LEVEL +33.722m
FF LEVEL +35.980m
FF LEVEL +39.939m
FF LEVEL +47.265m
FF LEVEL +47.939m
FF LEVEL +52.101m
FF LEVEL +53.722m
FF LEVEL +56.561m
FF LEVEL +57.265m
FF LEVEL +58.101m
FF LEVEL +59.939m
FF LEVEL +60.705m
FF LEVEL +61.722m
FF LEVEL +62.101m
FF LEVEL +63.939m
FF LEVEL +64.705m
FF LEVEL +65.722m
FF LEVEL +66.101m
FF LEVEL +67.939m
FF LEVEL +68.705m
FF LEVEL +69.722m
FF LEVEL

PUBLIC VEHICLE PARK (PVP)

COMMERCIAL CARPARK

MOTOR CYCLE PARKING SPACE

EV CHARGER RM. (FOR PVP)

FAN ROOM (FOR PVP)

LIFT LOBBY

DRIVEWAY

HOR. DIST. = 47.485 m < 48m

HOR. DIST. = 59.938 m < 60m

HOR. DIST. = 59.779 m < 60m

HOR. DIST. = 32.766m < 48m

HOR. DIST. = 34.667m < 36m

HOR. DIST. = 51.149 m < 60m

HOR. DIST. = 40.576 m < 48m

HR FE SB

FE SB HR

FALL

RAMP DN 1:10

RAMP UP 1:10

TURN-TABLE

POTABLE & FLUSHING WATER TANK & UPPEED PUMP RM. (FOR TOWER 2)

POTABLE WATER TANK & UPPEED PUMP RM. (FOR TOWER 1)

POTABLE WATER TANK (COMMERCIAL)

54m³ SPRINKLER WATER TANK (FOR TOWER 3)

SPRINKLER WATER TANK & PUMP RM. (FOR TOWER 3)

27m³ F.S. TANK WATER (FOR TOWER 3)

F.S. WATER PUMP RM. (FOR TOWER 3)

F.S. PUMP RM. (FOR TOWER 5)

ELV. RM.

54m³ SPRINKLER WATER TANK (FOR TOWER 1)

F.S. & SPRINKLER WATER TANK AND PUMP ROOM (FOR TOWER 1)

27m³ F.S. TANK WATER (FOR TOWER 1)

FLUSHING WATER TANK

MASS CONCRETE FILL

R.C. PLINTH 150mm H.

INDEPENDENT STAIRCASE FOR B3/F

FIRE HYDRANT FOR B3/F

INDEPENDENT STAIRCASE FOR B2/F

PRESSURIZATION STAIRCASE

PRESSURIZATION LOBBY

LIFT LOBBY (PRESSURIZED)

LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 1)

LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 2)

LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 3)

LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR NON-INDUSTRIAL)

LOADING/UNLOADING BAY (7m x 3.5m x 3.15 HEADROOM) (FOR NON-INDUSTRIAL)

LOADING/UNLOADING BAY (7m x 3.5m x 3.6 HEADROOM) (FOR TOWER 3)

PART PLAN FOR ST-B1
AT UPPER PART OF B2/F


SHOP B04
SHOP B03
SHOP B02
SHOP B05
SHOP B01
SUNKEN PLAZA
SHOPPING ARCADE
PAU ROOM (FOR COMMERCIAL)
POTABLE WATER TANK
DUCT SPACE
MASTER METER ROOM (FOR COMMERCIAL & RESIDENTIAL)
ELV. RM. (FOR COMMERCIAL)
SMOKE EXTRACTION FAN ROOM (FOR COMMERCIAL)
MAKE UP FAN ROOM
PRESSURIZATION FAN ROOM
F. LAV.
ACCESSIBLE TOILET
PIPE DUCT ROOM
LOBBY AREA 5.106 m²
LOBBY AREA 7.314 m²
ELV. RM. (FOR COMMERCIAL) PRESSURIZATION STAIRCASE & LIFT LOBBY
UPPER PART OF B2 DRIVEWAY
P.A.U. ROOM
P.D. ROOM (FOR COMMERCIAL & RESIDENTIAL CARPARK)
PRESSURIZATION STAIRCASE
UPPER PART OF B2 DRIVEWAY
S.P.D. & L.P.D.
E.M.R. (FOR COMMERCIAL)
T.B.E. RM.C (FOR COMMERCIAL)
T.B.E. RM.R (FOR RESIDENTIAL)
ELV. ROOM (FOR COMMERCIAL)
A.M.R.
WATER METER ROOM
S.E.S. PANEL ROOM
P.D.
REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER 2
REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER 1
PARKING SPACE FOR RCU (12m x 5m x 4.5m HEADROOM)
COMMERCIAL CARPARK
DRIVEWAY
TURN-TABLE
AUTOMATIC DOOR
RUNNING SLOPE 1:12
TRAVEL DIST. = 26.390m < 45m
TRAVEL DIST. = 41.281 m < 45m
DIST. = 59.185 m < 60m
DIST. = 57.737 m < 60m
DIST. = 33.969 m < 60m
POTABLE WATER TANK & UPFEED PUMP RM. 2 (FOR TOWER 3)
POTABLE WATER TANK & UPFEED PUMP RM. 1 (FOR TOWER 3)
POTABLE WATER TANK
36m³ F.S. WATER TANK
SPRINKLER & F.S. WATER TANK & PUMP RM. (FOR PODIUM AND TOWER 2)
124m³ SPRINKLER WATER TANK
54m³ SPRINKLER WATER TANK
SPRINKLER WATER TANK & PUMP RM. (FOR TOWER 5)
27m³ F.S. WATER TANK
T.B.E. ROOM 3 (FOR COMMERCIAL)
T.B.E. ROOM 2 (FOR RESIDENTIAL)
T.B.E. ROOM 1 (FOR RESIDENTIAL)
T.B.E. ROOM 4 (FOR COMMERCIAL)
FLUSHING WATER METER RM.
POTABLE & FLUSHING WATER TANK & UPFEED PUMP ROOM (FOR R.P.F.)
POTABLE & FLUSHING WATER TANK & UPFEED PUMP ROOM (FOR TOWER 5)
P.D. RM.
ELEC. CABLE DUCT
ACCESS PANEL AT H/L
FAN ROOM (FOR COMMERCIAL)
CONC. FILL
FLUSHING WATER TANK & UPFEED PUMP RM. 2 (FOR TOWER 3)
FLUSHING WATER TANK & UPFEED PUMP RM. 1 (FOR TOWER 3)
FLUSHING WATER TANK
METER MAINTENANCE PLATFORM ABOVE AT LEVEL 4.180
INDEPENDENT STAIRCASE FOR B1/F
INDEPENDENT STAIRCASE FOR B3/F
INDEPENDENT STAIRCASE FOR B2/F
SMOKE VENT "VB1-1"
SMOKE VENT "VB1-2"
SMOKE VENT "VB1-3"
SMOKE VENT "VB1-4"
SMOKE VENT "VB1-5"
SMOKE VENT "VB1-6"
SMOKE VENT "VB1-7"
SMOKE VENT "VB1-8"
SMOKE VENT "VB1-9"
SMOKE VENT "VB1-10"
SMOKE VENT "VB1-11"
SMOKE VENT "VB1-12"
SMOKE VENT "VB1-13"
SMOKE VENT "VB1-14"
SMOKE VENT "VB1-15"
SMOKE VENT "VB1-16"
SMOKE VENT "VB1-17"
SMOKE VENT "VB1-18"
SMOKE VENT "VB1-19"
SMOKE VENT "VB1-20"
SMOKE VENT "VB1-21"
SMOKE VENT "VB1-22"
SMOKE VENT "VB1-23"
SMOKE VENT "VB1-24"
SMOKE VENT "VB1-25"
SMOKE VENT "VB1-26"
SMOKE VENT "VB1-27"
SMOKE VENT "VB1-28"
SMOKE VENT "VB1-29"
SMOKE VENT "VB1-30"
SMOKE VENT "VB1-31"
SMOKE VENT "VB1-32"
SMOKE VENT "VB2-1"
SMOKE VENT "VB2-2"
SMOKE VENT "VB2-3"
SMOKE VENT "VB2-4"
SMOKE VENT "VB2-5"
SMOKE VENT "VB2-6"
SMOKE VENT "VB2-7"
SMOKE VENT "VB2-8"
SMOKE VENT "VB2-9"
SMOKE VENT "VB2-10"
SMOKE VENT "VB2-11"
SMOKE VENT "VB2-12"
SMOKE VENT "VB3-1"
SMOKE VENT "VB3-2"
SMOKE VENT "VB3-3"
SMOKE VENT "VB3-4"
SMOKE VENT "VB3-5"
SMOKE VENT "VB3-6"
SMOKE VENT "VB3-7"
SMOKE VENT "VB3-8"
SMOKE VENT "LV-1"
SMOKE VENT "LV-2"
SMOKE VENT "LV-3"
SMOKE VENT "LV-4"
SMOKE VENT "LV-5"
SMOKE VENT "LV-6"
SMOKE VENT "LV-7"
SMOKE VENT "LV-8"
SMOKE VENT "LV-9"
SMOKE VENT "LV-10"
SMOKE VENT "LV-11"
SMOKE VENT "LV-12"
SMOKE VENT "LV-13"
SMOKE VENT

PROFILE OF FOOTBRIDGE SUPPORTS AND CONNECTIONS FOR FUTURE FOOTBRIDGE ABOVE (UNDER SEPERATE SUBMISSION)

PUBLIC LANE

BOUNDARY OF ADJACENT LOT

ADJOINING LOT (4.8m WIDTH APPROX.)

ADJOINING BUILDING

WAN ON STREET (12.17m WIDTH APPROX.)

PAVEMENT (2.1m WIDTH APPROX.)

PAVEMENT (3.9m WIDTH APPROX.)

PAVEMENT (2m WIDTH APPROX.)

ENTRANCE LOBBY (TOWER 01)

ENTRANCE LOBBY (TOWER 02)

ENTRANCE LOBBY (TOWER 11)

SHOP G10

SHOP G11

SHOP G12

SHOP G13

SHOP G14

SHOP G15

SHOP G16

SHOP G17

SHOP G18

SHOP G19

SHOP G20

SHOP G21

SHOP G22

SHOP G23

SHOP G24

SHOP G25

SHOP C01

SHOP C02

SHOP C03

SHOP C04

SHOP C05

SHOP C06

SHOP C07

SHOP C08

SHOP C09

PRESSURIZATION FAN ROOM

DRIVEWAY RAMP DN 1:10

DRIVEWAY RAMP UP 1:10

RAMP 1:21

RAMP DN 1:12

RUN IN

RUN OUT

PART PLAN FOR ST-07 AT UPPER PART OF G/F

PART PLAN FOR ST-11 AT UPPER PART OF G/F

PART PLAN FOR ST-04 & ST-10 AT UPPER PART OF G/F

PART PLAN FOR ST-01 & ST-12 AT UPPER PART OF G/F

PART PLAN FOR ST-02 & ST-03 AT UPPER PART OF G/F

PART PLAN FOR ST-05 AT UPPER PART OF G/F

PART PLAN FOR ST-06 AT UPPER PART OF G/F

PART PLAN FOR ST-09 AT UPPER PART OF G/F

PART PLAN FOR ST-T1 AT UPPER PART OF G/F

SHOP 115
SHOP 119
SHOP 118
SHOP 116
SHOP 117
SHOP 108
SHOP 110
SHOP 109
SHOP 107
SHOP 114
SHOP 113
SHOP 112
SHOP 111
SHOP 106
SHOP 105
SHOP 122
SHOP 101
SHOP 102
SHOP 103
SHOP 104
SHOPPING ARCADE
FOOTBRIDGE SUPPORTS AND CONNECTIONS FOR FUTURE FOOTBRIDGE (UNDER SEPARATED SUBMISSION FOR FUTURE FOOTBRIDGE)
ALUM. CLADDING
GLASS WALL
TRANSFER PLATE ABOVE
RC LINE OF ARCHI. FEATURE
ARCH. FEATURE
BUILDING LINE ABOVE AT 2/F
TOP OF EXHAUST AIR DUCT
SUPPORTING FRAME FOR FUTURE LED WALL (FROM LEV. 11.375 TO LEV. 14.55)
M.L.
PUMP ROOM (WASTE WATER)
9900mmH FEATURE WALL W/ PERFORATED GRILL FREE AREA >2/3 from level 11.32 to 15.10
TOP OF R.C. FENCE WALL
PERFORATED FEATURE WALL (FREE AREA > 2/3)
CLASS CANOPY ABOVE
ESC-3
ESC-4
FOOTBRIDGE FALL 1:35
EXTENT OF FOOTBRIDGE
PLANTER
10.95(TOS)
10.35
22 AGBP/15
21 AGBP/15
1.09m X 13 = 14.16m OPENABLE WINDOW
1.4m X 3 = 4.42m OPENABLE WINDOW
GLASS DOOR LIFT CONTROL CABINET
LIFT CONTROL CABINET
S.P.S. P.D.
A.R.D. (S.P.S.)
FLAT ROOF
PURLIN FOR INFORMATION OR SERVICE COUNTERS
BRAILLE & TACTILE FLOOR PLAN
PROJECTING PLANTER
V VOID
CHILLER PLANT RM.
A.D. (S.E.S.)
DOGHOUSE
MIN. 900mm METAL RAILING
ELV ROOM (FOR RETAIL)
F.R.R. SLIDING DOOR RS/60 W/ SMOKE SEAL
ACCESSIBLE TOILET
MANAGEMENT OFFICE (FOR RETAIL)
CHANGING ROOM
SINK
P.A.U. ROOM
R.C. PLINTH 150mm H.
STONE ARCH. FEATURE ALUM. CLAD.
10P VENTILATOR STANDARD ST-12
DEADEND TRAVEL DIST. = 11.585m < 36m
DEADEND TRAVEL DIST. = 16.377 m < 18m
TRAVEL DIST. = 32.525 m < 36m
TRAVEL DIST. = 19.950 m < 36m
HOR. DIST. = 42.026 m < 60m
TRAVEL DIST. = 21.582 m < 36m
DEADEND TRAVEL DIST. F TO G = 13.447 m < 18m
HOR. DIST. F TO H = 18.121 m < 36m
DEADEND TRAVEL DIST. M TO N = 9.116 m < 18m
HOR. DIST. M TO P = 20.788 m < 36m
HOR. DIST. D TO E = 54.553 m < 60m
HOR. DIST. J TO P = 28.523 m < 36m
TRANSFORMER RM. NO.1 (3 NOS. OF TRANSFORMER FOR TOWER 1&2)
TRANSFORMER RM. NO.2 (2 NOS. OF TRANSFORMER FOR TOWER 1&2)
TRANSFORMER RM. NO.3
L.V. SWITCH RM. NO.1 (FOR RETAIL)
L.V. SWITCH RM. NO.2A (FOR TOWER 1&2)
F.L.AV.
M.L.AV.
JANITOR
F.S.D.
E.D.
P.D.
P.A.U. ROOM
BABYCARE ROOM
PLANT DELIVERY ACCESS AREA (FOR TRANSFORMER RM.)
DEMOUNTABLE METAL RAILING
WALL METAL SIGNBOARD
METAL CANOPY
METAL SIGNBOARD
BUILDING LINE ABOVE AT 2/F
GLASS WALL
R.C. PLINTH 150mm H.
FOOTBRIDGE ABOVE
EXTENT OF FOOTBRIDGE
CHILD CARE CENTRE
LIFT CONTROL CABINET
PLANT DELIVERY ACCESS AREA
STONE CLADDING
3050W X FULL HEIGHT FOLDABLE GATE
UNISEX TOILET
M.L. AT H/L
ALUM. GRILLE
OPENABLE WINDOW
FFL
DIM. REFER TO FLOOR PLAN
TOTAL DIM. OF OPENABLE WINDOW

OPENABLE WINDOW CA

(FOR F.S.D. ONLY)

OPENABLE WINDOW AREA REQ'D : 2438.476

OPENABLE WINDOW AREA PRO'D : (28.00 + (W) = 156.19

TYPICAL DETAIL OF OPENABLE WINDOW

(FOR COMPARTMENT EXCEEDING 7,000m3)

SCALE: 1:50

PART PLAN FOR ST-02 & ST-03 AT UPPER PART OF 1/F

2/F 16.65

1/F 10.20

SLIDING

OPENABLE WINDOW

PART PLAN FOR ST-04
AT UPPER PART OF 2/F

PART PLAN FOR ST-02 & ST-03
AT UPPER PART OF 2/F

PART PLAN FOR POOL DECK
AT LEVEL 15.20

FACING STREET

TOWER 3 +22.00

TOWER 5 +22.00

TOWER 2

TOWER 1 +22.00

ADJOINING LOT

ADJOINING BUILDING

MA TAU WAI ROAD

WAN ON STREET

TOP OF TRANSFER PLATE (COMMON) (ACCESS BY GONDOLA)

COMMON FLAT ROOF (ACCESS BY GONDOLA)

FLAT ROOF +21.875 +21.65

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 23.00) / 6 = 13.058
HORIZONTAL PLANE AREA PROVIDED
= 13.100 x 2.300 =30.130 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 23.00) / 3 = 26.117
HORIZONTAL PLANE AREA PROVIDED
= 26.200 x 2.300 =60.260 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 22.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 22.00) / 4 = 19.838
HORIZONTAL PLANE AREA PROVIDED
= 20.00 x 2.300 =46.000 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.350
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.350 – 23.00) / 6 = 13.058
HORIZONTAL PLANE AREA PROVIDED
= 13.500 x 2.300 = 31.050 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF MAIN ROOF PARAPET : 101.35
LEVEL OF WINDOW SILL AT 3/F : 23.00
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.35 – 23.00) / 3 = 26.117
HORIZONTAL PLANE AREA PROVIDED
= 26.200 x 2.300 =60.260 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
LEVEL OF FENCE WALL : 101.525
LEVEL OF WINDOW SILL AT 3/F : 23.05
REQUIRED LENGTH OF RECTANGULAR PLANE
= (101.525 – 23.05) / 8 = 9.809
RECTANGULAR HORIZONTAL PLANE AREA PROVIDED
= 9.850 x 2.300 = 22.655 > 21 m² (REQUIRED)

UNDER BUILDING (PLANNING) REG. 31
(FOR 5/F TO 30/F)
LEVEL OF MAIN ROOF PARAPET : 101.525
LEVEL OF WINDOW SILL AT 5/F : 26.250
REQUIRED LENGTH OF HORIZONTAL PLANE
= (101.525 – 26.250) / 6 = 12.546
HORIZONTAL PLANE AREA PROVIDED
= 12.550 x 2.300 = 28.865 > 21 m² (REQUIRED)

CALCULATION OF PRESCRIBED WINDOW REFER TO DRAWING No. A\GBP\17

CALCULATION OF PRESCRIBED WINDOW REFER TO DRAWING No. A\GBP\17

COMMON FLAT ROOF

PLANTER 22.40 (T.O.S.) 21.65

PLANTER 22.40 (T.O.S.) 21.65

PLANTER 22.275(T.O.S.) 21.65

PLANTER 22.40 (T.O.S.) 21.65

PLANTER 22.55 (T.O.S.) 21.10 21.00

PLANTER 22.55 (T.O.S.) 21.10 21.00

PLANTER 21.40 (T.O.S.) 21.10 21.00

PLANTER (ON TOP OF A/D) 24.85(T.O.S.) 24.55

PLANTER (ON TOP OF A/D) 25.50(T.O.S.) 25.20

PLANTER (ON TOP OF A/D) 23.40 (T.O.S.) 23.10

PLANTER 22.55 (T.O.S.) 21.10 21.00

PLANTER 21.525 (T.O.S.) 21.10 21.00

PLANTER (ACCESS BY GONDOLA) 22.05 (T.O.S.) 21.65 (T.P.)

PLANTER 19.95 (TOS) 19.25

PLANTER 20.05 (TOS) 19.65

PLANTER 20.10

FLAT ROOF 21.30 21.00

FLAT ROOF (FOR MAINTENANCE) 21.10 21.00 A.D. BELOW

METAL RAILING

RC PARAPET WALL 900mm H.

PORTAL FOR METAL GATE

ARCH FEATURE

S.S. HATCH COVER

METAL CANOPY (ACCESS BY GONDOLA)

ROOF W/ ALUM. CLADDING (ACCESS BY GONDOLA)

BUILDING LINE BELOW

TRELLIS

ALUM. A.F.

COMMON FLAT ROOF

ALUM. GRILLES

VOID

R.C.P.W.1

F.M.R.

W.M.C.

S.S. HATCH COVER

20.30 (TOS) 19.90

21.51 TOW

17135

25600

22700

6750

18375

36675

14300

39900

17500

20875

TOWER 5

B.L. 31.750 7/F

15060

28.50 6/F

13100

25.250 5/F

MIN. 70% PERFORATED METAL GRILLE ON R.C.P.W. 1800H. A.F.F.L.

22.00 3/F

TRANSFER PLATE

DIAGRAMMATIC SECTION FOR TOWER 5 FLAT M AT 3/F

TOWER 5

100.00 R/F

3250 x 23 STOREYS = 74750

B.L.

25.250 5/F

22.00 3/F

TRANSFER PLATE

DIAGRAMMATIC SECTION FOR TOWER 5 FLAT M AT 3/F

FACING STREET

43200

7375

35390

62105

61425

8475

12550

14050

14825

26200

26020

16825

11825

6780

6800

5540

6900





3/F – 30/F T1–FLAT A (LIV./DIN., BATH. & LAV.) ROOM AREA



WINDOW AREA CALCULATION
FOR T1–FLAT A (LIV./DIN., BATH. & LAV.)
(FOR T1–FLAT B TO H, J TO N, P & Q (LIV./DIN. & BATH))

ROOM AREA = 19.024 s.m.

WINDOW AREA REQ'D = 19.024 / 10 = 1.902 s.m.
WINDOW AREA PROV'D = 2.800 x 2.300 x 0.70
= 4.508 s.m. > 1.902 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 19.024/16 x 2.500 / 10 = 1.063 / 10 = 1.545 s.m.
OPENABLE WINDOW AREA PROV'D = (1.285 x 2.650 x 0.70)
= 2.384 s.m. > 1.545 s.m. (REQUIRED)

3/F – 30/F T1–FLAT A (M.B.R. & M. BATH) ROOM AREA



WINDOW AREA CALCULATION
FOR T1–FLAT A (M.B.R. & M. BATH)

ROOM AREA = 9.333 s.m.

WINDOW AREA REQ'D = 9.333 / 10 = 0.933 s.m.
WINDOW AREA PROV'D = 2.616 x 2.300 x 0.70
= 4.213 s.m. > 0.933 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 9.333 /16 x 3.255 /10 = 0.909 s.m.
OPENABLE WINDOW AREA PROV'D = (0.65 x 0.55) x 1.200 x 0.70
= 1.008 s.m. >0.909 s.m. (REQUIRED)

3/F – 30/F T1–FLAT A (B.R.1 & B.R.2) ROOM AREA



WINDOW AREA CALCULATION
FOR T1–FLAT A (B.R.1 & B.R.2)
(FOR T1–FLAT B TO H, J TO L (B.R.1 & B.R.2))

ROOM AREA = 4.400 s.m.

WINDOW AREA REQ'D = 4.400 / 10 = 0.440 s.m.
WINDOW AREA PROV'D = 2.075 x 2.300 x 0.70
= 3.343 s.m. > 0.440 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.400 /16 = 0.275 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. >0.275 s.m. (REQUIRED)

3/F – 30/F T1–FLAT M (M.B.R.) ROOM AREA



WINDOW AREA CALCULATION
FOR T1–FLAT M (M.B.R.)
(FOR T1–FLAT F (M.B.R.))

ROOM AREA = 8.879 s.m.

WINDOW AREA REQ'D = 8.879 / 10 = 0.888 s.m.
WINDOW AREA PROV'D = 2.3375 x 2.300 x 0.70
= 3.763 s.m. > 0.888 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 8.879 /16 = 0.555 s.m.
OPENABLE WINDOW AREA PROV'D = 0.650 x (1.200 x 0.10) x 0.80
= 0.478 s.m. >0.555 s.m. (REQUIRED)

3/F – 30/F T1–FLAT M (LIV./DIN., M.BATH & BATH.) ROOM AREA



WINDOW AREA CALCULATION
FOR T1–FLAT M (LIV./DIN., M.BATH & BATH.)

ROOM AREA = 16.408 s.m.

WINDOW AREA REQ'D = 16.408 / 10 = 1.641 s.m.
WINDOW AREA PROV'D = 3.600 x 2.300 x 0.70
= 4.968 s.m. > 1.641 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 16.408/16 x 2.500 / 10 x 3.255 / 10 = 1.601 s.m.
OPENABLE WINDOW AREA PROV'D = (1.315 x 2.650 x 0.70)
= 2.439 s.m. >1.601 s.m. (REQUIRED)



3/F – 30/F T2–FLAT A (LIV./DIN. & BATH.) ROOM AREA



WINDOW AREA CALCULATION
FOR T2–FLAT A (LIV./DIN. & BATH.)
(FOR T2–FLAT B TO H, J TO N, P & Q (LIV./DIN. & BATH))

ROOM AREA = 17.581 s.m.

WINDOW AREA REQ'D = 17.581 / 10 = 1.758 s.m.
WINDOW AREA PROV'D = 2.2775 x 2.300 x 0.70
= 3.667 s.m. > 1.758 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 17.581/16 x 2.500 / 10 = 1.349 s.m.
OPENABLE WINDOW AREA PROV'D = [1.1025 x 2.650 x 0.70]
= 2.045 s.m. >1.349 s.m. (REQUIRED)

3/F – 30/F T2–FLAT A (M.B.R.) ROOM AREA

WINDOW AREA CALCULATION
FOR T2–FLAT A (M.B.R.)

ROOM AREA = 9.203 s.m.

WINDOW AREA REQ'D = 9.203 / 10 = 0.920 s.m.
WINDOW AREA PROV'D = 2.276 x 2.300 x 0.70
= 4.273 s.m. > 0.920 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 9.203 /16 = 0.575 s.m.
OPENABLE WINDOW AREA PROV'D = (0.645 x 0.55) x 1.200 x 0.70
= 1.008 s.m. >0.575 s.m. (REQUIRED)

3/F – 30/F T2–FLAT J (B.R.1) ROOM AREA



WINDOW AREA CALCULATION
FOR T2–FLAT J (B.R.1)
(FOR T2–FLAT B TO D, G, H, K TO N & P (B.R.1))

ROOM AREA = 4.950 s.m.

WINDOW AREA REQ'D = 4.950 / 10 = 0.495 s.m.
WINDOW AREA PROV'D = 1.450 x 2.300 x 0.70
= 2.334 s.m. > 0.495 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.950 /16 = 0.309 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. >0.309 s.m. (REQUIRED)

3/F – 30/F T2–FLAT A (B.R.2) ROOM AREA



WINDOW AREA CALCULATION
FOR T2–FLAT A (B.R.2)
(FOR T2–FLAT A, E, F, J & Q (B.R.1))
(FOR T2–FLAT B TO H, K TO N, P & Q (M.B.R.))

ROOM AREA = 4.350 s.m.

WINDOW AREA REQ'D = 4.350 / 10 = 0.435 s.m.
WINDOW AREA PROV'D = 1.9375 x 2.300 x 0.70
= 3.118 s.m. > 0.435 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D = 4.350 /16 = 0.272 s.m.
OPENABLE WINDOW AREA PROV'D = 0.550 x 1.200 x 0.70
= 0.462 s.m. >0.272 s.m. (REQUIRED)



5TH TO 30TH FLOOR PLAN – TOWER 1 & TOWER 2 (23 STOREYS)

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.
3. SLIDING PANEL TO BE PROVIDED AT WHICH MARKED WITH "#" (REFER TO SLIDING PANEL SCHEDULE DWG. NO. A/GBP/12)
4. LIGHTING AND VENTILATION PROVISION TO ADOPT PERFORMANCE-BASED APPROACH FOR THE ROOM MARKED WITH (##) (REFER DWG. NO. A/GBP/10, A/GBP/10.1)
5. 5 ACH MECHANICAL VENTILATION SHALL BE PROVIDED TO KITCHENS USING UVA METHOD.

LEGEND:
- NON–STRUCTURAL PREFABRICATE EXTERNAL WALL (THICKNESS MAX. 150mm)
- COMMON AREA FOR MAINTENANCE
- A/C PLATFORM



A TYPICAL DETAIL OF ALUM. GRILLES FOR SCREENING OF EXTERNAL PIPES AT T2

SLIDING PANEL SCHEDULE

TOWER 1		
FLAT	ROOM	FLOOR
E	LIV./DIN.#2	3/F – 5/F
	B.R.1#3	
	M.B.R.#2	3/F
F	LIV./DIN.#2	3/F – 5/F
	B.R.1#3	3/F – 6/F
	M.B.R.#2	3/F – 8/F
G	LIV./DIN.#2	5/F – 8/F
	M.B.R.#2	5/F – 9/F
	B.R.1#3	5/F – 8/F
H	LIV./DIN.#2	5/F – 8/F
	M.B.R.#2	5/F – 8/F
	B.R.1#3	
J	LIV./DIN.#2	5/F – 8/F
	M.B.R.#2	5/F – 8/F
	B.R.1#3	5/F – 9/F
K	LIV./DIN.#2	5/F – 9/F
	M.B.R.#2	5/F – 9/F
	B.R.1#3	5/F – 9/F
L	LIV./DIN.#2	5/F – 10/F
	B.R.1#3	3/F – 10/F
	M.B.R.#2	5/F – 10/F
M	LIV./DIN.#2	3/F – 12/F
	M.B.R.#2	3/F – 16/F
	B.R.1#3	
	B.R.2#3	3/F – 15/F

#2: ACOUSTIC DOOR
#3: ACOUSTIC WINDOW

B.D. Ref. :	80 2/4024/21				
BIM Ref. :	-	-			
F.S.D. Ref. :	-	-			
D.L.O. Ref. :	-	-			

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
The copyright of this drawing is reserved by architect of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
5TH - 30TH FLOOR PLAN
FOR TOWER 1 & TOWER 2

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
J:\Bailey Office Data\2021\21163KL Bailey Street & Wing Kwong Street\DWG\BUILDING\BP 1\5-30 Amendment\ Mark Amend\5-30 FL DEP 1.0.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/12
Revision Number : I

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by LEUNG Kit Man Andy
APVI (BSR)
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-15. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



TOWER 1 & TOWER 2 ROOF FLOOR DIAGRAM

(UNDER PLANNING DEPARTMENT)
SCALE 1:200

	TOWER 1	TOWER 2
AREA OF ROOF	576.291 m^2	600.794 m^2
AREA OF ROOF W/O. ROOF TOP STRUCTURE	400.750 m^2 (69.540 % OF ROOF AREA)	340.058 m^2 (56.630 % OF ROOF AREA)


T1-1G
T1-1H
T1-1J
T1-1O
2825
3900
5925
12650
T1-1R
T1-1AM
T1-1AK
T1-1AJ
T1-1AH
T1-1AG
T1-1AF
T1-1AE
T1-1AD
T1-1AC
T1-1Q
T1-1P
T1-1N
T1-1M
T1-1K
T1-1J
T1-1H
T1-1G
T1-1F
T1-1E
T1-1D
T1-1C
T1-1B
T1-1A
X
Z
Y
ROOF (FOR FLAT A) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT C) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT D) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT E) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT F) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT G) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT H) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT I) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (FOR FLAT J) WATERPROOF MEMBRANE OF C/S LAID TO FALL
ROOF (OTHER AREA)
FLUSHING WATER PUMP RM. (TOWER 2)
LIFT OVERRUN
4.320L FLUSHING WATER TANK
12.500L POTABLE WATER TANK
POTABLE WATER PUMP RM. (TOWER 2)
FAN ROOM (FOR ROOF)
E.&M.C.
STAIRCASE FOR MAINTENANCE
SPACE FOR HORIZONTAL RUNNING PIPES
SPACE FOR VERTICAL RUNNING PIPES
R.C. COVER FOR E.&M. C.P. & A/C PLATFORM BELOW
A/C PLATFORM BELOW
R.C. PARAPET WALL 900(H) A.F.F.L.
R.C. PARAPET WALL 750(H) A.F.F.L.
R.C.P.W.2
R.C.P.W.3
CURTAIN WALL CAPPING
A.F.
T.G.B.
R.C. FIN
R.C. PLINTH 150mm
R.C. PLINTH 200mm
R.C. PLINTH 300mm
R.C. PLINTH 400mm
R.C. PLINTH 500mm
R.C. PLINTH 600mm
R.C. PLINTH 700mm
R.C. PLINTH 800mm
R.C. PLINTH 900mm
R.C. PLINTH 1000mm
R.C. PLINTH 1100mm
R.C. PLINTH 1200mm
R.C. PLINTH 1300mm
R.C. PLINTH 1400mm
R.C. PLINTH



TOP ROOF PLAN – TOWER 2



TOP ROOF PLAN – TOWER 1



B LIGHTNING POLE SECTION

UPPER ROOF PLAN – TOWER 1 & TOWER 2



B.D. Ref :	BD 2/4024/21
BIM Ref :	- --
F.S.D. Ref :	- --
D.L.O. Ref :	- --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	10/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type III works
The works shown on these plans are Type III works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
The copyright of this drawing is reserved by the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
UPPER ROOF FLOOR PLAN
FOR TOWER 1 & TOWER 2

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
...\Bldg. Dpty. Sec\2121DN_Sale Dev\Files\Kwa Dev\DWG\SUBDEP 1\Tnd Amendment\ Tnd Amend\P27A ZIP 1.0.dwg

Scale 1:100 By CAD

Drawing Number : A/GBP/14

Revision Number : I

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by LEUNG Kit Man Andy
APPLIABLE
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.

SLIDING PANEL SCHEDULE

TOWER 3		
FLAT	ROOM	FLOOR
D	LIV./DIN.#2	3/F – 30/F
	B.R.1#1#3	
	M.B.R.#3	
E	LIV./DIN.#2	3/F – 30/F
	B.R.1#1#3	
	M.B.R.#3	
F	LIV./DIN.#2	10/F – 30/F
	M.B.R.#3	
	B.R.1#3	11/F – 30/F
G	LIV./DIN.#2	15/F – 30/F
	M.B.R.#3	17/F – 26/F
	B.R.1#3	11/F – 30/F

#1 : WITH SOUND ABSORPTIVE MATERIAL
#2 : ACOUSTIC DOOR
#3 : ACOUSTIC WINDOW



5TH TO 30TH FLOOR PLAN – TOWER 3 (23 STOREYS)

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " • " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.
3. SLIDING PANEL TO BE PROVIDED AT WHICH MARKED WITH "#" (REFER TO SLIDING PANEL SCHEDULE DWG. NO. A/GBP/19)
4. LIGHTING AND VENTILATION PROVISION TO ADOPT PERFORMANCE-BASED APPROACH FOR THE ROOM MARKED WITH (##) (REFER DWG. NO. A/GBP/10)
5. 5 ACH MECHANICAL VENTILATION SHALL BE PROVIDED TO KITCHENS USING UVA METHOD.

LEGEND:

A/C PLATFORM



3RD FLOOR PLAN – TOWER 3

NOTE:
1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " • " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. ALL DIMENSION ARE SAME AS 5/F – 30/F, EXCEPT OTHERWISE NOTED.
3. SLIDING PANEL TO BE PROVIDED AT WHICH MARKED WITH "#" (REFER TO SLIDING PANEL SCHEDULE DWG. NO. A/GBP/19)
4. LIGHTING AND VENTILATION PROVISION TO ADOPT PERFORMANCE-BASED APPROACH FOR THE ROOM MARKED WITH (##) (REFER DWG. NO. A/GBP/10)
5. 5 ACH MECHANICAL VENTILATION SHALL BE PROVIDED TO KITCHENS USING UVA METHOD.

LEGEND:

A/C PLATFORM



3/F – 30/F FLAT A (LIV./DIN. & BATH. & M.BATH.) ROOM AREA



WINDOW AREA CALCULATION
FOR FLAT A (LIV./DIN. & BATH. & M.BATH.)
(FOR FLAT 6 TO 14, J TO N & P (LIV./DIN. & BATH. & M.BATH.))

ROOM AREA	= 17.433 s.m.	
WINDOW AREA REQ'D	= 17.433 / 10 = 1.743 s.m.	
WINDOW AREA PROV'D	= (2.600 x 2.300 x 0.70)	
	= 4.186 s.m. > 1.743 s.m.	(REQUIRED)
OPENABLE WINDOW AREA REQ'D	= 17.433 /16 x 2.500 /10 x 3.255 /10 =	1.665 s.m.
OPENABLE WINDOW AREA PROV'D	= (1.25 x 2.850 x 0.70)	
	= 2.439 s.m. > 1.665 s.m.	(REQUIRED)

3/F – 30/F FLAT A (M.B.R. & M. BATH.) ROOM AREA





WINDOW AREA CALCULATION
FOR FLAT A (M.B.R. & M. BATH.)
(FOR FLAT B (M.B.R. & M. BATH.))

ROOM AREA	= 8.753 s.m.	
WINDOW AREA REQ'D	= 8.753 / 10 = 0.875 s.m.	
WINDOW AREA PROV'D	= (1.6875 x 2.300 x 0.70)	
	= 2.717 s.m. > 0.875 s.m.	(REQUIRED)
OPENABLE WINDOW AREA REQ'D	= 8.753 /16 = 0.547 s.m.	
OPENABLE WINDOW AREA PROV'D	= 0.600 x (1.200 x 0.50) x 0.8	
	= 0.576 s.m. > 0.547 s.m.	(REQUIRED)

3/F – 30/F FLAT F (B.R.1) ROOM AREA



WINDOW AREA CALCULATION
FOR FLAT F (B.R.1)
(FOR FLAT A TO E, G, H, J TO N & P (B.R.1))
(FOR FLAT A TO H, J TO N & P (M.B.R. & M. BATH.))

ROOM AREA	= 4.900 s.m.	
WINDOW AREA REQ'D	= 4.900 / 10 = 0.490 s.m.	
WINDOW AREA PROV'D	= (1.475 x 2.300 x 0.70)	
	= 2.375 s.m. > 0.490 s.m.	(REQUIRED)
OPENABLE WINDOW AREA REQ'D	= 4.900 /16 = 0.306 s.m.	
OPENABLE WINDOW AREA PROV'D	= 0.550 x 1.200 x 0.70	
	= 0.462 s.m. > 0.306 s.m.	(REQUIRED)

3/F – 30/F FLAT A (B.R.2) ROOM AREA



WINDOW AREA CALCULATION
FOR FLAT A (B.R.2)
(FOR FLAT B (B.R.2))

ROOM AREA	= 4.350 s.m.	
WINDOW AREA REQ'D	= 4.350 / 10 = 0.435 s.m.	
WINDOW AREA PROV'D	= (1.1625 x 2.300 x 0.70)	
	= 2.166 s.m. > 0.435 s.m.	(REQUIRED)
OPENABLE WINDOW AREA REQ'D	= 4.350 /16 = 0.272 s.m.	
OPENABLE WINDOW AREA PROV'D	= 0.550 x 1.200 x 0.70	
	= 0.462 s.m. > 0.272 s.m.	(REQUIRED)



DIAGRAM OF SUNKEN SLAB EXTENT (5th TO 30th FLOOR)
SCALE 1:200

LEGEND:

SUNKEN SLAB

B.D. Ref : 80 2/4024/21

BIM Ref : - -

F.S.D. Ref : - -

D.L.O. Ref : - -

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	6th Amendment	TWM	AW	AL	02/2025
G	7th Amendment	TWM	AW	AL	05/2025
H	9th Amendment	TWM	AW	AL	08/2025
H	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
I	10th Amendment	TWM	AW	AL	12/2025
J	11th Amendment	TWM	AW	AL	02/2026
K	13th Amendment	TWM	AW	AL	06/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings. Contractor is responsible for checking all dimensions and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
3RD - 30TH FLOOR PLAN
FOR TOWER 3

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
I:\Bob BPs\ 2as\2021\21KL Bobs Sheet & Bing Kwong Sreet\DWG\RECS\BEDROP 15 nyo\Revit\P_L73_GBP_15.rvt

Scale 1:100 By CAD

Drawing Number : A/GBP/15 Revision Number : K

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by WONG Chi Kin Kenneth
APUN 19/66
08 July 2026

Received on
08 July 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
08 July 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



TOP ROOF PLAN – TOWER 3



C LIGHTNING POLE SECTION



TOWER 3 ROOF FLOOR DIAGRAM

(UNDER PLANNING DEPARTMENT)

SCALE 1:200

AREA OF ROOF	=	652.004 m^2
AREA OF ROOF W/O. ROOF TOP STRUCTURE	=	451.783 m^2 (69.291 % OF ROOF AREA)



UPPER ROOF PLAN – TOWER 3



ROOF PLAN – TOWER 3

LEGEND:

- (R1) REFUGE FLOOR NOTICE
- (S1) STAIR NO. SIGN
- (S2) DIRECTIONAL SIGN TO EXIT STAIRCASE
- (S4) A SIGN INDICATING THE ENTRANCE TO THE REFUGE FLOOR
- NET REFUGE AREA = 340.816 m^2

THE PERCENTAGE OF THE NET REFUGE AREA

THE G.F.A. OF THE LARGEST FLOOR PLATE	=	663.064 m^2
PERCENTAGE OF REFUGE AREA PROVIDED	=	340.816 / 663.064 x 100%
	=	51.400 % > 50% (REQUIRED)



PART PLAN AT LEVEL 102.975

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

B.D. Ref : 80 2/4024/21

BIM Ref : - --

F.S.D. Ref : - --

D.L.O. Ref : - --

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all dimensions on site. Do not scale off drawings.
The drawings are to be read in conjunction with the specifications and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ROOF FLOOR PLAN
FOR TOWER 3

Drawn By :	TWM	Date	08/2025
Checked By :	AW	Date	08/2025
Approved By :	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
T:\Job Files_Jobs\2021\21KL Bailey Street\Working Drawings\BD\Rev\20250825\BDSSP 1-7\Submitted_Text Here\R12% GFA.dwg

Scale	1:100	By	CAD
Drawing Number :	A/GBP/16	Revision Number :	I

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by LEUNG Ka Man, Andy
on APUA 80/80
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



18th TO 30th FLOOR PLAN – TOWER 5 (12 STOREYS)

NOTE: 1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.

LEGEND:
A/C PLATFORM



5th TO 17th FLOOR PLAN – TOWER 5 (11 STOREYS)

NOTE: 1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. THERE WILL BE NO 13/F, 14/F & 24/F IN THE NOMENCLATURE SYSTEM FOR NUMBERING OF FLOORS.

LEGEND:
A/C PLATFORM



3RD FLOOR PLAN – TOWER 5

NOTE: 1. MECHANICAL VENTILATION AND ARTIFICIAL LIGHTING WILL BE PROVIDED AT THE BATHROOM/ LAVATORY MARKED WITH " * " FOR OMISSION OF NATURAL LIGHTING AND VENTILATION.
2. ALL DIMENSION ARE SAME AS 5/F – 30/F, EXCEPT OTHERWISE NOTED.

LEGEND:
A/C PLATFORM



3/F – 30/F FLAT A (LIV./DIN.) ROOM AREA



WINDOW AREA CALCULATION
FOR FLAT A (LIV./DIN.)
(FOR FLAT B TO H, J TO M (LIV./DIN.))

ROOM AREA = 17.744 s.m.

WINDOW AREA REQ'D: = 17.744 /10 = 1.774 s.m.
WINDOW AREA PROV'D: = (2.175 x 2.300 x 0.70)
= 3.502 s.m. > 1.774 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D: = 17.744 /16 = 1.109 s.m.
OPENABLE WINDOW AREA PROV'D: = 1.100 x 2.650 x 0.70
= 2.041 s.m. > 1.109 s.m. (REQUIRED)

3/F – 30/F FLAT H (M.B.R.) AREA



WINDOW AREA CALCULATION
FOR FLAT H (M.B.R.)
(FOR FLAT A TO G, J TO M (M.B.R.))

ROOM AREA = 7.519 s.m.

WINDOW AREA REQ'D: = 7.519 /10 = 0.752 s.m.
WINDOW AREA PROV'D: = 2.466 x 2.300 x 0.70
= 3.970 s.m. > 0.752 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D: = 7.519 /16 = 0.470 s.m.
OPENABLE WINDOW AREA PROV'D: = 0.65 x 1.200 x 0.70
= 0.546 s.m. >0.470 s.m. (REQUIRED)

3/F – 30/F FLAT B (B.R.1) ROOM AREA



WINDOW AREA CALCULATION
FOR FLAT B (B.R.1)
(FOR FLAT A, C TO G, J TO M (B.R.1))

ROOM AREA = 4.830 s.m.

WINDOW AREA REQ'D: = 4.830 /10 = 0.483 s.m.
WINDOW AREA PROV'D: = (1.225 x 2.300 x 0.70)
= 1.972 s.m. > 0.483 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D: = 4.830 /16 = 0.302 s.m.
OPENABLE WINDOW AREA PROV'D: = (0.550 x 1.200 x 0.70)
= 0.462 s.m. >0.302 s.m. (REQUIRED)

3/F – 30/F FLAT A (B.R.2) ROOM AREA



WINDOW AREA CALCULATION
FOR FLAT A (B.R.2)

ROOM AREA = 4.350 s.m.

WINDOW AREA REQ'D: = 4.350 /10 = 0.435 s.m.
WINDOW AREA PROV'D: = (1.5875 x 2.300 x 0.70)
= 2.556 s.m. > 0.435 s.m. (REQUIRED)

OPENABLE WINDOW AREA REQ'D: = 4.350 /16 = 0.272 s.m.
OPENABLE WINDOW AREA PROV'D: = (0.550 x 1.200 x 0.70)
= 0.462 s.m. >0.272 s.m. (REQUIRED)





DIAGRAM OF SUNKEN SLAB EXTENT (18th TO 30th FLOOR)

SCALE 1:200

LEGEND:

SUNKEN SLAB



DIAGRAM OF SUNKEN SLAB EXTENT (5th TO 17th FLOOR)

SCALE 1:200

LEGEND:

SUNKEN SLAB



TOP ROOF PLAN – TOWER 5



F LIGHTNING POLE SECTION



UPPER ROOF PLAN – TOWER 5



ROOF PLAN – TOWER 5

LEGEND:

- R1 REFUGE FLOOR NOTICE
- R2 STAIR NO. SIGN
- R3 DIRECTIONAL SIGN TO EXIT STAIRCASE
- R4 A SIGN INDICATING THE ENTRANCE TO THE REFUGE FLOOR

NET REFUGE AREA = 245.916 m^2

THE PERCENTAGE OF THE NET REFUGE AREA

THE G.A. OF THE LARGEST FLOOR PLATE = 490.398 m^2

PERCENTAGE OF REFUGE AREA PROVIDED = 245.916 / 490.398 x 100% = 50.146 % > 50% (REQUIRED)





TOWER 5 ROOF FLOOR DIAGRAM

(UNDER PLANNING DEPARTMENT)

SCALE 1:200

AREA OF ROOF = 485.949 m^2

AREA OF ROOF W/O. ROOF TOP STRUCTURE = 323.718 m^2 (66.616 % OF ROOF AREA)

B.D. Ref : 80 2/4024/21

BIM Ref : - --

F.S.D. Ref : - --

D.L.O. Ref : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	TWM	AW	AL	05/2025
G	9th Amendment	TWM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type III works

The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing is copyright of the Architect and may not be reproduced and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :

PROPOSED DEVELOPMENT AT BAILEY STREET & WING KWONG STREET TO KWA WAN, KOWLOON

Drawing Title :

ROOF FLOOR PLAN FOR TOWER 5

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path : I:\Bldg 2as\2021\21KL Bailey Street\Revit\Working Data\21KL-R2020.2022\21KL T-Tower 5 Amendment_Yang Kwong\21KL-T5_ROOF_R.rvt

Scale 1:100 By CAD

Drawing Number : A/GBP/18

Revision Number : I

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by LEUNG Ka Man Andy
APCAL 86169
16 March 2026

Received on 16 March 2026

Plan Approved

(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



E1 ELEVATION (PODIUM)
SCALE : 1: 200





E2 ELEVATION (PODIUM)
SCALE : 1: 200



E3 ELEVATION (PODIUM)
SCALE : 1: 200



E4 ELEVATION (PODIUM)
SCALE : 1: 200



E5 ELEVATION (PODIUM)
SCALE : 1:200



E6 ELEVATION (PODIUM)
SCALE : 1:200





E1 ELEVATION (PODIUM)
SCALE :1:200



E2 ELEVATION (PODIUM)
SCALE :1:200



E3 ELEVATION (PODIUM)
SCALE :1:200



E4 ELEVATION (PODIUM)
SCALE :1:200



B.D. Ref : 80 2/4024/21

BIM Ref : - -

F.S.D. Ref : - -

D.L.O. Ref : - -

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	LKM	AW	AL	05/2025
G	9th Amendment	LKM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings. All discrepancies between drawings, specifications and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT AT BAILEY STREET & WING KWONG STREET TO KWA WAN, KOWLOON

Drawing Title :
PODIUM ELEVATION 1, 2, 3 & 4

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
I:\Bob Sfty 2\a2021\21KL Bailey Street-Wing Kwong Street\DWG\SUBMISSION\I 11th\Elevation\E_Nett Area\SF275_SF 3.dwg

Scale 1:200 By CAD

Drawing Number : A/GBP/21 Revision Number : I

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by LEUNG Kit Man Andy
APUAL 86365
16 March 2026

Received on 16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.

TOWER 1


T1-1
T1-2
T1-3
T1-4
T1-5
T1-6
T1-7
T1-8
T1-9
T1-10
7225
4300
6950
6800
6800
6800
50575
4325
2625
4750
TR/F 108.175
LMR/F 104.325
R/F 100.00
30/F 96.75
29/F 93.50
28/F 90.25
27/F 87.00
26/F 83.75
25/F 80.50
23/F 77.25
22/F 74.00
21/F 70.75
20/F 67.50
19/F 64.25
18/F 61.00
17/F 57.75
16/F 54.50
15/F 51.25
12/F 48.00
11/F 44.75
10/F 41.50
9/F 38.25
8/F 35.00
7/F 31.75
6/F 28.50
5/F 25.25
3/F 22.00
E/M ZONE
TRANSFER PLATE
19.50
2650
4325
3250
2750
3250
2750
3250
2750

TOWER 1 & TOWER 2



7 ELEVATION

TOWER 1 & TOWER 2

8 ELEVATION

B.D. Ref :	BD 2/4024/21				
BIM Ref :	-	-			
F.S.D. Ref :	-	-			
D.L.O. Ref :	-	-			

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	LKM	AW	AL	05/2025
G	9th Amendment	LKM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	2/2026



Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
This drawing is to be read in conjunction with the specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ELEVATION 7 & 8
(TOWER 1)

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
I:\Bailey Proj 2\ac2021\21163KL Bailey Dev\1-0 Proj Aspects\2nd DW\ARCH\SD\SD\SDP 1-7 Rev\Elevation\E Elevation 7 & 8 (TOWER 1).DWG

Scale 1:200 By CAD

Drawing Number : A/GBP/26

Revision Number : I

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by LEUNG Kit Man Andy
APVA / BORS
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.

TOWER 1



17 ELEVATION

TOWER 2

18 ELEVATION



KEY PLAN

B.D. Ref : 80 2/4024/21

BIM Ref : - -

F.S.D. Ref : - -

D.L.O. Ref : - -

Rev.	Description	Drawn	Checked	Approved	Date
-	3rd Amendment	WAC	AW	AL	04/2024
A	5th Amendment	TWM	AW	AL	12/2024
A	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
B	8th Amendment	LKM	AW	AL	05/2025
C	9th Amendment	LKM	AW	AL	08/2025
C	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
D	10th Amendment	TWM	AW	AL	12/2025
E	11th Amendment	TWM	AW	AL	2/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
Any discrepancies are to be read in conjunction with the Specification and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ELEVATION 17 & 18
(TOWER 1 & TOWER 2)

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path : T:\Job 3Pro_Jobs\21163KL Bailey Street & Wing Kwong Street\DWG\BD\SUBMISSION\[21163KL Bailey Street & Wing Kwong Street_BP_E1.dwg

Scale	1:200	By	CAD
Drawing Number	A/GBP/26.1	Revision Number	E

Drawing Purpose
Buildings Department
Amended Plan

Digitally signed by LEUNG Ka Man Andy
APVA / BD/83
16 March 2026

Received on
16 March 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
17 March 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



TOWER 3



9 ELEVATION

TOWER 3



10 ELEVATION

TOWER 3



11 ELEVATION

TOWER 3



12 ELEVATION

B.D. Ref : 80 2/4024/21

BIM Ref : - -

F.S.D. Ref : - -

D.L.O. Ref : - -

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	LKM	AW	AL	05/2025
G	9th Amendment	LKM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026
J	12th Amendment	TWM	AW	AL	05/2026

Type II works
The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all dimensions on site. Do not scale off drawing. Use the dimensions as the read or written for construction and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ELEVATION 9, 10, 11 & 12
(TOWER 2)

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
I:\Bailey, &Wing, Street\2021\21163KL Bailey Street & Wing Kwong Street\DWG\WORKING\BIM\21163KL_GBP_27.dwg

Scale 1:200 By CAD

Drawing Number : A/GBP/27

Revision Number : J

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by LEUNG Ka Man Andy
APVA | 80/85
27 May 2026

Received on
27 May 2026

Plan Approved
(Digitally Signed)
TSOI Lap-san, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
02 June 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.

B.D. Ref. : 80 2/4024/21

BIM Ref. : - --

F.S.D. Ref. : - --

D.L.O. Ref. : - --

Rev.	Description	Drawn	Checked	Approved	Date
-	1st Submission	WY	AW	AL	07/2022
A	2nd Submission	WY	AW	AL	11/2022
B	1st Amendment	TWM	AW	AL	04/2023
C	2nd Amendment	TWM	AW	AL	12/2023
D	3rd Amendment	TWM	AW	AL	04/2024
D	3rd Amendment (Re-submission)	TWM	AW	AL	05/2024
E	5th Amendment	TWM	AW	AL	12/2024
E	5th Amendment (Re-submission)	TWM	AW	AL	02/2025
F	8th Amendment	LKM	AW	AL	05/2025
G	9th Amendment	LKM	AW	AL	08/2025
G	9th Amendment (Re-submission)	TWM	AW	AL	10/2025
H	10th Amendment	TWM	AW	AL	12/2025
I	11th Amendment	TWM	AW	AL	02/2026
J	12th Amendment	TWM	AW	AL	05/2026
K	13th Amendment	TWM	AW	AL	06/2026



TOWER 5



13 ELEVATION

TOWER 5



14 ELEVATION

TOWER 5



15 ELEVATION

TOWER 5



16 ELEVATION

Type II works

The works shown on these plans are Type II works (Building Amendment) in respect of which consent is applied for the purpose of Fast Track consent application under regulation 33 of the Building (Administration) Regulations.

RONALD LU & PARTNERS

呂元祥建築師事務所

Check all measurements on site. Do not scale off drawings.
Any discrepancies are to be read in conjunction with drawings and any discrepancies are to be immediately reported to the Architect.
This drawing remains the copyright property of the Architect and is not to be reproduced in whole or in part without permission of the Architect.

Project Title :
PROPOSED DEVELOPMENT
AT BAILEY STREET
& WING KWONG STREET
TO KWA WAN, KOWLOON

Drawing Title :
ELEVATION 13, 14, 15 & 16
(TOWER 3)

Drawn By	TWM	Date	08/2025
Checked By	AW	Date	08/2025
Approved By	AL	Date	08/2025
Project No.	21163KL	Issue Date	08/2025

File Path :
I:\Bim Rfrs_Data\2021\KL Bim Sheet_Bim\Hung Sing\Shell\KWG\BIDDING\F. Hard Work\P1\TA_SP_R.rvt

Scale 1:200 By CAD

Drawing Number : A/GBP/28

Revision Number : K

Drawing Purpose

Buildings Department
Amended Plan

Digitally signed by WONG Chi Kin Kenneth
APVA / 9/95
08 July 2026

Received on
08 July 2026

Plan Approved

(Digitally Signed)
TSOI Lap-sam, Lapson
Senior Building Surveyor
for BUILDING AUTHORITY
08 July 2026

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.