

Index

'Note: Page numbers followed by "f" indicate figures and "t" indicate tables.'

A

Acidic dissolution, 419–420, 628, 637–638
 Acidic fluxing, 422–424
 Activation energies, 345, 385–386, 397, 413, 589
 Active oxidation, 136–138, 564, 609f, 611–613, 642
 Activity coefficient/ γ_i , 45, 59–60, 214, 238
 Activity, 11, 45, 59, 66, 76–81, 95, 99–100, 112–113, 118, 154f, 157, 160–161, 180, 186–187, 214–215, 220, 223–224, 267, 314, 335, 339–340, 376–377, 454, 461–462, 481, 507, 511, 520, 608f, 628, 632, 685, 699
 Adsorbed sulphur/sulphur adsorption, 168–169, 256, 380, 487–489, 543, 691
 Adsorption constant, 567–569
 Adsorption of H_2O/H_2O adsorption /water vapour adsorption, 565–566, 577, 597
 Adsorption, 71–72, 132–134, 168, 181–182, 188, 256, 380, 411, 487–488, 543–544, 565–569, 576–577, 588, 597, 691, 698
 Ag_2O , 274–275, 317–318
 $Al(OH)_3$, 565
 Al_2S_3 , 400f, 402–404, 409
 Alloy 709, 555–556, 555f
 Alloy 800/alloy 800, 78, 79t, 441–443, 483, 488, 609–610, 614f, 618, 676–677, 677f
 Alumina/ Al_2O_3 /aluminium oxide, 4, 22–23, 80f, 118, 128, 140–141, 193, 195–196, 207, 209, 210t, 228–236, 245–250, 255–256, 265–267, 280–283, 283f, 299, 304–305, 307, 318, 325–326, 329, 336–352, 346f, 358, 361, 362f, 364–367, 377–378, 378f, 381, 386–387, 403, 406–409, 414–415, 424–425, 432–435, 457f, 471, 479–480, 487, 505, 544, 559, 565,

587–589, 610–611, 613–614, 618–619, 625, 641–642, 652, 658–659, 660f, 661, 663, 666–667, 666f, 673–674, 686–688, 691, 698–699
 Alumina forming alloys/alumina formers, 209, 229, 232–233, 256, 371, 374, 377, 384, 415, 424, 504, 544, 565, 588, 641–642, 663, 688
 Alumina phase transformations, 228–234, 255–256
 Aluminium/ Al , 402–403
 Aluminium depletion, 234f, 352, 663–665, 688
 $Al_xMo_2S_4/Al_{0.55}Mo_2S_4$, 406–408, 414–415
 $\alpha-Al_2O_3$, 79t, 228–234, 229f–231f, 254–255, 323t, 336–337, 345, 361–362, 364, 367, 369–371, 372f, 377–378, 381, 456–457, 588, 618–619, 674
 $\gamma-Al_2O_3$, 228–230, 228f, 232–233, 255
 $\delta-Al_2O_3$, 229
 $\theta-Al_2O_3$, 229–233, 256, 373
 Ash, 416, 603, 605t, 641, 667
 for oxide scale growth, 385

B

Basic dissolution/basic fluxing, 420–421, 628–629, 636–637
 Biomass, 416–417, 603, 605t, 623–625, 642, 696
 Boilers, 557, 603, 623, 625, 641–642, 692–694
 Boltzmann-Matano analysis, 665–666
 Bondcoat, 6–9, 357–358, 692, 694
 Boudouard reaction, 185, 435, 467, 481–482, 513–514, 526, 528–529, 544
 Boundary layer, 73–74, 138, 556, 562–565, 563f
 Breakaway kinetics, 499

Breakdown/breakaway oxidation, 194, 234,
248–254, 327–328, 364, 483, 520, 539,
570, 573, 576–577, 587, 647, 666,
675–676, 680

Building units, 88–89, 93–94, 96, 99

Bursting, 185

B-Ni(Pt)Al, 360

C

Carbide dissolution, 197, 242–243, 242t, 521

Carbide oxidation, 280, 310–311, 326

Carbides

Al_4C_3 , 437t

Cr_3C_2 , 437t, 439, 441t, 451–452, 485–486

Cr_7C_3 , 11, 148–150, 157, 177–178, 184t,

185–186, 266f, 305, 437t, 439–440,

444–445, 452–455, 510–511

Cr_{23}C_6 , 11, 266f, 284, 288t, 299, 304–305,
437t, 439–440, 442f, 452–453, 455

(CrMoFe)C, 452–453

Fe_3AlC_x , 471

Fe_3C , 34, 35t, 48, 75t, 185, 196–197,

460, 460f, 462–463, 465, 468, 489,

497, 505

HfC, 369

M_7C_3 , 241, 265, 441–443, 441t, 442f,

446–447, 446f, 451–453, 483,

507–510

(Mo_2Fe)C, 452–454

SiC, 431, 437t, 455, 559–562, 561f, 563f

Carbide solubility product, 439–440

Carbon deposition, 185, 431, 435, 458–460,

465–466, 513–515, 521, 528,

537–538, 544

Carbon deposition/graphite precipitation, 185

Carbon dioxide, 495–545

Carbon graphitisation, 481

Carbon nanotube, 460–461, 478f

Carbon permeability/carbon permeabilities,

311–312, 318, 380, 439, 443–444,

445t–446t, 452, 453f, 457, 477–481,

483–484, 510–511, 542–544, 688

Carbon permeability of oxide, 380

Carbon solubility, 181, 438, 440, 455, 457,
480–481

Carbon steel, 1, 74–75, 134, 135f–136f, 497,
595f, 598

Carbon uptake, 472, 477–479, 480f,

481–482, 482f, 497, 505, 523,

528–529, 543

Carbonate, 418, 633, 635–642

Carburisation constants/carburisation rates,

443–444, 445f, 446–447, 447f–448f,

450–452, 454t, 455–457, 456f, 484,

486f, 510–511, 542–543

Carburising/carburisation of

602CA, 433t–434t, 454t, 456–457,

676–677, 677f

chromium, 155–158, 182, 452

Fe-17Cr, 262–263, 263f, 266f, 442f, 587

Fe-20Ni-25Cr, 264f, 446–447, 446f,

449f–450f

Fe-25Cr, 265–267, 405t, 471f, 498t, 528,

538–539

Fe-28Cr, 195, 196f, 201, 208t, 379–380,
484

Fe-37.5Ni-25Cr, 265, 266f

Fe-45Ni-35Cr, 454t

Fe-7.5Cr, 435, 436f, 438–439, 442f,

456–457

Fe-Cr, 49–52, 197f, 201, 203, 209–211,

210t, 213–214, 248–249, 254–255,

272–274, 272t, 273f, 277f, 280, 287,

289, 321, 325–326, 329, 352–356, 379,

386, 399, 401f, 438–440, 440t,

443–445, 445f, 450–451, 499,

502–503, 506, 508, 537–540, 542,

569–571, 586–588, 592

Fe-Ni-Cr, 356–357, 357f, 386, 443,

446–452, 448f

G4852, 454t

G4868, 454t

H101, 433t–434t, 453–454, 454t

heat resisting steels, 10–11, 80f, 194, 202,
280, 319, 356–357, 379–380, 416, 455,

484, 485f

60 Ni alloys, 456–457, 457f

Ni-Cr, 63–64, 201, 203, 209, 210t, 272t,

278f, 280–283, 282f, 292–297, 299,

319t, 322f, 323, 325–326, 328, 328f,

352–354, 438–440, 441t, 444–445,

480–481, 578, 609–610

Ni-Nb, 408f, 409, 444

45Pa, 433t–434t, 452f, 454t

Carburisation rates, 443–444, 446–447,

448f, 450–457, 510–511, 542–543

Catalysis/catalyse, 147, 148f, 155, 160–162,

170, 249–250, 255, 394, 412, 432, 435,

458–461, 467, 469, 472, 480–481, 487,

489, 695

Cation hydration, 567–569, 568t

Cellular M_{23}C_6 , 448

Cellular precipitation, 286, 299–304

- Cellular reaction, 176
- Cementite decomposition/ Fe_3C
decomposition, 459–460, 461f, 462, 465
- Cementite disintegration/ Fe_3C disintegration,
461f, 468
- Cementite particles, 460–461, 469
- Chapman-Enskog, 74, 553–555, 557
- Chemical diffusion coefficient, 67, 70
- Chemical potential, 31–34, 37, 45, 55–56,
88, 94–96, 111–112, 358–360,
628–629, 652–653
- Chemical vapour deposition, 7–9, 488,
559, 642
- Chloridation, 606, 609–611, 618–619
- Chlorine/ Cl_2 , 604–611, 613–614, 616–617,
620–621, 623, 632, 641–642
- Chromia/ Cr_2O_3 /chromium oxide, 51–52,
125, 157, 263
- Chromia forming alloys/chromia formers,
195–196, 209, 319, 327–328, 371, 377,
424, 446–447, 457, 482–483,
495–496, 505, 538–540, 553, 610,
612–613, 618–619, 640–641, 652,
676–677
- Chromium/Cr, 3–4, 6, 10–12, 19, 27,
49–54, 63–64, 76–77, 85–86,
118–120, 125–128, 125f, 145–148,
149f, 149t–150t, 150–151, 152f,
155–158, 161, 177, 180–181,
184–187, 193, 195, 201, 207–209,
209f–210f, 211, 242–243, 244f, 248,
253, 261–263, 265, 267, 267f, 284,
286–289, 288t, 291–292, 302–303,
311–314, 322–323, 352–357,
360–363, 365–366, 369–371, 374,
377, 379–380, 383, 397, 399–400,
404–405, 424, 432–435, 438–440,
440t–441t, 443, 445f, 446–447,
450–455, 468–470, 482–483, 497,
499, 499t, 501–502, 505–506, 511,
515–520, 518f, 540, 549, 555t, 557,
559, 577, 587, 609–610, 612, 621–623,
638–641, 665, 676–678, 677t,
686–688, 691, 693
- Chromium carbide precipitation, 438,
440t–441t, 480–481
- Chromium depletion, 201, 209f–210f,
353–354, 374, 443, 515–519, 518f,
536–537, 558–559, 621–622,
665–666
- Chromium volatilisation/chromium
vapourisation, 553, 557, 559, 582,
585–587
- CO_2 , 3, 34, 37–38, 39f, 113, 127–128,
131–135, 132f, 146–148, 146f,
148f–149f, 150t, 155–158, 161–162,
165–167, 170, 172f, 182, 185, 187, 237,
309–311, 328, 341, 379–380,
382–383, 385, 431–435, 484–486,
486f, 495–497, 499, 502–506, 508,
512, 514, 519, 521–522, 526, 532,
534–535, 537–542, 544, 566–567,
603, 604t, 640, 676–677, 677f,
690–691, 693–694, 696
- Coal, 145–146, 394, 409, 415, 425,
431–432, 495–496, 535t, 538, 603, 623,
693–694, 696
- Coal gasification, 145, 394, 415, 432, 694
- Coating, 6–9, 8t, 80f, 193, 230, 248,
255–256, 335–337, 356–358, 409,
417, 417f, 424–425, 488–489,
588–589, 621–622, 642, 651–652,
667, 672–673, 678–680, 687–689,
692–694, 696, 700
- Coble creep, 78–81
- Coefficient of thermal expansion, 377, 574,
689
- Co-Fe/Fe-Co, 220–221
- (Co,Fe)O/CoO-FeO, 220–221, 222f
- Co-firing, 623
- Coking, 435, 458–459, 465–468,
466f–467f, 475, 477–482, 479f, 487
- Cold-worked, 254, 366–367, 469, 483
- Cold worked surface/cold working, 264–265,
379, 469, 472, 483, 687
- Combustion, 1–4, 9, 36, 43, 74–75, 75t, 134,
136, 145–147, 393–394, 416–417,
431–435, 495–496, 535, 538,
549–550, 559–562, 563f, 603,
604t–605t, 619–620, 620f, 623, 625,
640, 693, 696
- Competitive adsorption, 72, 181, 576–577,
588, 592
- Concentration profile/compositional profile,
70f, 207–209, 215–216, 220–222,
239–240, 244–245, 245f, 250, 269f,
289, 290f, 294f, 306f, 308f, 438, 450f,
501, 519, 522–523, 523f, 652, 695–696
- Continuous thermogravimetric analysis
(CTGA), 649, 651f, 670–672, 671f

CoO/cobalt oxide, 79t, 85–86, 101–103,
112–113, 115–118, 117t, 178–179,
218f, 223–224, 607
Co₃O₄, 35t, 101–102, 112, 115–116
Copper-bearing steel, 245f
Copper-zinc/Cu-Zn, 65, 225, 226f–227f,
227–228
Corrosion rate constant, 18, 206, 652
Corrosion rate constant for
Fe-4.4Al, 208t
Fe-12Al, 208t
Fe-28Cr, 208t
Ni-10Al, 208t
Ni-28Cr, 208t
CoSO₄-Na₂SO₄, 424
Cracking furnace/pyrolysis furnace,
9–12, 375f
Creep, 9–11, 78–81, 299, 323–324, 325f,
367, 432, 487, 499, 668–669, 687–688,
692–693
Critical precipitate volume fraction, 329, 340
Critical volume fraction of internal oxide,
317–318
1/4Cr-1Mo steel, 196–197, 197f
Cr₂N/chromium nitride, 184–185
Cr-O-H vapour species, 553, 554f
CrO₂(OH)₂, 553, 554t–555t, 555–557, 557f,
559, 586, 672–673
CrO₃(g), 125–126
Cr₂O₃ solubility/Cr₂O₃ solubilities, 288t, 641
Cross effects, 56–57, 62–64, 67, 215–216,
278, 316, 374
CrS/CrS₁₋₈, 150, 177–178, 399, 487
Cr₂S₃, 396
Cr₃S₄, 177–178, 180–181, 187, 399–400,
406
Cu₂O, 116, 225–228, 227f, 364
Cu-15Zn, 227f
Cu-Zn/copper-zinc, 65, 225, 226f–227f,
227–228
Cyclic oxidation, 689, 647–681
CO/CO₂, 38, 39f, 113, 131, 132f, 133–134,
139f, 148, 155–156, 185, 309–311,
341, 379, 486f, 543, 676–677, 677f,
690–691
FeCrAl, 209, 232–234, 234f, 349–351,
356, 362–367, 381, 404, 404f, 414,
470–472, 504, 588, 648–649, 650f,
668–670, 680, 687
FeCrAlY, 661, 669–670, 691
Haynes 214, 668–669
800HT, 665–666

iron aluminide, 255
MA956, 195t, 250, 251f, 253, 471–472,
661, 669
Ni-30Cr, 498t, 504, 662f, 679f
Ni-42Al, 659t, 670
NiAl, 195t, 204–205, 207, 209, 210t,
236–237, 255, 280–283, 284t, 286, 305,
326, 336–343, 336f–337f, 339f, 345,
360, 362, 642, 669–670, 673
NiPtAl, 356–360, 670
René N5, 8t, 666, 670, 673
René N5B, 8t
Zr-doped NiAl, 661, 669
Zr-doped Ni-Cr-Al, 663–665, 665f
Cyclic oxidation spalling program (COSP),
659–666
Cycling frequency, 669, 680–681

D

Darken-Hartley-Crank equation, 67
Decarburisation, 196–197, 197f, 237,
242–243
Deformation, 9–10, 76–81, 80f, 235,
325–326, 367, 687
pO₂ Dependence/pO₂ effects, 113, 127–128,
347, 590
Depletion profile, 61, 210f, 374, 516–518,
518f, 653f, 654, 665–667
Depletion, 61, 161, 185–186, 198f, 201,
202f, 207–209, 210f, 233, 238–239,
241f, 248, 252–253, 344–345, 374,
376f, 404–406, 443, 469, 515–519,
518f, 521, 536–537, 552, 558–559,
566–567, 652–655, 653f, 663–667,
680, 688
Diffusion couple, 65, 67–70, 68f, 360,
383–384
Diffusion in chromia/diffusion in Cr₂O₃,
124–128
Diffusion path, 41, 44, 53–54, 151–160, 180,
188, 200–203, 305f, 335, 352,
384–385, 404, 406, 407f, 412f, 462,
495–496, 508–509, 617, 687
Diffusion, 17–19, 42f, 54–70, 96–100,
118–128, 132–139, 151–160,
178–181, 200–203, 208t, 217–225,
251, 254, 272–286, 335, 341, 397,
399–400, 403, 422–423, 437–438,
444, 450–451, 462, 474–475, 488, 506,
518, 531, 553, 567, 574, 582, 604, 613,
617, 652, 680, 685, 687, 699

Discontinuous precipitation, 300–302,
302f–303f, 448–450, 450f, 477
Dissociation mechanism, 100, 130–131
Dissociation pressure, 37, 507, 569
Dissolution, 48–49, 49t, 118–119, 178–179,
217, 239–244, 248, 327–328, 423,
437–438, 438t, 610, 628–629,
632–633, 641
Dopants/doping, 118–120, 206–207, 232,
585–587

E

EDAX/EDS, 23–24, 26–27, 26f, 232–233,
515, 516f–517f, 536f, 625
Effective diffusion coefficient, 122, 365, 374,
593f, 686
Efficiency, 5–6, 425, 431, 589, 625, 693t, 696
Electron probe microanalysis (EPMA),
24–27, 26f, 88, 198f, 207–209, 376f
Ellingham diagram/Richardson diagram, 38,
39f, 400f
Enrichment, 168, 180, 185–186, 198f, 220,
223–226, 272, 274, 284, 297, 307,
309–311, 322–323, 504, 519,
521–522, 533, 611–612, 642, 691
Equilibrium constant, 34, 37, 51, 59, 65,
90–91, 104, 113, 134, 166, 436f, 507,
604–606, 628
Error function, 68–69, 205–206, 715,
716–717t, 717
Eutectic, 110–111, 194, 396–397, 396t, 425,
625–626, 627t, 628, 630f, 635–639, 636f
Evaporation, 72–73, 125, 423, 555–556,
555f, 561–562, 586t, 642, 678
Excess functions, 47
Exclusive scale formation, 203, 319t

F

FeAl₂O₄, 232, 340t, 343–344, 350–351,
587–588
Fe–Al–S, 402–403
Fe₃C, 34, 35t, 48, 75t, 185, 196–197, 460,
460f, 462–463, 465, 468, 489, 497, 505
Fe–Cr, 49–52, 197f, 201, 203, 209–211,
210t, 213–214, 248–249, 254–255,
272–274, 272t, 273f, 277f, 280, 287,
289, 321, 325–326, 329, 352–356, 379,
386, 399, 401f, 438–440, 440t,
443–445, 445f, 450–451, 499,
502–503, 506, 508, 537–540, 542,
569–571, 586–588, 592

FeCrAl/Fe–Cr–Al, 209, 232–234, 234f,
349–351, 356, 362–367, 381, 404,
404f, 414, 470–472, 504, 588,
648–649, 650f, 668–670,
680, 687
FeCrAlY, 657–658, 661, 669–670
FeCr₂O₄, 52, 262–263, 335–336, 352, 355,
504, 515, 535, 634–635, 676–677, 677t
Fe–Mn, 220, 405–406, 411
(Fe,Mn)O, 220
FeNb₂S₄, 408–409
(Fe,Ni)₉S₈, 411–412
(Fe,Ni)S/(Fe,Ni)_{1–8}S/FeS–NiS, 223
Fe–41Ni, 223f, 411f
Fe–Ni, 49, 51, 220–221, 356–357, 411–412,
446–447, 452, 453f, 478–479,
482–483
Fe–Ni–Cr, 356–357, 357f, 386, 443,
446–452, 448f
Ferritic chromium steels, 469–470
FeS/Fe_{1–8}S, 35t, 44, 100, 110, 110f, 150–151,
158, 162–164, 171t, 174–177, 215,
393t, 399, 400f, 405–406,
407f, 543
FeS₂, 110–111
FeSO₄–Na₂SO₄, 424
Fe_xMo₆S_{8–z}, 406
Fick's first law, 17, 106–107, 206
Fluorine, 604, 642
Flux divergence, 597–598
Fossil fuel, 43, 145, 188, 393–394, 416, 431,
603, 693t
Fracture toughness, 78–81, 674
Frame of reference/frames of reference, 64,
211–212
Frenkel defects, 90, 112–113
Fuel cells, 549–550, 559, 560f, 633,
635–638, 640–642, 696

G

Gas flow velocity, 553, 607
Gas mixtures
CO/CO₂, 38, 39f, 113, 131, 132f, 133–134,
139f, 148, 155–156, 185, 309–311,
341, 379, 486f, 543, 676–677, 677f,
690–691
CO/CO₂/SO₂, 167, 177, 309–310
CO/H₂/H₂O, 465–469, 465f, 468f,
470f–471f, 472, 473f–474f, 477, 480f,
482f
H₂/H₂O, 38, 113, 127–128, 133–134, 148,
177, 255, 328, 350–351, 350f, 383,

385–386, 485–486, 532, 552, 566, 578,
583–584, 588–590, 592–595
 H_2/H_2S , 403–415, 403f, 405t, 407f
 $H_2/H_2S/H_2O$, 414–415
 $N_2/CO/CO_2$, 149f, 150t
 O_2/H_2O , 583–584, 592
 Gas permeability in chromia, 577
 Gas phase diffusion/gaseous diffusion, 16,
136, 150–151, 164–165, 182, 522
 Gas turbine, 4, 6f–7f, 417, 425–426, 432,
691–694
 Gibbs equation, 32, 94–95, 215–216
 Gibbs-Duhem equation, 45, 66–67, 95–96,
217–218
 Grain boundary diffusion/boundary diffusion,
121–124, 250, 345, 348–350, 355t, 370,
384, 453–454, 531, 579, 585–586, 698
 Grain boundary diffusion coefficient, 345
 Grain boundary diffusion in Al_2O_3 , 698
 Grain boundary diffusion in Cr_2O_3 , 355t
 Grain growth, 123, 579–582, 589, 700
 Graphite-nickel epitaxy, 474–475
 Graphite nucleation, 460–461, 468, 475, 477,
480–481, 699
 Gravimetric/thermogravimetric, 13f,
14, 18
 Green rot, 311–312, 483–484
 Greenhouse gas, 5–6, 188, 431, 495,
692–693, 695–696
 Growth stress, 76, 78f, 130, 367, 369–370,
373, 469

H

Halogen, 604–618
 Hafnium, 348, 369, 674
 HCl, 611–619, 625
 Heat resisting alloys, 195t, 248, 265, 299,
309–310, 335, 373, 386, 394, 397, 431,
451–457, 472, 484, 487, 495, 505, 535,
618, 656, 676–677, 677f, 680
 Heat resisting alloy compositions, 433t–434t
 Heat resisting steels/heat-resisting steels,
10–11, 194, 202, 280, 319, 356–357,
379–380, 416, 455, 484
 Hematite/ Fe_2O_3 , 38, 95, 105, 551
 Henry's law, 48, 639–640
 Hertz-Langmuir-Knudsen equation, 72–74,
608
 H_2O dissociation, 550–551
 $H_2^{18}O$, 28f
 Hochman-Grabke model for dusting,
457–458, 458f, 462, 472

Hot corrosion, 394, 416–424, 630, 633,
687–688
 Hot shortness, 199, 244–245
 HP, 10–11, 11f, 195–196, 195t, 432,
433t–434t, 630–632
 HP Mod, 11f, 433t–434t
 H_2S dissociation, 409–412, 410t
 Hydration enthalpies, 567–569
 Hydrocarbon, 9–12, 535
 Hydrocarbon cracking, 9–12, 435
 Hydrogen chloride. *See* HCl
 Hydrogen generation, 552

I

IN 601, 196f
 Incoloy, 194, 264–265
 Inconel, 194–196, 356, 478–479
 Interaction coefficients, 48
 Interface stability, 238–239
 Interfacial concentration, 211, 213–214,
213f, 248–249, 252, 320, 525–526,
652–655
 Interfacial oxygen diffusion, 520
 Intergranular attack/intergranular oxidation,
280
 Intermetallic, 229–230, 373, 403, 408–409,
415, 471, 488–489, 642
 Internal carbide distributions, 11, 440, 483,
517f, 519, 531, 676–677
 Internal nitridation, 263, 291–292, 299–302,
299f, 301f–303f, 312–314, 313f, 316,
319, 448–450, 679f
 Internal oxidation of
 Ag-Al, 323
 Ag-Cd, 297
 Ag-In, 275f, 299, 317–318, 318f, 323
 Cu-0.72Al, 315t
 Cu-10.16Ni-0.76Al, 315t
 Cu-20.11Ni-0.79Al, 315t
 Cu-30.07Ni-0.80Al, 315t
 Cu-Si, 276–277, 278f
 Fe-10Cr, 262–263, 263f, 582
 Fe-17Cr, 262–263, 263f, 266f, 587
 Fe-20Ni-25Cr, 264f, 446–447, 446f,
449f–450f
 Fe-35Ni-27Cr, 281f, 285–286
 Fe-5Cr, 195, 261–262, 262f–263f, 272t,
298f, 573, 582
 Fe-7.5Cr, 195, 196f, 201, 355–356, 442f
 IN617, 265f, 280
 iron-chromium/Fe-Cr, 240–241, 499
 Ni-15Fe-25Cr, 266f

Ni-2.5Al, 266f
 Ni-25Cr-10Fe-2.5Al, 327f
 Ni-3.5Cr-2.5Al, 267
 Ni-4Al, 304f, 324–325
 Ni-Al-Si, 323, 324f
 nickel-aluminium/Ni-Al, 207, 209, 210t,
 272t, 276, 276f, 280–283, 282f, 284t,
 286, 305, 305f, 315, 319t, 326,
 336–345, 336f–337f, 339f, 362, 365,
 415, 663, 673
 Ni-Cr, 63–64, 201, 203, 209, 210t, 272t,
 278f, 280–283, 282f, 292–297, 299,
 319t, 322f, 323, 325–326, 328, 328f,
 352–354, 438–440, 441t, 444–445,
 480–481, 578, 609–610
 Ni-Cr-Al, 63–64, 248, 249f, 286,
 291–296, 313f, 316, 316f, 321–323,
 329, 405, 663–665, 679f
 silver alloys, 276
 304 stainless steel, 311, 311f, 620–621,
 634–635, 677t
 310 stainless steel, 310f, 483
 Internal oxidation beneath scale, 320–322
 Intrinsic diffusion coefficient, 66
 Intrinsic disorder, 91–92, 99, 114
 Iridium/Ir, 379, 673
 Iron/Fe, 1–2, 37, 40, 48–49, 85–86,
 96–100, 105–111, 132–136, 147, 162t,
 174–176, 185, 248–249, 262–263,
 321, 344–345, 354–357, 364,
 378–379, 381, 383, 397, 406, 416,
 432–435, 443, 457–472, 458f, 497,
 505–506, 511, 515–519, 521–529,
 555–556, 570–571, 589–592,
 606–607, 612, 618t, 623, 630–632, 634,
 638–640, 685–686
 Iron dissolution in graphite/iron dissolved in
 graphite, 444–445
 Iron-nickel/Fe-Ni, 49, 51, 220–221,
 356–357, 411–412, 446–447, 453f,
 478–479, 482–483
 Isotope distribution(s), 576–577, 579
 Isotopically labelled gas, 574–576

K

Kanthal, 35t, 79t, 232–234, 233f, 255–256,
 356, 362–364, 489, 588, 625
 Kellogg diagram, 44f
 Kinetic theory of gases, 72–74, 553
 Kirkendall effect, 64–67, 235–236, 369
 Kirkendall voids, 358–360, 383–384
 Kroger-Vink notation/Kroger and Vink,
 87–89, 93

L

304 L, 553
 Lattice particle, 58–61
 Lattice species, 88–89, 92–94, 140,
 585, 598
 Linear kinetics, 16, 74–76, 165, 173,
 341, 394–396, 495, 539, 566f,
 567–569
 Logarithmic rate equation, 22

M

MA 956, 195t, 250, 251f, 253, 471–472,
 661, 669
 Magnetite/Fe₃O₄, 38, 40–41, 43–44, 85–86,
 105, 106f, 129, 134, 167–168,
 176–177, 179–180, 343–344, 352,
 496f, 497, 505, 521, 543, 569–570, 573,
 589–590, 592–593, 615–616, 639
 Manganese/Mn, 147, 161, 165, 182, 184, 186,
 195–196, 373–377, 394–397,
 405–408, 413, 537–538, 555–556,
 590–591
 Manganese effects, 374–377, 537–538
 Markers/inert markers, 65–67, 408, 570–571
 Mass balance at moving interface, 211
 Mass transfer, 2–3, 11–12, 16, 19, 71–75,
 82, 96, 130–131, 134, 136–141,
 157–158, 160, 161t, 335, 347, 377,
 460f, 478f, 553–555, 592, 598, 607,
 621, 649
 Mass transfer coefficient, 74, 553–555, 565
 M₇C₃, 265, 441–443, 441t, 442f, 446–447,
 451–453, 483, 507–509
 M₂₃C₆, 265, 441–443, 442f, 446–454,
 449f–450f, 483, 503, 531, 532f
 MCrAlY, 7–9, 588, 692
 Mechanical stress, 27–28, 75–81, 677–678
 Metal carbides, 437t, 483
 Metal deficit oxide, 91, 95, 99, 112, 114,
 117t, 119
 Metal dusting of
 1Cr-½Mo steel, 468
 2¼Cr-1Mo steel, 468–469
 Fe/iron, 1–2, 37, 40, 48–49, 85–86,
 96–100, 105–111, 132–136, 147, 162t,
 174–176, 185, 248–249, 262–263,
 321, 344–345, 354–357, 364,
 378–379, 381, 383, 397, 406, 416,
 432–435, 443, 457–472, 458f, 497,
 505–506, 511, 515–519, 521–529,
 555–556, 570–571, 589–592,
 606–607, 612, 618t, 623, 630–632, 634,
 638–640, 685–686

Metal dusting of (*Continued*)

- Fe-10Ge, 464f
- Fe-15Al, 471
- Fe-25Cr, 265–267, 405t, 471f, 498t, 528, 538–539
- Fe₃Al, 255, 471, 588, 611
- Fe60Cr, 470
- FeAl, 209, 210t, 272–274, 272t, 273f, 280, 321, 343–345, 402–403, 470–472, 587–588, 592
- FeCrAl, 209, 232–234, 234f, 349–351, 356, 362–367, 381, 404, 404f, 414, 470–472, 504, 588, 648–649, 650f, 668–670, 680, 687
- Fe-Ni-25Cr, 447f
- ferritic chromium steels, 469–470
- Fe-Si, 272–274, 272t, 273f, 321, 468, 468f, 537
- heat resisting steels, 10–11, 194, 202, 280, 319, 356–357, 379–380, 416, 455, 484
- low alloy steels, 425, 465f, 468, 497, 498t, 502, 504, 506, 538, 569, 571, 606–607, 621–622, 639
- MA956, 195t, 250, 251f, 253, 471–472, 661, 669
- Ni/nickel, 3, 4t, 37, 48–49, 49t, 78, 79t, 85–86, 86t, 89f, 100–101, 119, 159–160, 177, 187, 193, 204–205, 228–229, 241, 272, 276, 323–326, 335, 352, 355–357, 397, 403, 415, 419–420, 448, 472–476, 481–482, 609–610, 612–614, 635–638, 678–680, 685–686, 690
- Ni-Cu, 480f
- Ni-Fe, 220–221, 477, 479f, 481
- 310, 195t, 310f, 483, 609–610, 630–632, 640
- 800, 79t, 488, 504–505, 609–610, 618, 676–677, 677f
- Metal excess oxide, 91, 113–115, 119
- Metal dusting, 435, 457–476, 487–489, 676–677, 690, 694, 699
- Metal hydroxide, 552–565, 553t
- Metal hydroxide formation, 552–565, 553t
- Metal recession, 18, 481
- Metal sulphate/sulphate, 43, 169–170, 416–418, 424, 623, 630, 633, 641, 678
- Metal sulphide formation, 393–394, 393t, 423
- Metastable alumina/transient alumina, 229, 232–233, 255, 588
- Metastable sulphide, 165–170, 179–180
- Microbalance, 14–15, 649, 671–672

- MnCr₂O₄, 27, 340t, 504, 537, 559
- MnO, 35t, 147, 148f, 182, 215, 374, 376
- MnS, 147, 148f, 393t, 394–397, 405–406, 413
- Molar volume, 16, 18, 32, 64–65, 205, 270, 284–285, 292–293, 322–324, 323t, 351, 439, 517, 523, 677–678
- Molecular diffusion, 179–180, 574
- Molten salt, 393–394, 417–423, 422f, 625, 628–629, 629f, 632–633
- Molybdenum, 24–26, 65, 241, 398, 406–408, 414, 454–455, 497, 521–522, 628, 642
- MoS_{2±8}/MoS₂, 299, 398, 406
- Multilayered scales, 128
- Multiple oxidants, 312–314, 330, 335–336
- Municipal waste, 603, 625

N

- Nabarro-Herring creep, 78–81, 323–324, 325f
- NaCl structure, 111, 215
- Na₂SO₄, 416–420, 420f, 424
- Nb₂S₃, 398
- NbS₂/Nb₁₊₈S₂, 400f, 408–409
- Nernst-Einstein relationship, 97
- Ni-Al, 207, 209, 210t, 272t, 276, 276f, 280–283, 282f, 284t, 286, 305, 305f, 315, 319t, 326, 336–345, 336f–337f, 339f, 362, 365, 415, 663, 673
- β-NiAl, 8t, 199, 199f, 229–237, 229f–232f, 237f, 248, 336–337, 357–360, 368–369, 372f, 377, 379, 403, 415, 595, 655, 673–674, 676f
- γ'-Ni₃Al dissolution, 199, 199f
- NiAl₂O₄, 329, 336–340, 340t, 360
- β-NiAl+Zr, 229f–230f, 230
- Ni-23Al, 199f, 667f
- Nickel, 3, 4t, 37, 48–49, 49t, 78, 79t, 85–86, 86t, 89f, 100–101, 119, 159–160, 177, 187, 193, 204–205, 228–229, 241, 272, 276, 323–326, 335, 352, 355–357, 397, 403, 415, 419–420, 448, 472–476, 481–482, 609–610, 612–614, 635–638, 678–680, 685–686, 690
- Nickel aluminide coating, 80f, 417f
- Nickel-base alloys/nickel base alloys, 193, 336–337, 353–354, 406, 415–416, 609–610, 613, 628, 675–676, 692–693
- Nickel dissolution in graphite/nickel dissolved in graphite, 481

- Nickel oxide/NiO, 90, 321, 366, 632f, 635–638
- Nickel particles, 472–474
- Ni-Cr, 63–64, 201, 203, 209, 210t, 272t, 278f, 280–283, 282f, 292–297, 299, 319t, 322f, 323, 325–326, 328, 328f, 352–354, 438–440, 441t, 444–445, 480–481, 578, 609–610
- Ni-Cr-Al-Y/NiCrAlY, 63–64, 248, 249f, 313f, 316, 316f, 323, 360–365, 405, 663–665, 679f
- NiCr₂O₄, 200–201, 252, 340t, 353
- Ni-Fe/Fe-Ni, 220–221, 477, 479f, 481
- NiNb₃S₆, 409
- NiO, 49, 85–86, 100–102, 103f, 117t, 119, 121, 131–132, 177–180, 200–201, 203, 337–340, 361–362, 417–418, 567–569, 635–638, 638f, 698
- Niobium, 394–396, 398, 408–409, 414, 455–456, 456f, 688
- NiO-CoO/CoO-NiO, 219
- NiS/Ni₁₋₃S, 88, 89f, 159, 215, 397, 408, 411–412
- Ni₃S₂, 156f, 159, 169
- Ni₇S₆, 411–412
- NiSO₄-Na₂SO₄, 424
- Nitrate, 418, 633–635, 638
- Nitridation/nitriding of
- Cr/chromium, 3–4, 6, 10–12, 19, 27, 49–54, 63–64, 76–77, 85–86, 118–120, 125–128, 125f, 145–148, 149f, 149t–150t, 150–151, 152f, 155–158, 161, 177, 180–181, 184–187, 193, 195, 201, 207–209, 209f–210f, 211, 242–243, 244f, 248, 253, 261–263, 265, 267, 267f, 284, 286–289, 288t, 291–292, 302–303, 311–314, 322–323, 352–357, 360–363, 365–366, 369–371, 374, 377, 379–380, 383, 397, 399–400, 404–405, 424, 432–435, 438–440, 440t–441t, 443, 445f, 446–447, 450–455, 468–470, 482–483, 497, 499, 499t, 501–502, 505–506, 511, 515–520, 518f, 540, 549, 555t, 557, 559, 577, 587, 609–610, 612, 621–623, 638–641, 665, 676–678, 677t, 686–688, 691, 693
 - Fe-Ni-Cr, 356–357, 386, 443, 446–452, 448f
 - Fe-20Ni-25Cr, 264f, 446–447, 446f, 449f–450f
 - Fe-15Ni-25Cr, 266f
 - Ni-Cr-Ti, 316
- Nitrite, 633–635
- Nitrogen solubility, 291–292
- Nodules, 323, 343–345, 381, 495, 502, 502f, 504, 515, 519–521, 538–539, 543, 555–556, 558–559
- Non-steady-state, 105, 211–215, 341, 411, 522–529, 665–666
- Nonstoichiometry, 88–92, 100, 108–111, 109f, 114, 118, 220, 221f, 396t, 398, 413
- n-type, 91, 113, 119–120, 347, 584–585
- Nucleation, 122, 230–232, 235–236, 292–297, 369, 447–448, 450–451, 475, 480, 515–519, 539–540, 540f, 579, 635–636, 699
- ## O
- Orientation relationship, 299–304, 447–450, 481
- ¹⁸O tracer, 131–132, 369
- Oxidation map/oxidation maps/oxide map
- for Fe-Cr-Al, 362–365, 363f
 - for Ni-Al, 336–337, 337f
 - for Ni-Cr-Al, 362–365, 363f
- Oxidation rate constants, 105t, 108t, 584t
- Oxide grain refinement, 582
- Oxide solubilities in molten Na₂SO₄, 419–420, 421f
- Oxide solubility product, 95, 140, 416–418, 421f, 629f, 637
- Oxidation of
- Ag-Al, 323
 - Ag-Cd, 297
 - Ag-In, 275f, 317–318
 - APM, 648–649
 - chromium, 19, 54
 - 1/4Cr-1Mo steel, 196–197
 - 9% Cr steel, 549, 574f
 - cobalt, 101–105
 - copper, 100, 226
 - Co-Si, 239–240
 - Co-Ti, 299
 - Cu-Al, 315
 - Cu-Ni, 227–228
 - Cu-Ni-Al, 227–228, 315
 - Cu-Si, 276–277, 278f
 - Cu-Zn, 225, 228
 - Fe-10Cr, 262–263
 - Fe-17Cr, 266f
 - Fe-20Cr-5Al, 404

Oxidation of (*Continued*)

- Fe-24Cr, 379–380
- Fe-28Cr, 4, 374
- Fe-5Cr, 262f, 573
- Fe-7.5Cr, 195
- Fe-Al, 209
- Fe-Cr, 201, 277f
- Fe-Cu, 244–245
- Fe-Ni-Cr, 356
- Fe-Si, 272t, 537
- Fe-Si-Al, 366
- HK40, 375f
- 60HT, 433t–434t
- Incoloy 617/IN 617, 264–265
- iron, 43, 105–110
- JA 13, 648–649
- Kanthal, 233–234, 255–256
- Ni-20Cr, 252
- Ni-20Cr-3Mn, 376–377
- Ni-25Cr, 578–579, 580f
- Ni-28Cr, 4, 374
- Ni-28Cr-3Si, 374
- Ni-3.5Cr-2.5Al, 267
- Ni-4Al, 304f, 324–325
- Ni-5Cr, 280
- Ni-8Cr-6Al, 588
- Ni-Al, 209
- nickel, 4, 100–101, 120–121
- Ni-Cr, 203, 209, 276–277, 278f, 352
- Ni-Cr-Al, 230–231, 313f, 323
- NiCrY, 582
- Ni-Pt-Al, 356–360
- Ni-Si, 239–240, 272t
- Ni-Si-Al, 323, 324f
- P91, 571f–572f
- Pd-Ag-Sn-In, 323
- PM 2000, 648–649
- PWA 1484, 673
- silicon, 116, 132, 136–139
- silver alloys, 276
- Oxidation-carburisation/oxidising
 - carburising/carburisation and oxidation
 - of chromium, 149t, 155–158
 - of chromium-bearing alloys, 311
 - of Ni-3.9Cr, 310–311
 - of 304 stainless steel, 311f
- Oxide-sulphide scale/sulphide-oxide scale, 146f
 - manganese/Mn, 184
 - mixed gas reaction/mixed gas reactions, 184–188
 - municipal waste, 603
- Oxygen solubility, 48, 272, 287, 314–316, 316f, 341, 610, 639–640

P

- Palladium/Pd, 323
- Parabolic-linear rate equation, 116
- Parabolic rate constants
 - Al₂O₃ scale growth, 378f
 - chromium/Cr, 86t
 - cobalt/Co, 86t
 - Fe-15Cr-0.5C, 242t
 - iron/Fe, 86t
 - M-Cr alloys, 354f
 - β-NiAl+Zr, 229
 - Ni-25Cr, 265, 313f
 - Ni-25Cr-0.1Y, 578f
 - nickel/Ni, 86t
- Pellet experiment, 130, 131f
- Permeability of
 - carbon, 311–312, 380, 439, 452, 453f, 457, 477–481, 483, 510–511, 542–543, 688
 - nitrogen, 312
 - oxygen, 270–271, 274, 276, 280–283, 312, 314–315, 327–328, 345, 347–348, 360, 386, 520, 687
- Phase boundary process/phase boundary reaction, 19, 116, 565–566
- Phase diagram
 - Cr-O-C, 155–156
 - Cr-O-N, 155–156
 - Fe-Al, 273f
 - Fe-Al-O, 343
 - Fe-Cr, 51–52, 273f
 - Fe-Cr-C, 510f, 512, 513f, 514
 - Fe-Cr-O, 52f, 202f
 - Fe-Cr-S, 399
 - Fe-Mo-S, 407f
 - Fe-Ni-S, 411–412, 412f
 - Fe-O, 40–41, 88, 105
 - Fe-S, 110, 158
 - Fe-Si, 273f
 - Fe-S-O, 158
 - Na-S-O, 419
 - Ni-Al-O, 338f
 - Ni-Cr-Al, 249f
 - Ni-Cr-O, 200
 - Ni-Cr-S, 402f
 - Ni-Pt-Al, 357–358, 358f
 - Ni-S, 88
 - Ni-S-O, 420f
 - Ti-Al-O, 246f
- Phase rule, 41, 43–44, 52
- Pilling-Bedworth ratio, 16, 76–77
- Platinum group metals, 379, 386, 424

Point defects, 57–58, 82, 88–92
 Pores/porous/porosity, 9, 16, 73, 130–132,
 177, 383, 394–396, 497, 499, 537,
 558–559, 569–570, 579, 597,
 608–609, 678–680, 695
 Power generation, 145–146, 394, 431–432,
 496–497, 603, 647, 693t
 Precipitate growth, 265–267, 292–295,
 299–303, 305
 Precipitate nucleation, 262–263, 268, 278,
 292–297, 302, 317, 330–331
 Precipitate solubilities, 288t
 Precipitate volume fraction, 289, 329, 340,
 511, 542–543, 609–610
 Pre-oxidation/pre-oxidised, 147–148,
 176–181, 187, 355–356, 414, 484, 487,
 611, 618
 Pre-oxidised chromium, 177, 180–181
 PtAl, 378
 Pt-Ni, 203–204, 207, 244–245
 PtO₂, 358
 p-type, 91–92, 98, 347
 Pyrolysis tube, 10f

R

Reactive element/reactive elements, 256,
 335–336, 370–373, 377, 386,
 455–456, 598, 689
 Rehealing/scale rehealing, 345, 469, 471,
 483, 487–488, 521, 652–655, 653f,
 666f, 689–691
 Rejection, 244–245, 300–301
 Rhines pack, 272, 272t, 276f, 278f, 279t,
 315t, 329, 343–344, 364–365
 Ridge/ridges, 230, 231f

S

Scale detachment, 130–132
 Scaling rates in SO₂, 150, 162t
 Schottky defects, 90, 348
 Secondary ion mass spectrometry (SIMS), 28,
 28f, 697
 Secondary oxidant/secondary corrodent, 604,
 675–676, 681
 Selected area diffraction pattern (SAD), 299,
 299f, 450f, 460f, 463f–464f, 496f, 529,
 531
 Selective oxidation, 4, 61, 197–199,
 203–215
 Self-diffusion, 102–103, 221–222, 345
 Self-diffusion coefficients for interstitial
 solutes, 69–70, 719, 719t

Self-diffusion coefficients for substitutional
 binary alloys, 219, 386, 719, 719t
 Sievert's equation, 48, 272, 314–315
 Silica volatilisation, 559–562
 Silica/SiO₂, 14–15, 116, 139f, 323t, 374,
 484, 536–537, 544
 Silicon, 116, 118–119, 132, 134, 136–139,
 244, 307, 323, 457, 488
 Silicon effects, 374, 455, 535–537
 Silver, 100, 130, 130f, 274–276, 323
 Silver sulphide/Ag₂S, 117, 130
 Sinh rate equation, 22f
 Si₃N₄, 193, 562
 SiO(g), 117, 136–138, 562–563
 SiO(OH)₂, 559–560
 Si(OH)₄, 553t, 559–562
 SO₂, 43, 146–147, 148f, 156f, 162t,
 164–165, 170–176, 183t, 543–544
 Solid solution oxides/solid solution scales,
 214–225
 Solid solution sulphides, 215–225
 Solubility product/K_{sp}, 51, 268, 286–287,
 303–304, 319, 329–330, 451
 Solute enrichment, 274, 297
 Spallation, 78–81, 80f, 231f, 367–374, 377,
 386, 487, 519, 579, 589, 618,
 647–649, 651–652, 655–663, 667f,
 669–674, 671f, 673f, 689
 Spallation fraction, 657, 671–672, 681
 Spallation model, 655–663
 Spallation-oxidation map, 673f
 Spinel, 51–52, 54, 195–196,
 200–201, 252, 305, 336–337, 340t, 352,
 353f, 361–362, 376–377, 504, 506,
 520, 537, 574, 666, 687
 Spinel free energies of formation, 340t
 304 stainless steel, 311,
 311f, 620–621
 430 stainless steel, 582
 Stainless steels, 310f, 311, 377, 483,
 504–505, 553, 620–621, 626, 634,
 640, 677t
 Standard free energies of reaction, 35t
 Steam, 6, 9, 10f–11f, 195–196, 432, 436,
 485–486, 489, 551–552, 556–557,
 641, 692–693, 696, 698
 Steam cracking, 375f, 432, 485–486
 Steam oxygen partial pressure, 34, 37,
 72–74, 111–114, 195, 201–202, 347
 Steam reforming, 145, 432, 436, 489
 Steel, 1–3, 1f, 10–11, 36–37, 49, 74–75,
 80f, 134, 136, 193, 195–196, 197f,
 198–199, 202, 241, 280, 285–286, 311,

- 377, 381–382, 385–386, 399–400, 401f, 425, 468–469, 484, 497, 501–502, 504, 506, 513, 524–525, 534–535, 538, 542–544, 553, 571, 589, 591–592, 619f, 634, 678–680
 - Strain energy, 293, 647, 668, 670
 - Strain, 76, 78–81, 293, 367–368, 668, 670
 - Structural units, 92–94
 - Structure, NiAs, 111, 215, 396–398
 - Sulphate formation, 169–170
 - Sulphidation rate, 179, 182, 394, 395t, 398, 401f, 405t, 408
 - Sulphide eutectic temperatures, 396, 396t
 - Sulphide formation free energies, 393t
 - Sulphide nonstoichiometry, 396t
 - Sulphur dioxide/SO₂, 43, 146–147, 148f, 156f, 162t, 164–165, 170–176, 183t, 543–544
 - Sulphur effect, 358, 368–369
 - Sulphur permeability of oxide, 698
 - Sulphur segregation, 371
 - Sulphur solubility, 178–179
 - Superalloy/superalloys, 6–9, 8t, 194, 255–256, 356, 373, 642, 672f
 - Supercritical boilers, 557
 - Supercritical, 495–497, 505, 538, 545, 693t
 - Superheater, 196–197, 197f, 557, 619–620
 - Supersaturation, 262–263, 292, 294–297, 306, 370, 458, 463–464, 514
 - Surface finish, 254
 - Surface process/surface reaction, 16, 113, 134, 145, 173, 180–181, 567, 642
 - Surface recession, 204–205, 383, 472
 - Surface tension, 293
 - Sulphidation of
 - chromium/Cr, 184
 - cobalt/Co, 165–166
 - Co-Nb, 409
 - Fe-18.5Cr-4.9Ni-2.7Mo stainless steel, 401f
 - Fe-25Cr, 265–267, 471f
 - Fe-25Mn, 405t
 - Fe-25Mn-10Cr, 405t
 - Fe-28Mo-32Mn, 407f
 - Fe-30Nb-3Al, 408f
 - Fe-41Ni, 223f, 411f
 - Fe-Al, 402–403
 - Fe-Cr, 51, 209, 211
 - Fe-Cr-Al/FeCrAl, 209, 233, 234f, 349–350
 - Fe-Mn, 411
 - Fe-Mn-Al, 406
 - Fe-Mn-Cr, 406
 - Fe-Mo, 406–408
 - Fe-Mo-Al, 406–408
 - Fe-Nb, 408, 408f
 - Fe-Nb-Al, 408–409
 - Fe-Ni, 51, 411–412, 446–447
 - iron aluminides, 415
 - iron/Fe, 110–111
 - manganese/Mn, 397
 - β-NiAl, 368
 - γ'-Ni₃Al, 415
 - nickel aluminides, 357–358, 415
 - nickel/Ni, 155
 - Ni-Cr-Al/NiCrAl, 63–64, 230–231, 248, 249f, 356, 362–363, 365–366
 - Ni-Mo, 299, 406
 - Ni-Mo-Al, 414–415
 - Ni-Nb, 408f
 - refractory metal alloys, 394–396, 398
 - refractory metals, 398
 - silver, 117, 130
 - 310 stainless steel, 310f, 483
 - TiAl, 642
 - Sulphidation rate/sulphidation rates
 - Fe, 395t
 - Fe-Cr, 401f
 - Co, 395t
 - Cr, 395t
 - Mn, 395t
 - Mo, 395t
 - Ni, 395t
 - Ta, 395t
 - W, 395t
 - Sulphidising-oxidising/oxidising-sulphidising/sulphidation oxidation/oxidation, 145, 158–160, 176–178, 188, 414, 416, 678, 691
 - Synthesis gas, 145, 432–435, 514, 549–551
- ## T
- Temperature cycle parameters, 659, 668–670
 - Ternary interactions, 314–315, 365–366
 - Thermal barrier coating (TBC), 6–9, 651–652
 - Thermal cycling/temperature cycling, 80f, 311, 469, 483, 487, 659–661, 668, 671f, 677–678, 690–691, 693
 - Thermal expansion, 77–78, 79t, 367, 377, 574, 678, 689
 - Thermal stress, 668–669

Thermochemical diagrams, 151, 153f, 158, 188, 640
Thermodynamic forces, 55, 157–158
Thermogravimetric analysis, 18
Third element effect, 364–367
 γ -TiAl, 233–234, 245–248, 246f, 409, 488
Time dependent interfacial concentration, 653
TiS, 398, 409
TiS₂, 398
Ti₃S₄, 409
Titanium effects, 233–234, 377
Tracer coefficient/tracer diffusion coefficient, 104f, 108f, 111
Transient alumina, 233–234, 361–362, 588, 598
Transient Cu₂O, 227f
Transient reaction/transient oxidation, 225–234, 254–255, 369
Transport in chromia, 128, 577–582, 698
Tungsten, 19, 394–396, 423

U

Ultrasupercritical boilers, 692–693

V

Vacancy/vacancies, 57–60, 64, 90–93, 96, 108–110, 112, 114, 116–118, 219, 235–236, 323–324, 326, 345–347, 369, 382–384, 396–398, 579, 583–585, 590, 592–593
Vacancy condensation, 592–593
Vacancy flux, 236
Vapourisation, 565
Viscous flow, 138–139, 161, 164–165
V₂O₅, 416–417
Void development, 592–595
Void formation/cavity formation, 199f, 235–237, 358, 360
Void nucleation, 235–236, 369, 592–593
Volatile metal hydroxide, 552–565
Volatilisation, 19, 125, 136–138, 552, 559–565, 604–618, 672–673

W

Wagner model
 internal oxidation, 268–274
 oxide scaling, 96–100
 selective oxidation of one alloy component, 203–211
 simultaneous internal and external oxidation
 third element effect, 484
 solid solution oxide scales, 215–225
 third element effect, 364–367, 377, 687
 transition from internal to external oxidation, 316–321
Waste combustion, 603
Waste-to-energy, 623
Water vapour, 145, 232, 255, 327–329, 456–457, 467, 504, 542–543, 549–598, 615–618, 672–673, 698–699
Water vapour adsorption, 597
Water vapour effects on alumina growth, 587–589
Water vapour effects on chromia scaling, 585–587
Water vapour effects on cyclic oxidation, 647–681
Water vapour effects on iron oxidation, 569–570
Water vapour effects on silica growth, 537
Water vapour in oxide scales, 181
Whiskers, 139, 229, 411–412
Wrinkle development/rumple development/
 wrinkling/rumpling, 369–371, 373, 692
Wüstite /FeO/Fe_{1- δ} O, 3, 37–38, 40–41, 49, 52, 89, 106f, 107–108, 108t, 109f, 113, 167–168, 176–177, 379, 386, 573, 590, 592

Y

Yttria-stabilised zirconia, 565
Yttrium, 231–232, 381, 578–579, 582

Z

Zirconia, 559
Zirconium, 231–232
ZnO/Zn_{1- δ} O, 119, 225–227, 227f