


1. Consider the dataset AutoCollision. Generate the following plot

```
AC <- read.csv("AutoCollision.csv", stringsAsFactor=T)
```

```
x <- ggplot(data = AC,  
  aes(x=Severity,y=Claim_Count,colour = Vehicle_Use))+  
  geom_point() + labs(title = "Severity by Claim Count")  
ggplotly(x)
```




#2. Consider the dataset AutoCollision.

#Generate the following plot using function ggplot()

```
AC <- read.csv("AutoCollision.csv", stringsAsFactor=T)
```

```
y <- ggplot(data = AC,  
  aes(x=Vehicle_Use,y=Claim_Count,fill=Vehicle_Use))+  
  geom_boxplot() + labs(x="Vehicle Type",y="Claim Count"  
    ,title = "Claim Count by Vehicle type")  
ggplotly(y)
```




#3. Consider the dataset Ornstein which
#contains data on Canadian firms. Generate the following plot using
#function ggplot()

```
tf <- read.csv("Ornstein.csv", stringsAsFactors = TRUE)

j <- ggplot(data = tf, aes(x = nation, y = interlocks, fill = sector)) +
  geom_col() +
  labs(
    x = "Nation",
    y = "Assets",
    title = "Firms Assets by Nation across Sectors"
  )

ggplotly(j)
```




Q4

```
ot <- read.csv("Ornstein.csv", stringsAsFactors = TRUE)
```

```
j <- ggplot(data = ot, aes(x = assets, y = interlocks, fill = sector)) +  
  geom_point() + facet_grid(~nation)+  
  labs(  
    x = "Assets",  
    y = "Interlocks",  
    title = "Assets by Interlocks"  
  )+  
  theme(  
    plot.title = element_text(hjust = 0.5)  
  )
```

```
ggplotly(j)
```



```
data(mtcars)
mtcars$gear <- factor(mtcars$gear)
m <- ggplot(data = mtcars,
            aes(x=disp,y=mpg,colour = gear))+
  geom_point() + labs(x="Displacement",y="Miles per Gallon",colour="Gear",title =
"Displacement by MPG")
ggplotly(m)
```

