

NXRT15XH103FA1B030

● To be discontinued

NXRT15XH103FA1B030



Last Time Order Due	End of Production	Alternative Products
9/30/2026	9/30/2027	

Applications

Unsuitable Applications	Please be sure to read and comply with these " <u>Precautions for use</u> ".
Specific Applications	<u>Industrial Equipment</u> Please refer to Our Website and specifications, etc. for information about the performance, functions, quality, management, and safety required for the above applications, and use Products after confirming the performance and reliability of the actual Product.


Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

NXRT15XH103FA1B030

Appearance & Shape



(in mm)

LW Size (in inch)	030 = 30mm
-------------------	------------

Attention

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

NXRT15XH103FA1B030

Specifications

Resistance (25℃)	10kΩ
Resistance Value Tolerance (at 25℃)	±1%
B-Constant (25/50℃)	3,380K
B-Constant (25/50℃) Tolerance	±1%
B-Constant(25/80℃)(Reference Value)	3,428K
B-Constant(25/85℃)(Reference Value)	3,434K
B-Constant(25/100℃)(Reference Value)	3,455K
Maximum Operating Current (25℃)	0.12mA
Typical Dissipation Constant (25℃)	1.5mW/℃
Operating Temperature	-40 ~ 125℃
Shape	Lead
Thermal Time Constant	4s
MSL	N

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

NXRT15XH103FA1B030

Features

1. High accuracy and high sensibility temperature sensing is available by the high accuracy NTC Thermistor.
2. This product is compatible with 1005 (1.0mm * 0.5mm) size NTC Thermistor.
3. The variation per hour of this product is stable few.
4. This product is produced with the automation line which was consistent from a lead to packing so that the product of uniform quality may be obtained at low cost in large quantities.
5. Since this product has strong lead intensity with original lead mounting technique, it is bent at the time of use and can perform processing etc. freely. Moreover, taping supply can also respond.
6. UL/cULcertified product.(UL1434, File No. E137188)

References

Packaging	Specifications	Standard Packing Quantity
B	Bulk(Bag)	500

Mass(Typ.)	
1 piece	0.082g


Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

NXRT15XH103FA1B030

Product Data



Resistance-Temperature Characteristics



Temperature Tolerance VS. Temp.

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.