


NOTES:

1. FOR GENERAL NOTES AND SPECIFICATIONS, REFER DRAWING
2. WELD INSPECTION CATEGORY TO BE "D" U.N.O.
3. MATERIAL QUALITIES: ALL PLATES TO BE 355III-Y05 U.N.O.
ALL PROFILES TO BE 355III-Y07 U.N.O.
ALL HEB PROFILES TO BE 355-Y05 U.N.O.
4. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETRES.
ALL STANDARDS REFERRED TO SHALL BE THE CURRENT ISSUE.
5. SPLICES SHOULD BE AVOIDED IN ALL MEMBERS. IF UNAVOIDABLE SCENARIO ARISES, FABRICATION SHALL GET CLEARANCE FROM DESIGN OFFICE.
6. U.N.O. SPECIFIED DEBURR EXTERNAL EDGES AND CORNERS.
7. FABRICATION TO ACCESS PRE-HEATING TO AVOID LAMINAR TEARING.
8. MASK HOLES & THREADS DURING PAINTING.
9. WATER INGRESS HOLES ϕ 30 MM SHALL BE ADDED FOR HOLLOW SECTIONS AT APPROPRIATE LOCATIONS. ENSURE CORRECT ORIENTATION OF MEMBERS WITH RESPECT TO VENT HOLES.
10. ALL WELD JOINTS MUST BE SEALED TO AVOID WATER PENETRATION. FOR JOINTS NOT SPECIFIED ON DRAWING FABRICATION SHALL USE FOLLOWING MINIMUM WELD SIZES FOR FILLET AND GROOVE WELDS: 0.75 x THICKNESS OF THINNER PART JOINED WHEN WELDING ONE SIDE 0.5 x THICKNESS OF THINNER PART JOINED WHEN WELDING BOTH SIDES
11. U.N.O. SPECIFIED WELD SHALL BE AS FOLLOWS:
 - RHS/SHS TO CHS : SINGLE BEVEL BUTT WELD AS FULL PENETRATION WELD WITH INSPECTION CAT. B
 - RHS/SHS TO RHS/SHS : TYP. FILLET WELD 0.8x THICKNESS OF THINNER MEMBER AND SINGLE BEVEL BUTT WITH BROAD ROOT FACE WELD 0.8x THICKNESS OF THINNER MEMBER WHERE NATURAL SPACE IS AVAILABLE DUE TO CORNER FILLET OF MEMBER WITH INSPECTION CAT. C
 - PLATE TO ANY MEMBER : TYP. ALL AROUND FILLET WITH 0.8x THICKNESS OF THINNER PART
 - PLATE TO PLATE : TYP. ALL AROUND FILLET WITH 0.8x THICKNESS OF THINNER PART FABRICATION TO DECIDE SUITABLE WELDING SEQUENCE.
 - HEB TO ANY MEMBER : TYP. ALL AROUND FILLET WITH 0.8x THICKNESS OF THINNER PART



HACKATRON-01, WELDMENT					
-			-		
Modified by	-	Originator	LECH FORMELLA		Document no. HACKATRON-02
Checked by	-	Material no. (part)	-	Plant	-
Approved by	-	Material spec.	-		Release date 13.08.2026
			Estimated Weight 35916 KG		Reason for issue Issued For Fabrication
			 Size A3		Sheet no. 2 of 5
					Doc. ver. 01



P054	1	RHS250x150x8	2723	NORSOK M-120 Y07
P053	1	RHS250x150x8	4754	NORSOK M-120 Y07
P052	1	RHS250x150x8	1548	NORSOK M-120 Y07
P051	1	HE100B	2722	NORSOK M-120 Y05
P050	1	HE100B	4754	NORSOK M-120 Y05
P049	1	HE100B	1543	NORSOK M-120 Y05
P048	1	SHS180x180x10	9600	NORSOK M-120 Y07
P047	1	SHS200x200x6.3	9600	NORSOK M-120 Y07
P046	1	RHS200x100x10	1811	NORSOK M-120 Y07
P045	1	RHS200x100x10	5876	NORSOK M-120 Y07
P044	1	RHS200x100x10	1233	NORSOK M-120 Y07
P043	1	SHS120x120x5	1811	NORSOK M-120 Y07
P042	1	SHS120x120x5	5876	NORSOK M-120 Y07
P041	1	SHS120x120x5	1233	NORSOK M-120 Y07
P040	1	SHS300x300x8	9600	NORSOK M-120 Y07
P039	1	SHS180x180x10	9600	NORSOK M-120 Y07
ITEM NO.	QTY.	DESCRIPTION	LENGTH	MATERIAL GRADE



HACKATRON-01, WELDMENT					
Modified by	—	Originator	LECH FORMELLA		Document no. HACKATRON-04
Checked by	—	Material no. (part)	—	Plant	—
Approved by	—	Material spec.	—		Release date 13.08.2026
					Reason for issue Issued For Fabrication
					Estimated Weight 35916 KG
					
					Size A3
					Sheet no. 4 of 5

EF