```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-
width, initial-scale=1.0">
  <title>레이아웃</title>
  k rel="stylesheet" href="디자인구성요소설계_강유
식.css">
  <style>
/* body */
body {
  width: 1200;
  list-style: none;
  margin: 0;
/* wrapper */
.wrap {
  display: flex;
/* header */
header {
  width: 196px;
  height: 850px;
  margin-right: 4px;
  background: #bbb;
}
```

```
/* content area */
.content .cont1 {
  width: 1000px;
  height: 396px;
  margin-bottom: 4px;
  background: #ccc;
}
.content .cont2 {
  width: 1000px;
  height: 200px;
  margin-bottom: 4px;
  background: #ddd;
}
.cont3 ul {
  list-style: none;
  display: flex;
  padding: 0;
  margin: 0;
}
.cont3 ul li {
  margin-bottom: 4px;
  background: #eee;
}
.cont3 .sub1 {
  background: #bbb;
  width: 496px;
  height: 246px;
  margin-right: 4px;
}
```

```
.cont3 .sub2 {
  background: #bbb;
  width: 500px;
  height: 246px;
}
/* footer */
footer {
  width: 1200px;
  display: flex;
}
.footer .logo {
  width: 196px;
  height: 100px;
  margin-right: 4px;
  background: #000;
}
.footer .copy {
  width: 796px;
  height: 100px;
  margin-right: 4px;
  background: #000;
}
.footer .sns {
  width: 200px;
  height: 100px;
  background: #000;
}
```

```
</style>
</head>
<body>
  <div class="wrap">
    <header></header>
    <div class="content">
      <div class="cont1"></div>
      <div class="cont2"></div>
      <div class="cont3">
         ul>
           cli class="sub1">
           cli class="sub2">
         </div>
    </div>
  </div>
  <footer class="footer">
    <div class="logo"></div>
    <div class="copy"></div>
    <div class="sns"></div>
  </footer>
</body>
</html>
```

5

소스코드

