

AI Navigator: Universal AI Learning & Operations Hub

Master Project Execution Plan, Technical Strategy & Interactive Prototype

1. Executive Summary & Vision Statement

AI Navigator is a social-impact digital education platform designed to democratize AI literacy across all lifecycles—from young children and university students to corporate supply chain managers and active retirees.

Core Philosophy

- **100% Free for Individual Learners:** Education should have zero paywalls, zero subscription hurdles, and zero barriers to entry for individuals, regardless of age or income.
- **Driven by Institutional Patronage:** Corporate organizations, manufacturing firms, logistics operators, and educational institutions sponsor the platform in exchange for custom organizational roadmaps, employee progress dashboards, and access to a verified talent pool.
- **Rooted in Real-World Operations:** Unlike abstract coding bootcamps, AI Navigator's curriculum is anchored in practical systems thinking—demonstrating how AI solves real operational friction in inventory, procurement, workflows, and daily life.

2. Founder Profile & Strategic Advantage


The platform's curriculum and corporate positioning are built upon **28+ years of operational leadership, computer science, and practical AI application:**

- **Founder Background:** B.Sc. Statistics & Computer Science (Kasetsart University), IT Project Manager (Y2K, WMS/SAP integrations across Asia), and Distribution Center Operations Director (Siam Makro, Linfox, DHL Exel).
- **Operational Track Record:**
 - Spearheaded Thailand's most advanced automated cold-chain DC: 25,000-pallet ASRS frozen warehouse + 18,000 m² fresh cross-dock.
 - Scaled Siam Makro ambient cross-dock DC throughput from 5M THB/month to 38M THB/month.
 - Coached a greenfield cold-chain DC startup in Khon Kaen serving 600 retail shops nationwide, expanding from 1,200 m² to 10,000 m² with ~2M THB profit in 18 months.
 - Architected enterprise application suites for Pattna Intercool (700M THB revenue): WMS shells linked to SAP eWM/MRP, stock counts, machine maintenance, and AI

procurement tools.

- Completed the **Generative AI Mastermind** certification, bridging enterprise operations with modern large language models (LLMs).

3. Four-Tier Learning Framework



Metric / Dimension | Tier 1: Young Explorers | Tier 2: Tech Pioneers | Tier 3: Productivity & Ops | Tier 4: Gentle Navigators |

Demographic | Kids & Early Teens (6–14) | Teens & College Students (15–22) | Office Workers, Logistics & Ops | Retirees, Gentle Pace & Low-Stress |

Weekly Pace | 1–2 hours / week | 4–6 hours / week | 2–3 hours / week | 1 hour / week (Flexible) |

Learning Style | Gamified, Scratch AI, Visuals | Hands-on Code, APIs, Portfolio | WMS/SAP Prompts, Excel Macros | Voice-First, Large UI, Stress-Free |

Primary Focus | Curiosity & Safe AI Use | LLM APIs, LangChain, Next.js | Workflow Automation & ROI | Voice Assistants, Hobbies & Scam Safety |

Starter Project | AI Storybook & Voice Chatbot | Full-Stack RAG Study Assistant | SAP Stock Reconciler Prompt | Family Memoir & Audio Assistant |

4. Phased Execution & Timeline

- Phase 1: Open Prototype & MVP (Weeks 1–6)
- Deploy static Next.js/Tailwind prototype on Vercel
 - Implement 4-tier interactive roadmaps & onboarding quiz

└─ Apply for Google/Microsoft EdTech grants & developer credits

Phase 2: Institutional Portals & Tracking (Weeks 7–14)

- └─ Integrate Supabase PostgreSQL DB & Row Level Security
- └─ Launch B2B Team Dashboards & SAP/WMS AI Blueprint Library
- └─ Initiate Corporate Patronage outreach (SMEs & Logistics Peers)

Phase 3: Scale, Marketplace & Certification (Weeks 15+)

- └─ Deploy dynamic LinkedIn-shareable micro-credentials
- └─ Launch Workflow & Prompt Template Marketplace
- └─ Onboard enterprise corporate patrons (\$5K–\$25K/yr packages)

5. Technical Architecture & Schema

Stack Specification

- **Frontend:** Next.js 14+ (App Router, TypeScript), Tailwind CSS, Lucide/Material Icons.
- **Backend & DB:** Supabase (PostgreSQL), Edge Functions, Auth (Google/Email).
- **AI Engine:** Vercel AI SDK, OpenAI / Anthropic / Google Gemini APIs.
- **Hosting:** Vercel (Edge CDN) + Cloudflare DNS.

Database Schema (PostgreSQL)

-- 1. USERS & PROFILES

```
CREATE TABLE profiles (  
  id UUID PRIMARY KEY REFERENCES auth.users(id) ON DELETE CASCADE,  
  full_name TEXT NOT NULL,  
  company_or_school TEXT,  
  preferred_tier INTEGER CHECK (preferred_tier BETWEEN 1 AND 4),  
  accessibility_mode BOOLEAN DEFAULT FALSE,  
  language_pref TEXT DEFAULT 'en',  
  created_at TIMESTAMP WITH TIME ZONE DEFAULT NOW()  
);
```

-- 2. INSTITUTIONAL PATRONS & SPONSORS

```
CREATE TABLE institutional_patrons (  
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
  company_name TEXT NOT NULL,  
  contact_email TEXT NOT NULL,  
  sponsorship_tier TEXT CHECK (sponsorship_tier IN ('community', 'bronze', 'silver',  
  'gold_patron')),  
  custom_roadmap_access BOOLEAN DEFAULT FALSE,
```

```

    created_at TIMESTAMP WITH TIME ZONE DEFAULT NOW()
);

-- 3. ROADMAP MODULES
CREATE TABLE modules (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  tier_id INTEGER NOT NULL CHECK (tier_id BETWEEN 1 AND 4),
  stage_number INTEGER NOT NULL,
  title TEXT NOT NULL,
  description TEXT NOT NULL,
  recommended_tools JSONB NOT NULL DEFAULT '[]'::jsonb
);

-- 4. USER PROGRESS
CREATE TABLE user_progress (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  user_id UUID REFERENCES profiles(id) ON DELETE CASCADE,
  module_id UUID REFERENCES modules(id) ON DELETE CASCADE,
  status TEXT CHECK (status IN ('not_started', 'in_progress', 'completed')) DEFAULT 'completed',
  completed_at TIMESTAMP WITH TIME ZONE DEFAULT NOW(),
  UNIQUE(user_id, module_id)
);

```

6. Institutional Patronage & Monetization Strategy

To keep the platform 100% free for individual learners, revenue is generated through B2B and institutional patronage:

1. **Corporate Upskilling Packages (\$2,500 – \$10,000/yr):**
 - Business patrons receive custom operational roadmaps tailored to their SAP eWM, WMS, or internal SOPs.
 - Access to employee progress dashboards tracking skill adoption across departments.
2. **Talent Pipeline Access (\$1,000 – \$5,000/yr):**
 - Logistics providers and tech employers gain access to verified project portfolios from Tier 2 (Tech Pioneers) graduates.
3. **CSR & Community Grant Sponsorships (\$5,000 – \$25,000/yr):**
 - Major technology firms sponsor Tier 1 (Kids) and Tier 4 (Seniors) digital literacy programs in exchange for official brand recognition as education patrons.

7. Standalone Web Mockup Source (index.html)

Below is the complete, single-file HTML/JS/CSS mockup ready to be hosted on Vercel, Netlify,

or GitHub Pages.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>AI Navigator - Learning Roadmaps & Operational Blueprints</title>

  <script src="https://cdn.tailwindcss.com"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Google+Sans:wght@400;500;700&family=Go
ogle+Sans+Code:wght@400;500&display=swap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

  <style>
    :root {
      --font-sans: 'Google Sans', -apple-system, sans-serif;
      --font-mono: 'Google Sans Code', monospace;
    }

    body {
      font-family: var(--font-sans);
      background-color: #0b0f19;
      color: #f3f4f6;
    }

    .mono {
      font-family: var(--font-mono);
    }

    .tier-card {
      transition: all 0.25s cubic-bezier(0.4, 0, 0.2, 1);
    }

    .tier-card:hover {
      transform: translateY(-3px);
    }

    .tier-card.active {
      border-color: #3b82f6;
      box-shadow: 0 0 20px rgba(59, 130, 246, 0.25);
      background-color: #1e293b;
```

```

}

::-webkit-scrollbar {
  width: 8px;
  height: 8px;
}
::-webkit-scrollbar-track {
  background: #0f172a;
}
::-webkit-scrollbar-thumb {
  background: #334155;
  border-radius: 4px;
}
::-webkit-scrollbar-thumb:hover {
  background: #475569;
}
</style>
</head>
<body class="min-h-screen flex flex-col justify-between selection:bg-blue-500
selection:text-white">

  <header class="border-b border-slate-800 bg-slate-900/80 backdrop-blur-md sticky top-0
z-50">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 h-16 flex items-center
justify-between">
      <div class="flex items-center gap-3">
        <div class="w-10 h-10 rounded-xl bg-gradient-to-tr from-blue-600 to-indigo-500 flex
items-center justify-center font-bold text-xl text-white shadow-lg shadow-blue-500/20">
          AI
        </div>
        <div>
          <h1 class="text-lg font-bold text-white leading-none">AI Navigator</h1>
          <p class="text-xs text-slate-400 mt-1">Free Lifetime Roadmaps for Every
Lifecycle</p>
        </div>
      </div>

      <div class="flex items-center gap-2">
        <button onclick="toggleLanguage()" id="lang-btn" class="px-3 py-1.5 rounded-lg
border border-slate-700 bg-slate-800 hover:bg-slate-700 text-xs font-medium
text-slate-300 transition flex items-center gap-1.5">
          <span class="material-icons text-sm">language</span>
          <span id="lang-text">TH / EN</span>

```

```

        </button>
        <button onclick="toggleFontSize()" class="px-3 py-1.5 rounded-lg border
border-slate-700 bg-slate-800 hover:bg-slate-700 text-xs font-medium text-slate-300
transition flex items-center gap-1.5">
            <span class="material-icons text-sm">format_size</span>
            <span class="hidden sm:inline">Text Size</span>
        </button>
        <button onclick="openPatronModal()" class="px-4 py-1.5 rounded-lg bg-gradient-to-r
from-blue-600 to-indigo-600 hover:from-blue-500 hover:to-indigo-500 text-xs
font-semibold text-white transition shadow-md shadow-blue-600/20 flex items-center
gap-1">
            <span class="material-icons text-sm">business</span>
            <span>Corporate Patronage</span>
        </button>
    </div>
</div>
</header>

```

```

<section class="bg-slate-900 border-b border-slate-800/80 py-3 px-4">
    <div class="max-w-7xl mx-auto flex flex-wrap items-center justify-between gap-3 text-xs
text-slate-400">
        <div class="flex items-center gap-2">
            <span class="w-2 h-2 rounded-full bg-emerald-400 animate-pulse"></span>
            <span class="font-medium text-slate-200">Architected by 28+ Year Supply Chain &
Computer Science Leader</span>
            <span class="hidden md:inline text-slate-600">|</span>
            <span class="hidden md:inline text-slate-400">Ex-Siam Makro ASRS Cold-Chain,
Linfox, DHL & Pattna Intercool</span>
        </div>
        <button onclick="openBlueprintModal()" class="text-blue-400 hover:text-blue-300
font-medium flex items-center gap-1 underline underline-offset-2">
            <span class="material-icons text-sm">precision_manufacturing</span>
            <span>View Industrial & WMS AI Blueprints</span>
        </button>
    </div>
</section>

```

```

<main class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8 flex-1 w-full">

```

```

    <div class="text-center max-w-3xl mx-auto mb-10">
        <h2 class="text-3xl sm:text-4xl font-extrabold text-white tracking-tight mb-3">
            Inclusive AI Roadmaps for Everyone
        </h2>

```

```
<p class="text-slate-400 text-sm sm:text-base">
```

From 6-year-old curious minds to corporate supply chain teams and active retirees—select your tier to explore your personalized, zero-cost AI learning path.

```
</p>
```

```
</div>
```

```
<div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4 mb-8">
```

```
<div onclick="selectTier(1)" id="tier-card-1" class="tier-card active cursor-pointer p-5 rounded-2xl border border-slate-800 bg-slate-900/60 flex flex-col justify-between">
```

```
<div>
```

```
<div class="flex items-center justify-between mb-3">
```

```
<span class="text-xs font-semibold uppercase tracking-wider px-2.5 py-1 rounded-full bg-emerald-500/10 text-emerald-400 border border-emerald-500/20">Tier 1</span>
```

```
<span class="material-icons text-emerald-400 text-xl">child_care</span>
```

```
</div>
```

```
<h3 class="text-lg font-bold text-white mb-1">Young Explorers</h3>
```

```
<p class="text-xs text-slate-400 leading-relaxed mb-4">Ages 6–14. Playful games, Scratch AI, digital storytelling, and safe experimentation.</p>
```

```
</div>
```

```
<div class="text-[11px] text-slate-500 font-medium border-t border-slate-800 pt-3">
```

```
Pace: 1–2 hrs/week • Gamified
```

```
</div>
```

```
</div>
```

```
<div onclick="selectTier(2)" id="tier-card-2" class="tier-card cursor-pointer p-5 rounded-2xl border border-slate-800 bg-slate-900/60 flex flex-col justify-between">
```

```
<div>
```

```
<div class="flex items-center justify-between mb-3">
```

```
<span class="text-xs font-semibold uppercase tracking-wider px-2.5 py-1 rounded-full bg-blue-500/10 text-blue-400 border border-blue-500/20">Tier 2</span>
```

```
<span class="material-icons text-blue-400 text-xl">code</span>
```

```
</div>
```

```
<h3 class="text-lg font-bold text-white mb-1">Tech Pioneers</h3>
```

```
<p class="text-xs text-slate-400 leading-relaxed mb-4">Ages 15–22. Python logic, LLM APIs, LangChain, and GitHub portfolio apps.</p>
```

```
</div>
```

```
<div class="text-[11px] text-slate-500 font-medium border-t border-slate-800 pt-3">
```

```
Pace: 4–6 hrs/week • Hands-on Code
```

```
</div>
```

```
</div>
```

```
<div onclick="selectTier(3)" id="tier-card-3" class="tier-card cursor-pointer p-5
```



```

rounded-2xl border border-slate-800 bg-slate-900/60 flex flex-col justify-between">
  <div>
    <div class="flex items-center justify-between mb-3">
      <span class="text-xs font-semibold uppercase tracking-wider px-2.5 py-1
rounded-full bg-amber-500/10 text-amber-400 border border-amber-500/20">Tier 3</span>
      <span class="material-icons text-amber-400
text-xl">precision_manufacturing</span>
    </div>
    <h3 class="text-lg font-bold text-white mb-1">Productivity & Ops</h3>
    <p class="text-xs text-slate-400 leading-relaxed mb-4">Office Workers & Ops
Teams. WMS/SAP prompt recipes, Excel macros, and workflow automation.</p>
  </div>
  <div class="text-[11px] text-slate-500 font-medium border-t border-slate-800 pt-3">
    Pace: 2–3 hrs/week • Workplace ROI
  </div>
</div>

```

```

<div onclick="selectTier(4)" id="tier-card-4" class="tier-card cursor-pointer p-5
rounded-2xl border border-slate-800 bg-slate-900/60 flex flex-col justify-between">
  <div>
    <div class="flex items-center justify-between mb-3">
      <span class="text-xs font-semibold uppercase tracking-wider px-2.5 py-1
rounded-full bg-purple-500/10 text-purple-400 border border-purple-500/20">Tier 4</span>
      <span class="material-icons text-purple-400 text-xl">nature_people</span>
    </div>
    <h3 class="text-lg font-bold text-white mb-1">Gentle Navigators</h3>
    <p class="text-xs text-slate-400 leading-relaxed mb-4">Seniors & Gentle Pace.
Hands-free voice AI, family history, and online scam protection.</p>
  </div>
  <div class="text-[11px] text-slate-500 font-medium border-t border-slate-800 pt-3">
    Pace: 1 hr/week • Voice & Stress-Free
  </div>
</div>
</div>

```

```

<div class="bg-slate-900 border border-slate-800 rounded-3xl p-6 sm:p-8 relative
overflow-hidden shadow-2xl">
  <div id="roadmap-header-container" class="flex flex-col md:flex-row md:items-center
justify-between border-b border-slate-800 pb-6 mb-8 gap-4">
    </div>

```

```

  <div id="roadmap-stages-container" class="space-y-6 relative before:absolute
before:inset-0 before:left-3 sm:before:left-4 before:w-0.5 before:bg-slate-800 before:z-0">

```

```

    </div>
  </div>
</main>

<div id="blueprint-modal" class="fixed inset-0 bg-black/80 backdrop-blur-sm z-50 hidden
flex items-center justify-center p-4">
  <div class="bg-slate-900 border border-slate-800 rounded-3xl max-w-3xl w-full
max-h-[85vh] overflow-hidden flex flex-col shadow-2xl">
    <div class="p-6 border-b border-slate-800 flex items-center justify-between
bg-slate-950">
      <div class="flex items-center gap-3">
        <div class="p-2 rounded-xl bg-blue-500/10 text-blue-400 border
border-blue-500/20">
          <span class="material-icons text-xl">precision_manufacturing</span>
        </div>
      </div>
      <h3 class="text-lg font-bold text-white">Supply Chain & Operations AI
Blueprints</h3>
      <p class="text-xs text-slate-400">Real-world operational prompts inspired by 28+
years of enterprise DC management.</p>
    </div>
    </div>
    <button onclick="closeBlueprintModal()" class="text-slate-400 hover:text-white
transition">
      <span class="material-icons">close</span>
    </button>
  </div>

  <div class="p-6 overflow-y-auto space-y-4 text-sm">
    <div class="bg-slate-950 p-4 rounded-2xl border border-slate-800">
      <div class="flex items-center justify-between mb-2">
        <span class="font-bold text-blue-400">1. SAP eWM & Stock-Take Variance
Analysis</span>
        <span class="text-[10px] font-mono bg-blue-500/10 text-blue-300 px-2 py-0.5
rounded">Prompt Template</span>
      </div>
      <p class="text-xs text-slate-400 mb-3">Reconcile physical stock-take sheets against
SAP eWM bin records and identify discrepancy causes.</p>
      <div class="bg-slate-900 p-3 rounded-xl font-mono text-xs text-slate-300 border
border-slate-800">
        "Act as a Senior Warehouse Ops Analyst. Compare Dataset A (SAP eWM Bin
Records) against Dataset B (Physical Stock Counts). Highlight top 5 variance SKUs, calculate
financial impact in THB, and categorize root causes into 'Stage Mismatch', 'UOM Error', or

```

'Unrecorded Movement'."

</div>

</div>

<div class="bg-slate-950 p-4 rounded-2xl border border-slate-800">

<div class="flex items-center justify-between mb-2">

2. Cold-Chain & ASRS Predictive Maintenance

Vision AI Workflow

</div>

<p class="text-xs text-slate-400 mb-3">Convert technician photos of freezer equipment or ASRS crane fault codes into structured maintenance logs.</p>

<div class="bg-slate-900 p-3 rounded-xl font-mono text-xs text-slate-300 border border-slate-800">

"Analyze this image of the freezer compressor control panel. Extract fault code numbers, match with the troubleshooting matrix, and draft a 1-page work order including safety precautions for -25°C environments."

</div>

</div>

</div>

<div class="p-4 border-t border-slate-800 bg-slate-950 flex justify-end">

<button onclick="closeBlueprintModal()" class="px-4 py-2 bg-slate-800 hover:bg-slate-700 text-xs font-semibold text-white rounded-xl transition">

Close Blueprints

</button>

</div>

</div>

</div>

<div id="patron-modal" class="fixed inset-0 bg-black/80 backdrop-blur-sm z-50 hidden flex items-center justify-center p-4">

<div class="bg-slate-900 border border-slate-800 rounded-3xl max-w-lg w-full p-6 shadow-2xl relative">

<button onclick="closePatronModal()" class="absolute top-5 right-5 text-slate-400 hover:text-white transition">

close

</button>

<div class="text-center mb-6">

<div class="w-12 h-12 rounded-2xl bg-gradient-to-tr from-blue-600 to-indigo-600 flex items-center justify-center mx-auto mb-3 shadow-lg shadow-blue-500/20">

```

        <span class="material-icons text-white text-2xl">business</span>
    </div>
    <h3 class="text-xl font-bold text-white">Become an Institutional Patron</h3>
    <p class="text-xs text-slate-400 mt-1">Keep AI education 100% free for community
    learners while upskilling your enterprise workforce.</p>
    </div>

    <form onsubmit="handlePatronSubmit(event)" class="space-y-3">
        <input type="text" placeholder="Company / Organization Name" required class="w-full
    px-3 py-2.5 rounded-xl bg-slate-950 border border-slate-800 text-xs text-white
    focus:outline-none focus:border-blue-500 transition">
        <input type="email" placeholder="Work Email Address" required class="w-full px-3
    py-2.5 rounded-xl bg-slate-950 border border-slate-800 text-xs text-white focus:outline-none
    focus:border-blue-500 transition">
        <button type="submit" class="w-full py-3 bg-gradient-to-r from-blue-600
    to-indigo-600 hover:from-blue-500 hover:to-indigo-500 text-xs font-bold text-white
    rounded-xl transition shadow-lg shadow-blue-600/25">
            Request Corporate Patronage Deck
        </button>
    </form>
</div>
</div>

<footer class="border-t border-slate-800 bg-slate-950 py-6 px-4 text-center text-xs
text-slate-500">
    <p>© 2026 AI Navigator Platform. Designed for universal digital literacy & operational
    excellence.</p>
</footer>

<script>
    const roadmaps = {
        1: {
            title: "Tier 1: Young Explorers Roadmap",
            target: "Kids & Early Teens (Ages 6–14)",
            pace: "1–2 hours / week",
            style: "Gamified, Visual & Play-Based",
            stages: [
                { title: "Stage 1: AI Magic & Storytelling", desc: "Discover how computers learn through
    interactive games. Use Scratch AI blocks and image tools to create digital storybooks.", tools:
    ["Scratch AI", "Teachable Machine", "DALL-E Mini"] },
                { title: "Stage 2: Training Your First AI Model", desc: "Train a simple image or sound
    recognition model using webcam pictures of pets, drawings, or gestures.", tools: ["Google
    Teachable Machine", "Micro:bit"] },
            ]
        }
    }

```

```

    { title: "Stage 3: Building a Friendly Chatbot", desc: "Design a virtual companion that
answers quiz questions about hobbies using simple drag-and-drop block coding.", tools: ["MIT
App Inventor", "Dialogflow"]}
  ],
  2: {
    title: "Tier 2: Tech Pioneers Roadmap",
    target: "Teens & College Students (Ages 15–22)",
    pace: "4–6 hours / week",
    style: "Hands-on Coding, APIs & Portfolio",
    stages: [
      { title: "Stage 1: Python Fundamentals & Prompting", desc: "Master basic Python logic,
structured prompting techniques, and using AI coding assistants effectively.", tools: ["Python",
"VS Code", "GitHub Copilot", "Claude"] },
      { title: "Stage 2: API Integration & LLM Apps", desc: "Connect OpenAI/Gemini APIs to
Python backends. Build dynamic web apps and simple document-reading models.", tools:
["OpenAI API", "LangChain", "Streamlit", "FastAPI"] },
      { title: "Stage 3: Full-Stack AI Portfolio Project", desc: "Deploy a complete SaaS
prototype with database storage, vector search, and user authentication.", tools: ["Next.js",
"Supabase", "Pinecone", "Vercel"] }
    ],
  },
  3: {
    title: "Tier 3: Productivity & Operations Roadmap",
    target: "Office Workers, Logistics & Operations Teams",
    pace: "2–3 hours / week",
    style: "WMS/SAP Prompts, Excel Macros & Automation",
    stages: [
      { title: "Stage 1: Enterprise Prompt Engineering", desc: "Master system prompts for
SAP data cleanup, email drafting, report summarization, and inventory variance detection.",
tools: ["ChatGPT Plus", "Claude Pro", "Microsoft 365 Copilot"] },
      { title: "Stage 2: No-Code Automation & WMS Workflows", desc: "Build automated
pipelines connecting spreadsheets, inventory logs, and repair tickets with AI logic.", tools:
["Zapier", "Make.com", "Custom GPTs"] },
      { title: "Stage 3: Operational AI & Predictive Maintenance", desc: "Analyze floor
datasets, automate reorder requisitions, and enforce strict data safety compliance.", tools:
["Advanced Data Analysis", "Power BI", "Notion AI"] }
    ],
  },
  4: {
    title: "Tier 4: Gentle Navigators Roadmap",
    target: "Retirees, Senior Citizens & Gentle Pace Learners",
    pace: "1 hour / week (Flexible)",

```

```

    style: "Voice-First, Low Stress & Practical Safety",
    stages: [
      { title: "Stage 1: Voice AI & Everyday Companion", desc: "Learn to converse naturally with voice AI for daily reminders, health tips, recipe planning, and travel ideas.", tools: ["ChatGPT Voice", "Google Assistant", "Tablet / Smartphone"] },
      { title: "Stage 2: AI for Family Hobbies & Memoirs", desc: "Use AI to help write life stories, organize family recipe collections, or generate artwork for greeting cards.", tools: ["Midjourney", "Bing Image Creator", "Voice Recorders"] },
      { title: "Stage 3: Digital Safety & Deepfake Protection", desc: "Recognize AI voice scams, fake email notifications, and online misinformation to browse safely.", tools: ["Safety Checklists", "Fact-Checking Tools"] }
    ]
  }
};

```

```

let currentTier = 1;
let isLargeFont = false;

```

```

function selectTier(tierId) {
  currentTier = tierId;
  document.querySelectorAll('.tier-card').forEach((card, idx) => {
    if (idx + 1 === tierId) card.classList.add('active');
    else card.classList.remove('active');
  });
  renderRoadmap();
}

```

```

function renderRoadmap() {
  const data = roadmaps[currentTier];
  document.getElementById('roadmap-header-container').innerHTML = `
    <div>
      <h3 class="text-2xl font-bold text-white">${data.title}</h3>
      <p class="text-xs text-slate-400 mt-1">Tailored Profile: <strong
class="text-slate-200">${data.target}</strong></p>
    </div>
    <div class="flex flex-wrap items-center gap-3 text-xs">
      <span class="px-3 py-1.5 rounded-xl bg-slate-800 text-slate-300 border
border-slate-700 font-medium">Pace: <strong
class="text-white">${data.pace}</strong></span>
      <span class="px-3 py-1.5 rounded-xl bg-slate-800 text-slate-300 border
border-slate-700 font-medium">Style: <strong
class="text-white">${data.style}</strong></span>
    </div>
  `
}

```

```

`;

const stagesContainer = document.getElementById('roadmap-stages-container');
stagesContainer.innerHTML = "";

data.stages.forEach((stage, idx) => {
  const stageEl = document.createElement('div');
  stageEl.className = 'relative z-10 pl-8 sm:pl-10';
  stageEl.innerHTML = `
    <div class="absolute left-0 top-1.5 w-6 sm:w-8 h-6 sm:h-8 rounded-full
bg-slate-900 border-2 border-blue-500 text-blue-400 font-mono text-xs font-bold flex
items-center justify-center shadow-md shadow-blue-500/20">
      ${idx + 1}
    </div>
    <div class="bg-slate-950/80 p-5 rounded-2xl border border-slate-800
hover:border-slate-700 transition">
      <h4 class="text-base font-bold text-white mb-1.5">${stage.title}</h4>
      <p class="text-xs sm:text-sm text-slate-400 leading-relaxed
mb-4">${stage.desc}</p>
      <div class="flex flex-wrap gap-1.5">
        ${stage.tools.map(tool => `<span class="px-2.5 py-1 rounded-lg bg-slate-900
border border-slate-800 text-[11px] font-mono text-slate-300">${tool}</span>`).join("")}
      </div>
    </div>
  `;
  stagesContainer.appendChild(stageEl);
});
}

function openBlueprintModal() {
document.getElementById('blueprint-modal').classList.remove('hidden'); }
function closeBlueprintModal() {
document.getElementById('blueprint-modal').classList.add('hidden'); }
function openPatronModal() {
document.getElementById('patron-modal').classList.remove('hidden'); }
function closePatronModal() {
document.getElementById('patron-modal').classList.add('hidden'); }
function handlePatronSubmit(e) { e.preventDefault(); alert("Thank you! Our institutional
patronage team will send the sponsorship & enterprise deck to your email.");
closePatronModal(); }
function toggleFontSize() { isLargeFont = !isLargeFont;
document.documentElement.style.fontSize = isLargeFont ? '18px' : '16px'; }
function toggleLanguage() { alert("Language toggled: Thai / English support enabled."); }

```

```
renderRoadmap();  
</script>  
</body>  
</html>
```

8. Summary & Immediate Next Action

You now have a complete, cohesive plan that aligns your **28+ years of supply chain expertise** with a **100% free community educational mission funded by B2B corporate patronage**.

Suggested First Action

1. Save project_plan.md into your local workspace.
2. Extract the HTML snippet from Section 7 or open your generated index.html artifact in your browser.
3. Deploy index.html directly to **Vercel** or **GitHub Pages** (free hosting) to serve as your live interactive prototype when speaking to institutional patrons and partners.