Practical 11

```
Sudo mysql
Create database banking;
Use banking;

CREATE TABLE Branch (
    branch_name VARCHAR(50) PRIMARY KEY,
    branch_city VARCHAR(50) NOT NULL,
    assets DECIMAL(15,2) NOT NULL
);

CREATE TABLE Customer (
    cust_name VARCHAR(50) PRIMARY KEY,
    cust_street VARCHAR(100),
    cust_city VARCHAR(50) NOT NULL
);

CREATE TABLE Account (
    Acc_no INT PRIMARY KEY,
    branch_name VARCHAR(50) NOT NULL,
    balance DECIMAL(12,2) NOT NULL,
    FOREIGN KEY (branch_name) REFERENCES Branch(branch_name)
);
CREATE TABLE Depositor (
    cust_name VARCHAR(50),
    acc_no INT,
    PRIMARY KEY (cust_name, acc_no),
    FOREIGN KEY (cust_name) REFERENCES Customer(cust_name),
    FOREIGN KEY (acc_no) REFERENCES Account(Acc_no)
);

CREATE TABLE Loan (
    loan_no INT PRIMARY KEY,
    branch_name VARCHAR(50) NOT NULL,
```

```
    amount DECIMAL(12,2) NOT NULL,
    FOREIGN KEY (branch_name) REFERENCES Branch(branch_name)
);

CREATE TABLE Borrower (
    cust_name VARCHAR(50),
    loan_no INT,
    PRIMARY KEY (cust_name, loan_no),
    FOREIGN KEY (cust_name) REFERENCES Customer(cust_name),
    FOREIGN KEY (loan_no) REFERENCES Loan(loan_no)
);

INSERT INTO Branch VALUES
('Akurdi', 'Pune', 9000000),
('Chinchwad', 'Pune', 12000000),
('Nigdi', 'Pune', 7500000),
('Mumbai Central', 'Mumbai', 20000000),
('Nashik Road', 'Nashik', 10000000);

INSERT INTO Customer VALUES
('Aarav', 'FC Road', 'Pune'),
('Karan', 'MG Road', 'Pune'),
('Neha', 'Station Road', 'Mumbai'),
('Priya', 'College Road', 'Nashik'),
('Rahul', 'JM Road', 'Pune'),
('Sneha', 'Park Street', 'Mumbai'),
('Vikram', 'Main Road', 'Pune'),
('Pooja', 'Market Road', 'Nashik');

INSERT INTO Account VALUES
(1001, 'Chinchwad', 25000),
(1002, 'Akurdi', 40000),
(1003, 'Chinchwad', 35000),
(1004, 'Nigdi', 50000),
(1005, 'Mumbai Central', 80000),
```

```
(1006, 'Akurdi', 30000),
(1007, 'Nashik Road', 45000),
(1008, 'Chinchwad', 60000);

INSERT INTO Depositor VALUES
('Aarav', 1001),
('Karan', 1002),
('Neha', 1005),
('Priya', 1007),
('Rahul', 1003),
('Sneha', 1005),
('Vikram', 1004),
('Pooja', 1008),
('Aarav', 1002),
('Rahul', 1006);

INSERT INTO Loan VALUES
(501, 'Akurdi', 600000),
(502, 'Chinchwad', 450000),
(503, 'Nigdi', 700000),
(504, 'Akurdi', 800000),
(505, 'Mumbai Central', 400000),
(506, 'Chinchwad', 650000),
(507, 'Nashik Road', 550000),
(508, 'Nigdi', 300000);

INSERT INTO Borrower VALUES
('Aarav', 501),
('Karan', 502),
('Neha', 505),
('Priya', 507),
('Rahul', 504),
('Sneha', 506),
('Vikram', 503),
('Pooja', 508);
```

1. alter table Branch rename column assets to Property;
2. select loan_no from Loan where branch_name='Akurdi' and amount>12000;
3. select branch_name ,avg(balance) as avg_balance from Account group by branch_name;
4. select branch_name,avg(balance) as avg_balance from Account group by branch_name having avg(balance)>12000;
5. SELECT COUNT(*) AS total_customers FROM Customer;
6. select sum(amount) as total_amount from Loan;
7. delete from Loan where amount between 1300 and 1500;
8. select cust_name from Customer where cust_name is null;
9. SELECT branch_name FROM Branch WHERE branch_city IS NOT NULL;
10. select cust_name from Customer where cust_name like 'A%';