

[START HERE](#) • Agency setup guide

Connect Meta leads to the CRM

A practical guide to account access, Meta Developers, automatic lead capture and WhatsApp setup.

Customer submits
Meta Instant Form



Meta notifies
CRM backend



CRM retrieves
Customer enquiry

This guide is for the social media agency, the client's Meta administrator and the CRM developer. It explains what each person needs to provide, where to find it, and how to complete the connection together.

Use the guide in this order

Pages	Task	Who leads
2–3	Gather accounts, forms and access	Agency + client administrator
4–5	Create the app and authorize lead access	Administrator + developer
6–8	Configure the backend, webhooks and CRM forms	Developer
9–10	Test, resolve issues and approve launch	All three
11–12	Set up WhatsApp and agree the live workflow	Number owner + developer
13–14	Complete the handover and reference checks	Agency + administrator

What this connection covers

Facebook and Instagram **Instant Form** submissions. Website enquiries, Messenger/Instagram messages and click-to-WhatsApp chats need their own integrations. Show the developer one active ad for each enquiry source you use.

About the screenshots

Two authentic Facebook setup screenshots appear on pages 4 and 9. They come from Meta's published developer guide from 2022. They illustrate the relevant controls; they are **archival reference screens**, not captures of the client's account or a guarantee of the current interface.

Meta changes menu labels and onboarding flows. Use the named function if your menu differs. Current account permissions, app-review requirements and available onboarding options must be checked in the logged-in dashboard.

Sajad Hussain

SWE, Nippon Toyota

16 September 2026 • Version 1.0

01 / PREPARATION • Agency + client administrator

Have these ready before starting

The most useful starting point is a setup call with the person who controls the client's Meta assets.

Item	What to prepare
Meta login	Your own Facebook account with access to the client's assets. Complete developer registration and two-factor authentication if prompted.
Business Portfolio	Client's business name, numeric portfolio ID and the administrator who can assign assets. Identify any assets owned by the agency instead.
Facebook Page	Page name, URL and Page ID for each branch or business generating enquiries.
Advertising account	Ad account name/ID and the campaigns using the selected forms. Access to campaign information may require additional permissions.
Instant Forms	Names and IDs where visible, the owning Page, questions, answer choices and a form preview. Remove real customer data from shared examples.
Business website	The real website and published privacy-policy URL. The developer will confirm any app-domain or data-deletion requirements.
CRM deployment	Developer confirms the CRM login URL, backend API URL and that the intake worker and scheduler are available.
WhatsApp, if included	Business number, its owner, current phone app/provider, account IDs where available, billing contact and approved templates.

Agree responsibilities

Person	Responsibility
Agency	Identify campaigns/forms, explain field meanings and notify us when forms change.
Client administrator	Approve asset access, confirm ownership, complete verification and billing steps.
Sajad / CRM developer	Configure tokens, backend settings, webhook subscriptions, mapping and tests.

Access invitation, not password sharing

Invite the developer's confirmed email or business partner account. Keep the business's ownership and recovery access with the client. Transfer API tokens and app secrets through an agreed secure channel.

Suggested call preparation: laptop, access to Business Settings and Meta Developers, one published form, and a person available to verify the WhatsApp number if that setup is included.

02 / BUSINESS SETTINGS • Client administrator

Give access to the correct assets

Open business.facebook.com/settings → select the client's business

1. **Confirm the business.** Open **Business info / Business portfolio info**. Record its name and ID. Check the business selector before making changes.
2. **Find the Page.** Open **Accounts → Pages**, select the client's Page and record its ID. Repeat for additional branch Pages.
3. **Find the ad account.** Open **Accounts → Ad accounts**. Record the account associated with the relevant lead campaigns.
4. **Invite the integration contact.** Under **Users → People**, choose the invite option and use the developer's confirmed email. Assign the relevant assets and tasks. If granting access to another business, use **Partners** and that business's ID.
5. **Check leads access.** Look for **Integrations → Leads access**. Select the Page. If the business uses customized leads access, assign the appropriate people/partner and CRM app when it is available.
6. **Confirm acceptance.** The developer accepts the invitation and checks that the intended Page and its lead data are accessible. App-dashboard access may also need a separate app-role or business-asset assignment.

If a menu is missing

Some accounts show **Settings → More business settings**. A missing Page, System users or Leads access option can indicate that you selected the wrong portfolio or lack the required administrator permissions. Ask the asset owner to complete that step.

Record the result

Detail	Response
Business Portfolio name / ID	
Page name / ID / owner	
Ad account name / ID / owner	
Invitation email or partner Business ID	
Administrator handling missing access	

Checkpoint: the developer can identify the selected Page and confirm permission to retrieve its leads. Managing ads or viewing the Page alone does not complete the leads-access check.

Create or select the integration app

Meta for Developers → My Apps → Create App

1. **Check for an existing app first.** Reuse a suitable client-owned app only after checking its purpose and existing integrations.
2. **Choose the business/Marketing API route.** In a use-case flow, look for the option related to managing ads or lead data. In an older app-type flow, select **Business**. Menu wording varies; the developer should confirm that the app exposes lead-retrieval and Page-webhook capabilities.
3. **Name the app.** Use **Nippon Toyota CRM** or the client's approved name. Enter a monitored work email and select the correct Business Portfolio when requested.
4. **Open App settings → Basic.** Record the **App ID**. The developer securely obtains the **App Secret**. Add the real privacy-policy and data-deletion information where requested. Use only the actual CRM/website domains.


What success looks like

The app appears in My Apps, the correct owner/business is associated with it, and the developer has access to its configuration.

The developer can now configure the lead permissions and Page webhook.

If the business is not listed

Return to page 3 and have the administrator resolve access. Avoid choosing an unrelated portfolio just to get through the form.



Reference screenshot: Business app-type selection. Meta developer guide, 2022, p. 12 [1]. Modern accounts may start with use cases instead.

If Meta asks for an App Domain, enter the hostname only, without a path. A webhook callback is configured separately and uses the complete HTTPS URL on page 7.

04 / PERMISSIONS & TOKENS • Developer, with the administrator present

Authorize access to the Page's leads

An access token is a credential that lets the backend read data for the assets it is authorized to access.

A. Enable the needed app permissions

Open the relevant use case's **Customize** screen, or **App Review → Permissions and Features**. The developer checks the permissions needed for the chosen authorization flow.

Permission	Why the developer checks it
leads_retrieval	Retrieve answers submitted through lead forms.
pages_manage_metadata	Manage the app's Page webhook subscription.
pages_show_list	Identify Pages available to the authorizing account.
Supporting Page / ad permissions	Check the dependencies Meta lists, including Page engagement/ad permissions and advertising access where required for form or campaign reads.

B. Obtain a token for initial testing

1. Open **Graph API Explorer**. Select the newly configured app in the **Meta App** selector and choose a currently supported Graph API version.
2. Use the token menu to authorize the account with the required permissions. The account must have access to the intended Page and its leads. Complete the asset-selection prompts.
3. Obtain the appropriate **Page access token**. If the token menu does not offer it directly, the developer can use the authorized user token to request GET `/me/accounts?fields=id,name,access_token` and select the matching Page entry.
4. Test the Page token with a Page/form read. Use Meta's **Access Token Debugger** to check app, type, permissions and expiry. Do not share a screenshot containing the token.

C. Prepare production credentials

Before launch, the developer replaces temporary test credentials with a supported production arrangement: an appropriately authorized system-user flow or long-lived Page-token flow. For a system user, the administrator opens **Business Settings → Users → System users**, assigns the relevant app/assets, and generates the token with the required permissions.

Token lifetime is not a reliability guarantee

Record who owns the credential and who replaces it. Permission removal, business changes or revocation can stop access even when a token has no scheduled expiry. The agency should notify the developer before changing asset access.

App Review / Advanced Access may be required, especially when accessing assets owned by another business. Complete the requirements shown for the actual app and ownership arrangement before accepting live leads.

05 / CRM BACKEND • Developer only

Prepare the receiving CRM service

Complete this page before clicking “Verify and save” in Meta. The agency supplies access; the developer configures the CRM hosting environment.

The integration code defines this lead webhook path:

```
https://YOUR-BACKEND-DOMAIN/api/integrations/meta/webhook/
```

Replace YOUR-BACKEND-DOMAIN with the deployed API hostname. The CRM's browser/login URL may be a different domain. The endpoint must be publicly reachable over HTTPS.

Backend setting	What to configure
META_APP_SECRET	App Secret from the app that sends the webhook; used to verify incoming signatures.
META_VERIFY_TOKEN	A strong random value generated by the developer. Enter the identical value in Meta's webhook Verify token field.
META_GRAPH_VERSION	Explicitly set a currently supported version confirmed in the app dashboard. Do not copy an old version from screenshots.
INTAKE_SECRETS_JSON	Store the authorized access token under a stable reference, for example main-meta.
INTAKE_ENABLED	Keep false during preparation. Set true when the selected connection/forms and background services are ready for testing.
Worker / scheduler settings	Configure the shared Redis connection and environment, stable intake fingerprint key and CELERY_TASK_ALWAYS_EAGER=false in production.

Example structure only; replace the placeholder securely and preserve other existing entries:

```
{"main-meta":{"access_token":"REPLACE_SECURELY"}}
```

1. Deploy the intake code and apply migrations. Confirm that the web service, worker and scheduler use the same required configuration.
2. Confirm webhook verification works with the configured verify token. The GET verification handshake and the processing of POST lead events are separate checks.
3. Confirm background-service health in CRM Lead Intake. The existing deployment blueprint includes a web service, queue, worker and scheduler; the operator must verify their live deployment and costs.

Three different values

App Secret: Meta-issued secret for the app. **Access token:** authorization to read leads. **Verify token:** developer-generated value for webhook verification. They are not interchangeable.

06 / WEBHOOKS • Developer + administrator

Connect Meta notifications to the CRM

Meta app dashboard → Webhooks → Page

1. Open **Webhooks** in the app dashboard. If it is not available, add or configure the relevant product/use case that exposes Page webhooks.
2. Select the **Page** object and open its subscription/configuration dialog.
3. Enter the backend callback URL from page 6 and the identical verify-token value configured on the server.
4. Click **Verify and save**. A verification error must be resolved before continuing.
5. Find **leadgen** in the Page field list and subscribe to it.

Meta field	Value for this CRM
Object	Page
Callback URL	https://YOUR-BACKEND-DOMAIN/api/integrations/meta/webhook/
Verify token	The exact value stored as META_VERIFY_TOKEN
Subscribed field	leadgen

Also connect the actual Facebook Page

The app-level webhook defines where events go. The developer must also subscribe each intended Page to the app. In Graph API Explorer, select the app, supported API version and the authorized **Page token**.

1. Select **POST** and enter the following request, replacing PAGE_ID with the client's numeric Page ID:
2. Click **Submit** and inspect the response. A successful subscription should return a success result.
3. Switch to **GET** and inspect the Page's subscriptions to confirm this app and the leadgen field.

```
POST /PAGE_ID/subscribed_apps?subscribed_fields=leadgen
GET  /PAGE_ID/subscribed_apps
```

Repeat for every Page included in the integration. Recheck Business Settings → Leads access if the app or authorizing person cannot retrieve leads.

Verification is only one checkpoint

“Verify and save” confirms the callback handshake. It does not prove that the Page is subscribed, that the access token can retrieve answers, or that the CRM has enabled the form.

The Page subscription operation is documented in Meta's maintained Page SDK [2]. A Pixel or Conversions API connection serves a different purpose and is not required just to receive these lead-form enquiries.

07 / CRM CONFIGURATION • Developer, with agency input

Choose forms and map their answers

CRM administrator login → Lead Intake → Connections / Field mappings

A. Identify the selected forms

The agency opens **Business Suite** → **All tools** → **Instant forms** and provides the selected names and owning Page. If a Form ID is not visible, the developer can retrieve it using the authorized Page access:

```
GET /PAGE_ID/leadgen_forms?fields=id,name,status
```

B. Add a disabled connection

CRM field	Example / instruction
Name	Client Meta Leads
Origin	META
Source	Select the agreed source from Admin Lists; add it there first if missing.
Secret reference	main-meta, matching the key in INTAKE_SECRETS_JSON.
Activation time	Agreed starting time for this connection. Choose carefully; identifiers and activation times cannot be edited later.

C. Add each selected form

Choose the connection. Enter a recognizable name, the Meta Form ID as **external id**, its **page id**, and the activation time. Page ID is required for Meta even if the shared form screen does not mark it with an asterisk. Create the form disabled.

D. Save and preview its mapping

Example form answer	CRM destination
full_name / Customer name	name
phone_number / Mobile number	phone
Email / interested model / city	email / model_interest / city
Branch / campaign-specific values	Map supplied answers or set agreed defaults and value aliases.

Open **Field mappings**, select the form, configure the exact answer labels and save a version. Preview a safe sample. Name and a valid Indian phone number are required for intake; populated model/branch values must match CRM lists.

Enable only after mapping is ready

The developer enables the intake service, connection and selected form for testing. New or duplicated Meta forms have their own IDs and must be added explicitly. Historical imports need a separate agreed plan.

Form listing and the form's leads edge are exposed by Meta's maintained SDK [2, 3].

Submit a test lead and follow it through

developers.facebook.com/tools/lead-ads-testing/

1. Select the **client's Page** and one of the configured **forms**. Confirm that its IDs match the CRM configuration.
2. If the tool says a test lead already exists, remove that test entry using **Delete lead** before creating another. This is the tool's test entry, not a request to delete CRM customer records.
3. Create a test lead. Where a form preview is available, enter a valid test name and phone number. Default dummy answers may fail the CRM's phone validation.
4. Open **CRM → Lead Intake → Receipts**. Confirm receipt arrival, then inspect its state and the mapped details. Valid new enquiries should appear in the unassigned lead pool under healthy processing conditions.
5. If the receipt is **NEEDS_REVIEW**, check the phone format, required answers, choice values and duplicate matches. Correct/reprocess or resolve the duplicate through the review controls.

Reference screenshot: Meta Lead Ads Testing Tool, extracted from Meta's developer guide, 2022, p. 16 [1]. The view shows the relevant upper portion of the published screen; current styling may differ. IDs shown belong to the source's example.

Acceptance checks

- ☐ Name and phone arrive correctly. ☐ Model, city, branch and campaign are correct.
- ☐ No unintended extra lead appears when the same event is retried.
- ☐ Duplicate or incomplete enquiries enter the review workflow.
- ☐ Test each selected Page/form and confirm who assigns new leads to sales staff.

A webhook test is not a complete lead test

Meta's generic webhook sample can contain unconfigured IDs. Use the selected real form and verify that the CRM retrieves its actual test answers, not only that the callback receives an event.

Record the Page, Form ID, lead/test ID, submission time and CRM receipt/lead ID. Share these identifiers for troubleshooting; omit tokens and unnecessary customer information.

09 / LAUNCH & TROUBLESHOOTING • Developer + client administrator

Complete checks before going live

Confirm production access

Open the app's **App Review / Permissions and Features / Publish** area, as available. Confirm the required access levels, app status and any business-verification steps for the actual assets and ownership arrangement.

If Meta requests a review, provide a clear description of the lead-retrieval use case, the required permissions, applicable privacy/deletion information, and a recording or test instructions demonstrating the workflow. The client administrator supplies verification documents when requested.

Do not promise launch solely from a test result

Development access can allow limited testing without proving production access to another business's assets. Resolve the requirements shown in the app dashboard, then test the approved live flow.

Common problems and the next check

Symptom	What to check
Business / Page not visible	Correct portfolio selected? Invitation accepted? Does the logged-in person have asset access?
Permission missing from token menu	Correct app/use case? Permission added? Required dependencies and access level available?
Webhook verification fails	Public HTTPS backend URL, exact path, deployed endpoint and matching verify token. Check redirects and server errors.
Webhook verifies, but no receipts	Page subscribed to this app? Leadgen enabled? Intake enabled? Correct Page/Form IDs and activation time?
Receipt fails or connection pauses	Expired/revoked token, missing lead access or unavailable form. Fix access/credentials, then use Resume/Retry in CRM.
Receipt says NEEDS_REVIEW	Missing/invalid answers, unsupported configured choices or duplicate phone. Inspect the reason and resolve it in Lead Intake.
Receipt remains unprocessed	Check worker/scheduler health, queue connectivity and shared settings. Do not repeatedly submit the same customer enquiry.
Campaign is blank	Check attribution on the lead and permissions for campaign retrieval. Some test or organic submissions may lack ad attribution.

Agree ownership after launch

Nominate a contact for new forms, changed campaigns, token replacement and failed imports. The CRM includes periodic reconciliation for enabled forms, but someone must monitor errors and paused connections. Do not assume all new forms are connected automatically.

- ☐ Production access confirmed ☐ Tests approved ☐ Activation time agreed
- ☐ Monitoring contact assigned ☐ Agency knows how to report form changes

10 / WHATSAPP ONBOARDING • Number owner + agency + developer

Identify the right WhatsApp route

Complete this section if WhatsApp is part of the project. Lead-form integration can be configured independently.

Current setup	What to do next
WhatsApp Business app on a phone	Confirm whether staff must keep using the app. Have the developer check available coexistence/onboarding or migration options before changing the number's registration.
Existing provider such as WATI, Interakt or AiSensy	Share provider name, account/dashboard access, API documentation, plan limits and webhook support. Decide whether to integrate through that provider or plan a migration.
Existing direct Meta Cloud API	Identify the owning business, app, WABA, Phone Number ID, templates and credential owner. Review the existing configuration before adding subscriptions.
No business WhatsApp setup	Agree a client-owned number, display name, verification contact, billing owner and the supported onboarding route.

For direct Meta Cloud API setup

1. In **Meta for Developers**, select the appropriate app and add/configure the **WhatsApp** product or business-messaging use case. If the existing app cannot support it, the developer should create a suitable app under the correct business.
2. Open **WhatsApp → API Setup / Getting Started**. Confirm the selected Business Portfolio. Use the provided test setup before registering or moving the customer-facing number.
3. Add a consenting test recipient as required by the setup screen and send the sample message. This tests Meta connectivity; it does not yet connect the CRM.
4. For the business number, follow the supported onboarding process, confirm the business display name and have the owner complete SMS/voice verification and registration steps. Check two-step verification requirements with the developer.

Record identifiers, not secrets

Identifier	Where to look
WABA ID	Business Settings → Accounts → WhatsApp accounts, or the app's WhatsApp setup panel.
Phone Number ID	WhatsApp API Setup / Getting Started for the selected actual business number.
Business phone number	The number customers will see, including its country code.

A WABA ID, Business Portfolio ID and Phone Number ID refer to different objects. A Phone Number ID is not the actual telephone number. Meta's official Cloud API reference explains the required assets [4]; number registration is covered separately [5].

11 / WHATSAPP PRODUCTION • Developer + WhatsApp administrator

Prepare credentials, messages and replies

A. Generate a suitable production token

For a direct Meta setup, open **Business Settings** → **Users** → **System users**. Create/select the integration system user, assign the relevant app and WhatsApp assets, then generate a token for the app. Confirm the necessary whatsapp_business_messaging and whatsapp_business_management permissions and record its expiry/rotation owner. The temporary setup token is for testing. [4]

B. Create or review message templates

Open **Business Suite** → **All tools** → **WhatsApp Manager** → **Message templates**. Agree the text, language, variable fields and purpose of each message, then submit templates for approval. Record exact approved names and language codes.

Proposed message	Agency / client decision
Enquiry acknowledgement	Send immediately, after qualification, or only on staff action?
Salesperson introduction	Which name, branch and contact details should the message include?
Reassignment notice	Should the customer be informed when their salesperson changes?
Customer replies	Who responds, and in which inbox: CRM, provider or supported phone-app workflow?

The business must have the recipient's opt-in and honor opt-outs. Business-initiated conversations require approved templates. Free-form replies are allowed within 24 hours of the customer's last message; outside that window, use approved templates. A phone number in a lead form alone does not establish messaging permission. [6]

C. Connect the webhook and complete the CRM work

1. The developer implements and supplies the **WhatsApp-specific callback URL** and verify token, then configures it in the app's WhatsApp/Webhooks settings.
2. Subscribe to the relevant **messages** notifications and subscribe the app to the intended WABA. Verify incoming replies and delivery updates. WABA subscription is separate from configuring the callback. [7]
3. Confirm billing is ready for paid messages and check any account restrictions or verification requests. With an existing provider, use its supported token/webhook process instead.
4. Test an approved template with a consenting recipient. Check variable substitution, delivery status, reply handling and opt-out behavior before enabling the agreed automation.

Current CRM status: live WhatsApp still needs implementation

The current CRM records WhatsApp message previews. It does not yet implement a live sender or a WhatsApp webhook. Adding Meta credentials alone will not enable live delivery. The developer must complete that integration. Do not use the Meta lead-form callback as the WhatsApp callback.

Existing preview records must not be sent later as a backlog. Agree fresh trigger rules and launch approval after the provider integration is ready.

12 / HANDOVER • Agency + client administrator

Return these details to Sajad

Complete the identifiers and status below. Use “Not set up” or name the person who can help if an item is unavailable.

Account / detail	Response
Agency contact / email / phone	
Client administrator / contact	
Business Portfolio name / ID	
Facebook Page name / ID	
Ad account name / ID	
Meta app name / App ID / owner	
Selected forms / Form IDs	
WhatsApp number / current provider	
WABA ID / Phone Number ID	
Invitation accepted / leads access status	
Billing / credential replacement contact	
Setup call availability	

Attach where available

- ☐ Selected form previews and exact question labels
- ☐ Vehicle-model choices and form-to-branch/campaign mapping
- ☐ Approved WhatsApp templates, language codes and variable meanings
- ☐ Current consent wording and reply/opt-out owner
- ☐ Any error message, affected account ID and time of the failed test

Keep secret values out of this handover

Do not enter Facebook passwords, access tokens, App Secrets, verification codes or two-step PINs here. Coordinate secure credential transfer with the developer; the number owner enters verification codes during setup.

A screenshot of a menu or error is useful when an option is missing. Hide tokens, secrets and unrelated customer details before sending it.

13 / REFERENCES & SIGN-OFF · For the agency and client administrator

Reference links and final confirmation

Links in this PDF are clickable. Meta tools may require login and the appropriate account permissions.

Account setup and testing tools

Meta Business Settings — business assets, people, partners and system users.

Meta for Developers: My Apps — app creation, settings and products/use cases.

Graph API Explorer — authorized test requests and Page subscriptions.

Access Token Debugger — token type, app, permissions and expiry.

Lead Ads Testing Tool — selected-form test submissions.

Technical references and screenshot credits

[1] Meta / fbsamples, **Lead Ads – Conversion Leads – Developer Guide** (2022), pages 12 and 16. The two screenshots reproduce published Meta setup screens; they are archival visual references. Repository archived in 2025. Screenshots and Meta interface remain credited to their respective owners.

[2] Meta's maintained Business SDK: **Page object and subscription/form operations**.

[3] Meta's maintained Business SDK: **LeadgenForm object and leads retrieval**.

[4] Meta's official Postman collection: **WhatsApp Cloud API: assets, identifiers, access tokens and permissions**.

[5] Meta's official Postman collection: **WhatsApp business-number registration**.

[6] **WhatsApp Business Messaging Policy**: opt-in, templates, replies and opt-outs.

[7] Meta's official Postman collection: **WhatsApp webhook subscriptions**.

Preparation note: direct Meta lead-retrieval/app-creation documentation returned access limits during preparation. This guide combines the project's implemented CRM behavior, Meta's public SDK/reference material and account-navigation guidance. Confirm current permissions, review requirements and menu choices in the logged-in dashboard; no approval or launch date is guaranteed.

Prepared and requested by,

Sajad Hussain

SWE, Nippon Toyota

16 September 2026