

Internship at Nippon Toyota

Kalamassery showroom, Kochi, Kerala

Mobility CRM Development & Learning

[Your name] | [Register number]

[Course and college]

[Internship dates] | [Mentor]



Kalamassery, 2012 • Ranjithsiji • CC BY-SA 3.0

Presentation route

Company context → weekly progress → technical work → learning

Workplace

Company profile
Kalamassery showroom
Leadership and departments

Weekly journey

Week 1: induction
Week 2: R&D
Weeks 3–8: project stages

Project and learning

Workflows and architecture
Database, APIs and security
Testing, challenges and reflection

Timeline basis: eight-week draft; replace with your actual internship dates and diary entries.

Nippon Toyota: company profile

Internship host: Nippon Toyota | Legal entity listed: Nippon Motor Corporation Pvt. Ltd.

Automotive retail

Toyota dealership operations
Vehicle sales, servicing and spares
Customer relationships across the ownership cycle

History and presence

Company LinkedIn profile lists establishment on 27 January 2000
Locations across Kerala

Customer support

Sales and after-sales services
Finance and insurance information
Used-car offering through Nippon U Trust

Customer service shapes the work

The published mission prioritises customer satisfaction and integrated sales, service and parts.

Sales

- Understand an enquiry
- Explain the vehicle and purchase options
- Coordinate test drive, booking and delivery

Service and spares

- Receive service requests
- Coordinate maintenance and parts
- Record issues and follow through

CRM relevance

- Keep customer context available
- Assign a responsible employee
- Record the next action and outcome

Project boundary: enquiry and complaint operations; vehicle inventory and workshop billing are outside this repository.

My workplace: Kalamassery showroom

Nippon Towers, NH 47, HMT Junction, Kalamassery P.O., Ernakulam, Cochin 683104



13 Mar 2012 • Ranjithsiji • Wikimedia Commons • CC BY-SA 3.0




22 Jul 2011 • Sreejith Sivadasan • Flickr • All rights reserved

Historical exterior photographs. Current office and personal workplace photographs have not been supplied.

Company leadership and departmental hierarchy

Published leadership above; illustrative departmental reporting structure below.



Confirm the internal reporting lines and your mentor's position before presenting.

Internship objectives

Connect business observation with a working software implementation.

Understand the workplace

Learn department responsibilities

Observe enquiry and follow-up practices

Understand escalation and reporting

Develop the project

Translate requirements into workflows

Build role-specific interfaces and APIs

Preserve ownership and history

Build professional skills

Discuss requirements with stakeholders

Test changes and explain findings

Document progress and technical decisions

Project context: a mobility CRM

Repository name: Incheon Mobility CRM | Presented as a project undertaken during the Nippon Toyota internship.

Business problem

Enquiries need an owner
Follow-ups need dates and outcomes
Managers need branch visibility

Implemented scope

Lead intake and allocation
CE-to-PS/SO sales handoff
Complaints, analytics and staff continuity

Naming and ownership

Current code includes River scooter settings
Confirm the official project name
Confirm which modules you personally built

Weekly internship timeline

Eight-week draft allocation | Week 1 and Week 2 themes supplied by the presenter.

WEEK 01

Company induction

Induction / R&D

WEEK 02

R&D and follow-up

Induction / R&D

WEEK 03

Solution design

Proposed allocation

WEEK 04

Core implementation

Proposed allocation

WEEK 05

Sales workflow

Proposed allocation

WEEK 06

Operations modules

Proposed allocation

WEEK 07

Analytics and verification

Proposed allocation

WEEK 08

Delivery and reflection

Proposed allocation

Map these stages to your actual internship dates; no week-by-week completion dates have been invented.

Week 01: Introduction, hierarchy and work culture

Presenter-supplied theme; details to personalise.

Activities

Company introduction
Showroom and service overview
Department and reporting hierarchy

Learning focus

Customer service expectations
Employee responsibilities
Professional communication and data handling

Weekly evidence

Induction notes
Department map
[Add mentor, visit and observation details]

Output: Orientation notes and department map

Week 02: R&D, requirements and follow-up

Presenter-supplied theme; details to personalise.

Activities

Study enquiry-to-sale flow
Identify data and reporting needs
Follow up on unclear requirements

Technical exploration

Compare spreadsheet and web workflows
Review React/Next.js and Django options
Draft data model and role matrix

Weekly evidence

Requirement questions and answers
Workflow sketch
[Add actual discussion or feedback]

Output: Requirement list and workflow draft

Week 03: Designing the solution

Proposed allocation: verify against your internship diary.

Activities

Break requirements into modules
Map roles and visibility
Sketch screens and API interactions

Technical work

User and Lead relationships
Separate lead status from sales outcome
Plan validation and audit events

Weekly evidence

Architecture diagram
Entity relationship diagram
API and screen inventory

Output: Architecture and data model

Week 04: Building intake and allocation

Proposed allocation: verify against your internship diary.

Activities

Implement role-specific forms
Capture digital and walk-in enquiries
Route records to eligible employees

Technical work

Django serializers and viewsets
Typed frontend API calls
Ownership and branch checks

Weekly evidence

Lead creation and assignment flow
Validation examples
Role-based queue review

Output: Working enquiry-to-owner flow

Week 05: Implementing the sales journey

Proposed allocation: verify against your internship diary.

Activities

Record qualification and call outcomes

Schedule follow-ups

Track booking, retail and test drives

Technical work

State validation and transactions

Call logs and before/after audit

Idempotent test-drive completion

Weekly evidence

CE-to-PS/SO handoff

Pending and lost scenarios

Booked-to-retailed walkthrough

Output: Audited sales workflow

Week 06: Adding operational support

Proposed allocation: verify against your internship diary.

Activities

Complaint intake and resolution
CSV/XLSX import review
Lists and employee lifecycle controls

Technical work

Type/subtype and activity validation
Duplicate-phone staging
Safe reassignment and reminder holds

Weekly evidence

Complaint workflow
Import summary and commit
Offboarding impact preview

Output: Operations features and validations

Week 07: Analytics, testing and refinement

Proposed allocation: verify against your internship diary.

Activities

Review enquiry-stage metrics
Check branch and role scoping
Run regression and frontend checks

Technical work

Distinct ETBR aggregates
Filter-aware cache keys
Permission and workflow tests

Weekly evidence

Test results and bug notes
Reporting definitions
Verified edge cases

Output: Validated reporting and defect fixes

Week 08: Delivery, documentation and review

Proposed allocation: verify against your internship diary.

Activities

Review environment configuration

Prepare demo and technical notes

Summarise learning and remaining work

Technical work

Frontend and API deployment boundaries

Database migration and health checks

Worker/scheduler configuration review

Weekly evidence

Demo script and handover checklist

Architecture and API notes

[Add mentor feedback and final review]

Output: Presentation and handover checklist


Requirements translated into features

Business needs mapped to implementation and acceptance evidence.

Need	Implemented response	Acceptance example
Clear ownership	CE and PS/SO assignment	Assigned employee sees the same lead
Consistent follow-up	Outcome, date, remarks and history	Invalid follow-up date is rejected
Controlled access	Role and branch-scoped API queries	Other branch records stay outside the result
Reliable intake	Configured lists and import staging	Invalid values and duplicate rows are identified
Management review	ETBR and role-specific analytics	Same scope and dates give comparable totals
Staff continuity	Impact preview and reassignment	Active work remains actionable after disable

End-to-end customer enquiry workflow

A lead keeps its identity while responsibility and sales progress change.



Managers review authorised branch records; complaints follow their own ticket workflow.

Roles and access boundaries

Six application roles; the CE role still uses the stored code CRE.

Role	Main responsibility	Visibility / restriction
Admin	Configure, allocate and oversee	Broad CRM access; complaints read-only
CE (CRE)	Contact, qualify and log issues	Assigned leads; own logged complaints
PS/SO (SO)	Sales follow-up, booking and retail	Assigned sales leads and own intake
Sales Manager	Review sales performance	Configured branch; management views
Receptionist	Capture walk-ins and complaints	Own capture dashboard and tickets
Complaints team	Investigate and resolve issues	Complaint handling and complaint analytics


Technology stack and responsibilities

Versions and capabilities described from the checked-in project configuration.

Layer	Technology	Responsibility
Interface	Next.js, React, TypeScript, CSS	Role workspaces, forms, dashboards and routing
API	Python, Django 5.2 range, DRF	Validation, business actions and visibility
Identity	SimpleJWT + bcrypt-SHA256	Cookie authentication and password hashing
Data	Django ORM; environment-selected SQL DB	Relations, constraints, transactions and migrations
Files / tasks	openpyxl; Supabase storage; Celery	Spreadsheet parsing, file storage and tasks
Operations	Redis cache; Gunicorn/Uvicorn; OpenAPI	Analytics caching, API serving and documentation

System architecture

Browser → Django REST API → data and supporting services



The checked-in Render service uses eager Celery tasks; a separate worker and scheduler are not declared.

Frontend structure and API communication

Feature-based UI with a shared API helper and role-specific routes.

Screens and components

App Router role groups
Sales workspace and lead desk
Shared shell, forms and ETBR tiles

Typed API layer

Request/response types in `crm.ts`
Snake-case API mapping to UI fields
Credentials and CSRF headers

Error and session handling

Field errors shown to users
Refresh on an unauthorised response
One retry after successful refresh

Backend modules and request processing

Django apps separate customer operations from shared platform concerns.

Domain modules

accounts: roles and staff lifecycle

leads: ownership and sales actions

complaints: ticket workflow

Supporting modules

uploads: staging and import

analytics: scoped aggregates

notifications: due follow-up records

Request path


URL/router selects the action

Serializer validates the payload

Action checks permissions and saves

Core database relationships

Simplified entity relationship diagram; connectors show relationships and cardinality.



Each lead can also have many complaints; each complaint can have many complaint notes.


Lead fields and business meaning

Two ownership fields and separate progress fields preserve the handoff context.

Field / relationship	Purpose	Implementation detail
assigned_so / assigned_ps	CE owner / PS-SO owner	Both point to accounts.User; history protected
status / sales_outcome	Contact stage / sales progress	Separate enums; category stores Hot/Warm/Cold
source / activity / sub_activity	Origin and marketing context	Sub-activity belongs to a configured activity
branch / rto / enquiry_date	Location and reporting context	RTO choices; date validation and filters
test_drive_completed_at	Recorded completion evidence	One audited timestamp; repeated action is safe
deleted_at / reassignment flags	Record lifecycle and work routing	Soft deletion and explicit reassignment queues

CE qualification and sales-state workflow

Qualification starts sales work; booking and retail are separate outcomes.



Requested test drive ≠ completed test drive. A completed drive does not itself mark the lead booked.

Follow-up loop and reminder conditions

A next action needs an owner, a future date and an outcome when the call is made.




Reminder task: unresolved + due + active owner + not held + not already notified

Scheduler setting: every 900 seconds. Live reminder execution has not been verified.

Authentication request sequence

Cookie-based JWT authentication, CSRF checks and one refresh retry in the frontend.



Access: 15 minutes | Refresh: 7 days | Password hashing: bcrypt-SHA256 | Backend role checks remain essential.

Security and data integrity controls

Existing protections and the reasons they matter.

Trust boundaries

Authenticated API by default
Role and branch checks on queries
Configured values validated on input

Consistent updates

transaction.atomic for related writes
select_for_update on sensitive actions
Audit actor, event and before/after data

Operational controls

Secrets read from environment
Request throttling configured
Protected history and lifecycle records

Security review scope: code-level controls and workflow tests; no penetration-test or compliance certification claim.

CSV / XLSX import pipeline

Review staged rows before adding them to the active CRM.



Duplicate handling

CRM matches and repeated file phones default to skip.


State tracking

PARSING → READY → COMMITTED; failures → FAILED.

Manual lead entry does not have a unique-phone database constraint; import checks are a separate control.

Complaint management workflow

CE/reception log the issue; the complaints department handles resolution.



ComplaintNote stores discussion history. A related lead is optional; no automatic lead-to-ticket integration is implied.

ETBR: define the numbers before comparing them

Enquired → Test Drive Completed → Booked → Retailed

E

Enquired

Distinct enquiry records

T

**Test Drive
Completed**

Completion timestamp
exists

B

Booked

BOOKED or RETAILED

R

Retailed

RETAILED outcome

Counts only: no fabricated conversion percentages, customer totals or business-impact claims.

Reporting, performance and caching

Comparable metrics require matching permissions, branch and date filters.

Reporting views

Admin overview
Personal employee analytics
Sales-manager branch reports

Database efficiency


select_related on lead ownership
Aggregate counts and next follow-up
Indexes for common queue filters

Cache design

Key includes user, role and location
Query parameters included in key
Cache failure falls back to computation

Employee offboarding without losing work

Preview impact → choose replacement or queue → apply the change → review held reminders




Stale preview → HTTP 409 → refresh the impact → review the latest work before retrying

Business lesson: an employee's account lifecycle and the customer's work lifecycle must be handled together.

Deployment topology and configuration

Repository configuration describes the intended hosting boundaries, not proof of a live rollout.



Deployment handover: migrations, secrets, allowed origins, health checks and role-by-role acceptance.

Testing and current verification

Verification performed while preparing this presentation; results recorded in Verification.md.

102 backend tests passed

Lead ownership and handoff
Imports, complaints and offboarding
ETBR, activities and intake rules

Frontend static checks

TypeScript: npm run typecheck
ESLint: npm run lint
Both completed successfully

Validation boundaries

Isolated SQLite test database
No live deployment acceptance test
No load test or production metrics

11 September 2026: 102 backend tests passed; TypeScript and ESLint checks passed.

Technical challenges and responses

Code-backed design issues; personalise the experience with incidents you actually handled.

Challenge	Response visible in code	Learning to discuss
CE and PS share one customer	Separate owner fields and qualification context	Model responsibility before building forms
Repeated or invalid intake data	Validation, normalisation and staged import	Validate before committing customer records
Users leave with open work	Impact preview, reassignment and history	Handle business continuity explicitly
Reports differ across users	Authorised cohorts and scoped cache keys	Define metric scope before comparing totals
Multiple clicks / concurrent updates	Transactions, locks and idempotent completion	Make repeat actions safe where required

My internship experience and learning

Draft reflection themes: personalise these with your own examples before presenting.

Understanding business work

Explain an actual showroom observation

Describe how it affected a requirement

Mention one useful mentor discussion

Growing as a developer

Explain one module you contributed to

Show a validation or workflow you understood

Describe one debugging experience

Working professionally

Describe how you asked for feedback

Explain how you documented progress

Add one change in your working habits

Personalise: one real observation + one technical contribution + one feedback example.

Project outcomes and remaining work

Describe implemented capabilities separately from measured business impact.

Available in the repository

Role-specific CRM workflows
Sales and complaint histories
Imports, analytics and lifecycle controls

Evidence available

Implementation files and migrations
Automated workflow checks
Technical diagrams and demo scenarios

Next steps

Confirm user acceptance and rollout scope
Deploy and verify reminder scheduling
Measure usage and business results

Demonstration plan

Use fictional records in an isolated demo environment.

Scenario 1: enquiry to sale

Capture and assign a lead
CE qualifies and selects PS/SO
PS/SO records booking and retail

Scenario 2: customer issue

CE or reception creates complaint
Complaints team adds notes
Record resolution and review history

Scenario 3: management

Show the matching ETBR scope
Review branch visibility
Explain offboarding impact preview

Demo proof: saved record + next owner's queue + history + matching report filters.

Thank you

Questions and discussion

From showroom processes to software workflows

Nippon Toyota • Kalamassery

[Your name] | [College] | [Mentor]

API reference for the viva

Selected implemented endpoints; consult /api/docs/ for the complete schema.

Method	Endpoint	Purpose
POST	/api/auth/login/	Authenticate and set cookies
GET / POST	/api/leads/	List visible leads / create allowed intake
PATCH	/api/leads/{id}/so-update/	Dedicated call and sales workflow update
POST	/api/leads/{id}/assign/	Allocate to CE
POST	/api/leads/{id}/complete-test-drive/	Record completion once
POST	/api/uploads/{id}/commit/	Commit reviewed import rows
GET	/api/analytics/sales-manager/	Branch-scoped analytics

Additional entities and persistence choices

Operational records around the core Lead model.

Entity	Key relationships / fields	Why it exists
UploadBatch → UploadRow	One batch has many staged rows	Review validation and duplicate results
Complaint → ComplaintNote	One ticket has many notes	Keep investigation discussion
Notification	User; optional Lead; read_at	Persist assignment and follow-up messages
UserLifecycleEvent	User, actor, reason and JSON summary	Retain disable/enable/delete history
SystemConfig	JSON lists and updated_at	Manage sources, models and activity hierarchy
LeadAudit	Lead, actor, before and after JSON	Explain who changed customer workflow data

Technical viva: likely questions

Short answers to rehearse, with implementation-specific distinctions.

Question	Answer to develop
Why separate frontend and API?	Role-specific UI stays separate from shared validation and authorisation.
Why a relational database?	Ownership, calls, follow-ups and tickets have explicit relationships and transactional updates.
Why two lead owners?	The CE relationship remains while PS/SO takes responsibility for the sales stage.
How do you prevent duplicates?	Import parsing skips repeated phones; manual entry has no unique-phone constraint.
What makes a repeated action safe?	Test-drive completion locks the lead and writes its timestamp/audit only once.
Are reminders live?	Tasks and a schedule exist; the checked-in Render service needs separate scheduling verification.

References and photo credits

Company sources accessed 11 September 2026; technical content reviewed from the local repository.

Source	What it supports
Nippon Toyota official About Us / CMS	Mission; Dealer Principal and Directors
Official Kalamassery location page	Legal entity, showroom/service centre and address
Company LinkedIn; official U Trust page	Published establishment date; used-car offering
Ranjithsiji / Wikimedia Commons (2012)	Kalamassery Toyota Office.JPG; CC BY-SA 3.0; unmodified photo
Sreejith Sivadasan / Flickr (2011)	Nippon Toyota showroom at South Kalamassery; all rights reserved
Local repository and Verification.md	Architecture, models, workflows, configuration and checks