

Internship at Nippon Toyota

Introduce yourself, your course and your internship dates. Explain that the mobility CRM is one project undertaken during the internship. The workspace calls it Incheon Mobility CRM and contains River scooter configuration; Nippon Toyota is the internship host supplied by the presenter. Do not imply this is Toyota's official enterprise CRM. Personal details and the eight-week allocation remain editable until confirmed.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 01 • Mobility CRM
Development & Learning

Presentation route

The deck has a main internship narrative followed by a technical appendix for viva questions. Week 1 and Week 2 themes come directly from your request. The later weekly allocation is a proposed reconstruction, not an attendance record. Explain that the project discussion covers the current repository and that your exact personal contribution should be confirmed with your internship diary.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 02 • Workplace • Company profile

Kalamassery showroom

Leadership and departments • Weekly journey • Week 1: induction

Week 2: R&D

Weeks 3–8: project stages • Project and learning

Nippon Toyota: company profile

Distinguish Toyota, the vehicle brand, from Nippon Toyota, the dealership business hosting the internship. The dealer contact page identifies Nippon Motor Corporation Pvt. Ltd. The company's own LinkedIn profile gives 27 January 2000 as its establishment date. The official dealership site lists locations across Kerala and the used-car page lists Nippon U Trust at Kalamassery. Avoid unverified employee counts, turnover or market rankings.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 03 • Automotive retail • Toyota dealership operations

Vehicle sales, servicing and spares

Customer relationships across the ownership cycle • History and presence • Company LinkedIn profile lists establishment on 27 January 2000

Locations across Kerala

Sources / implementation evidence

<https://nippon-toyota.com/contact-co01b.html>

<https://www.linkedin.com/company/nippon-toyota-pvt-ltd>

<https://www.nippon-toyota.com/about-us.html>

<https://www.nippon-toyota.com/used-cars.html>

Customer service shapes the work

Paraphrase the published dealer mission: the company places customer satisfaction first and brings sales, service and service parts together for convenience and efficiency. The department activities are a general dealership process explanation, not a claim that this project implements workshop job cards, inventory, finance underwriting or Toyota integrations. The project focuses on customer enquiries, sales follow-ups and complaints.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 04 • Sales • Understand an enquiry

Explain the vehicle and purchase options

Coordinate test drive, booking and delivery • Service and spares • Receive service requests

Coordinate maintenance and parts

Record issues and follow through • CRM relevance

Sources / implementation evidence

<https://www.nippon-toyota.com/cms/about-us/dealer-mission-v1.txt>

My workplace: Kalamassery showroom

The presenter confirmed this as the internship location. The official location page describes a showroom and service centre at this address. These public photographs show the real Kalamassery facility in 2011 and 2012. They are historical building views, not photographs of the presenter's desk or the current office interior. If available, replace or supplement them with your own current workplace photographs.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 05 • 13 Mar 2012 • Ranjithsiji • Wikimedia Commons • CC BY-SA 3.0

Sources / implementation evidence

<https://nippon-toyota.com/contact-co01b.html>

https://commons.wikimedia.org/wiki/File:Kalamassery_Toyota_Office.JPG

<https://www.flickr.com/photos/sreejithmsivadasan/5974734010>

Company leadership and departmental hierarchy

The official company site names M. A. M. Babu Moopan as Dealer Principal and Athif Moopan and Naeem Shahul as Directors. The arrangement of branch management and functional departments is an illustrative dealership structure, because an internal organisation chart was not supplied. Do not present the connecting lines as verified reporting relationships. During rehearsal, replace the lower structure with the hierarchy explained during your induction, including your department and reporting mentor.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 06 • M. A. M. Babu Moopan • Dealer Principal • Athif Moopan • Director • Naeem Shahul • Director • Branch / showroom management • Illustrative reporting layer • Sales / CRM • Sales team • CE • reception • Service / spares • Service advisers • parts • Finance / HR / IT

Sources / implementation evidence

<https://www.nippon-toyota.com/cms/about-us/dealer-principal-v1.txt>

Internship objectives

Use these as internship objectives rather than claims about activities you have already completed. Connect your academic knowledge to a business setting: customer data is useful only if employees can use it to make the next decision. Add the objectives agreed with your mentor and the specific responsibilities allocated to you. Explain how you will show evidence through code, tests, workflows and your weekly diary.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 07 • Understand the workplace • Learn department responsibilities
Observe enquiry and follow-up practices
Understand escalation and reporting • Develop the project • Translate requirements into workflows
Build role-specific interfaces and APIs
Preserve ownership and history

Project context: a mobility CRM

The repository's README, API schema title and frontend package identify Incheon Mobility CRM. A migration seeds River Indie. The code does not establish a corporate relationship between Incheon Mobility, River and Nippon Toyota. Present this as a mobility CRM project worked on during the internship until the official project/client description is confirmed. Do not claim that all repository features were built by one intern or that the company has adopted the full system.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 08 • Business problem • Enquiries need an owner
Follow-ups need dates and outcomes
Managers need branch visibility • Implemented scope • Lead intake and allocation
CE-to-PS/SO sales handoff
Complaints, analytics and staff continuity

Sources / implementation evidence

README.md
frontend/package.json
backend/leads/migrations/0018_seed_river_indie.py

Weekly internship timeline

This is a proposed way to organise the project into an internship narrative. It is not a statement of actual calendar completion. Replace the week count and allocate each feature using your diary, commits and mentor feedback. If the internship was shorter, combine adjacent implementation stages; if longer, split design, testing or deployment. Week 1 remains induction and hierarchy; Week 2 remains research, requirements and follow-up.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 09 • WEEK 01 • Company induction • Induction / R&D • WEEK 02 • R&D and follow-up • Induction / R&D • WEEK 03 • Solution design • Proposed allocation • WEEK 04 • Core implementation • Proposed allocation • WEEK 05 • Sales workflow • Proposed allocation • WEEK 06 • Operations modules • Proposed allocation • WEEK 07 • Analytics and verification • Proposed allocation • WEEK 08 • Delivery and reflection

Week 01: Introduction, hierarchy and work culture

Your requested first week focuses on the introduction to the company and the hierarchy. Explain the difference between sales, customer relations, reception, service and support teams. Add the names of the people you met and the induction activities you actually attended. A useful experience statement, if accurate, is: "I began to understand how employees coordinate around a single customer enquiry." Do not imply participation in service work or meetings that did not occur.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 10 • Activities • Company introduction

Showroom and service overview

Department and reporting hierarchy • Learning focus • Customer service expectations

Employee responsibilities

Professional communication and data handling • Weekly evidence

Week 02: R&D, requirements and follow-up

Your requested second week focuses on R&D and follow-up. Describe what was researched, which existing process or form you reviewed, and the questions you took back to your mentor. Follow-up here means clarifying requirements as well as understanding customer follow-up operations. Suggested reflection, if accurate: "I learned to ask who performs each action and what happens when the customer does not respond." Technology comparisons are proposed talking points unless your diary confirms you made them.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 11 • Activities • Study enquiry-to-sale flow

Identify data and reporting needs

Follow up on unclear requirements • Technical exploration • Compare spreadsheet and web workflows

Review React/Next.js and Django options

Draft data model and role matrix • Weekly evidence

Week 03: Designing the solution

Proposed Week 3. Describe how the data model supports the workflow: a lead retains qualification, multiple calls, multiple follow-ups and audit events. The application distinguishes the customer executive from the sales employee. Discuss why sales outcome is separate from the initial contact status. Confirm whether these were design decisions you made or design elements you studied. Cite the models and routes as technical evidence, not as proof that they were completed in this exact week.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 12 • Activities • Break requirements into modules

Map roles and visibility

Sketch screens and API interactions • Technical work • User and Lead relationships

Separate lead status from sales outcome

Plan validation and audit events • Weekly evidence

Week 04: Building intake and allocation

Proposed Week 4. Explain the three important entry patterns: admin/CE intake, receptionist walk-in capture and SO self-generated enquiries. Admins can allocate fresh leads to customer executives. Qualification then assigns the sales employee. The stored field `assigned_so` refers to the CE allocation, while `assigned_ps` refers to PS/SO ownership. This naming detail matters when explaining the implementation. Use a fictional record when demonstrating; describe only the screens or endpoints you actually implemented.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 13 • Activities • Implement role-specific forms

Capture digital and walk-in enquiries

Route records to eligible employees • Technical work • Django serializers and viewsets

Typed frontend API calls

Ownership and branch checks • Weekly evidence

Week 05: Implementing the sales journey

Proposed Week 5. Follow one lead through qualification, pending sales discussion, booking and retail. Explain that a requested test drive is different from a completed one; the current completion action stores an audited timestamp once. Call outcomes and next follow-up rules keep queues meaningful. A booking does not automatically prove delivery or payment integration. Relate the code to the module you actually worked on and place later additions into their correct internship week.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 14 • Activities • Record qualification and call outcomes

Schedule follow-ups

Track booking, retail and test drives • Technical work • State validation and transactions

Call logs and before/after audit

Idempotent test-drive completion • Weekly evidence

Week 06: Adding operational support

Proposed Week 6. Explain how operational exceptions influence software design. Complaints have a separate lifecycle and permissions. Imports need a review stage because a successful upload can still contain invalid rows or duplicates. Staff departure must preserve history while moving active work to another owner or queue. Do not imply that the application deletes historical customer data when an employee account is offboarded. Match the weekly account to your actual contribution and progress.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 15 • Activities • Complaint intake and resolution

CSV/XLSX import review

Lists and employee lifecycle controls • Technical work • Type/subtype and activity validation

Duplicate-phone staging

Safe reassignment and reminder holds • Weekly evidence

Week 07: Analytics, testing and refinement

Proposed Week 7. Explain the tests that matter to users: can someone see another employee's lead, can a manager see another branch, does a repeated test-drive click double count, and do configuration changes preserve historical records? The current verification run belongs to preparation of this presentation, not necessarily to your original Week 7. State that distinction. No production conversion rate or response-time improvement has been measured for the presentation.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 16 • Activities • Review enquiry-stage metrics

Check branch and role scoping

Run regression and frontend checks • Technical work • Distinct ETBR aggregates

Filter-aware cache keys

Permission and workflow tests • Weekly evidence

Week 08: Delivery, documentation and review

Proposed Week 8. The repository includes a Render service definition and Vercel frontend configuration. Describe configuration and deployment work you actually performed. The checked-in Render setup enables eager Celery execution and does not define a worker or scheduler, so do not claim background reminders are live. For handover, explain the need to apply migrations, configure secrets, verify each role and document unresolved items. Add real mentor feedback rather than an invented endorsement.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 17 • Activities • Review environment configuration

Prepare demo and technical notes

Summarise learning and remaining work • Technical work • Frontend and API deployment boundaries

Database migration and health checks

Worker/scheduler configuration review • Weekly evidence

Requirements translated into features

Frame the problem as project requirements. The repository does not prove the company previously lost enquiries or used a particular spreadsheet, so avoid inventing an as-is failure story. For each requirement, identify a visible behaviour or an API response that can confirm it. These acceptance examples are stronger than unsupported claims of improved sales. Link personal contribution to the requirements you actually handled.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 18 • Need • Implemented response • Acceptance example • Clear ownership • CE and PS/SO assignment • Assigned employee sees the same lead • Consistent follow-up • Outcome, date, remarks and history • Invalid follow-up date is rejected • Controlled access • Role and branch-scoped API queries • Other branch records stay outside the result • Reliable intake • Configured lists and import staging • Invalid values and duplicate rows are identified • Management review • ETBR and role-specific analytics • Same scope and dates give comparable totals • Staff continuity

Sources / implementation evidence

backend/leads/views.py

backend/accounts/offboarding.py

backend/uploads/tasks.py

backend/analytics/test_etbr.py

End-to-end customer enquiry workflow

Read the main path from left to right. Admin or CE capture and bulk imports feed the enquiry pool. A CE contacts the customer and qualifies an interested enquiry, retaining the original CE relationship while handing sales work to a PS/SO. The PS/SO records follow-up, booking and retail. Receptionist walk-ins and SO-generated enquiries can enter the sales route directly. A complaint is a separate ticket and is not an automatic transition from a lost lead.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 19 • Capture • Admin / CE / import • CE contact • Assign and qualify • PS/SO follow-up • Discuss / test drive • Sale outcome • Booked → Retailed • Walk-in / SO enquiry • Direct sales entry • Pending or Lost

Sources / implementation evidence

backend/leads/views.py

backend/leads/serializers.py

frontend/src/features/leads/sales-workspace.tsx

Roles and access boundaries

Do not confuse the company organisation chart with the application permission matrix. The browser chooses the workspace, while the backend enforces authorisation. CE is the display label for the legacy CRE role. Lead queries use assigned_so for CE ownership and assigned_ps for PS/SO. A sales manager without a configured location receives no branch leads. The complaint permission class gives admins list/retrieve access, CE and receptionists create/read access, and the complaints department update and notes access.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 20 • Role • Main responsibility • Visibility / restriction • Admin • Configure, allocate and oversee • Broad CRM access; complaints read-only • CE (CRE) • Contact, qualify and log issues • Assigned leads; own logged complaints • PS/SO (SO) • Sales follow-up, booking and retail • Assigned sales leads and own intake • Sales Manager • Review sales performance • Configured branch; management views • Receptionist • Capture walk-ins and complaints • Own capture dashboard and tickets • Complaints team

Sources / implementation evidence

backend/accounts/models.py

backend/leads/views.py

backend/complaints/permissions.py

Technology stack and responsibilities

The frontend manifest uses latest for Next.js, React and TypeScript, so this slide does not invent pinned versions. The backend requirements constrain Django to the 5.2 series and include Django REST Framework, SimpleJWT, Celery, Redis integration, openpyxl, psycopg and Supabase. SQLite is the default local database; DATABASE_URL chooses the deployed database. PostgreSQL is supported by the installed driver, but the live database provider was not inspected. External integrations shown as lead sources are labels, not proof of automatic ingestion.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 21 • Layer • Technology • Responsibility • Interface • Next.js, React, TypeScript, CSS • Role workspaces, forms, dashboards and routing • API • Python, Django 5.2 range, DRF • Validation, business actions and visibility • Identity • SimpleJWT + bcrypt-SHA256 • Cookie authentication and password hashing • Data • Django ORM; environment-selected SQL DB • Relations, constraints, transactions and migrations • Files / tasks • openpyxl; Supabase storage; Celery • Spreadsheet parsing, file storage and tasks • Operations

Sources / implementation evidence

frontend/package.json

backend/requirements.txt

backend/config/settings.py

System architecture

The frontend communicates with Django rather than calling the database directly. Django owns authentication, request validation, record visibility and business transactions. File uploads use Supabase storage when credentials are configured, with a local storage fallback. Analytics can use Redis or local memory. Celery tasks exist, but deployment mode determines whether they run inline or on a worker. Dashed connections identify optional infrastructure, not verified live services.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 22 • Browser UI • Next.js / React / TS • Django REST API • Auth • serializers • roles • workflows • SQL database • ORM • audit • transactions • File storage • Supabase / local fallback • Cache / task services • Redis / Celery when configured

Sources / implementation evidence

frontend/src/lib/crm.ts
backend/config/settings.py
backend/uploads/storage.py
render.yaml

Frontend structure and API communication

The frontend uses route groups for admin, sales, manager and receptionist screens. Feature directories contain the lead desk, sales workspace, complaints, analytics and team pages. `src/lib/crm.ts` defines request types and response mappings. The api helper includes credentials, adds CSRF headers for unsafe methods and retries once after a successful refresh response. `sessionStorage` holds cached user metadata, not the JWT. Backend checks remain necessary even if a link or button is absent from a user's workspace.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 23 • Screens and components • App Router role groups

Sales workspace and lead desk

Shared shell, forms and ETBR tiles • Typed API layer • Request/response types in `crm.ts`

Snake-case API mapping to UI fields

Credentials and CSRF headers

Sources / implementation evidence

`frontend/src/lib/crm.ts`

`frontend/src/components/app-shell.tsx`

`frontend/src/app`

`frontend/src/features`

Backend modules and request processing

Django REST Framework viewsets provide resource endpoints and dedicated actions for behaviours such as qualification, assignment and test-drive completion. Serializers validate configured choices and outcome-specific fields. The action then checks ownership and performs related changes in a transaction. Not every model operation has the same rules, so prefer the dedicated workflow endpoints when explaining business behaviour. drf-spectacular publishes the OpenAPI schema and Swagger UI at `/api/schema/` and `/api/docs/`.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 24 • Domain modules • accounts: roles and staff lifecycle
leads: ownership and sales actions
complaints: ticket workflow • Supporting modules • uploads: staging and import
analytics: scoped aggregates
notifications: due follow-up records

Sources / implementation evidence

backend/config/urls.py
backend/leads/urls.py
backend/leads/serializers.py
backend/leads/views.py

Core database relationships

User has two lead ownership relationships: assigned_so is the CE and assigned_ps is the sales employee. LeadQualification is optional one-to-one with Lead. A lead can have many call logs, follow-ups and audit events. Complaints can optionally reference a lead and have their own notes. This slide simplifies fields and omits additional actor foreign keys for readability. The appendix lists the other operational entities. Protected references preserve history when an account or lead is involved in audit-related records.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 25 • User • id • email • role • location • Lead • id • uid • status • sales_outcome • LeadQualification • lead_id (unique) • finance • notes • 1 → N • 1 → 0..1 • CallLog • lead_id • outcome • remarks • 1 → many • FollowUp • lead_id • owner • scheduled_for • 1 → many • LeadAudit • lead_id • actor • before / after

Sources / implementation evidence

backend/accounts/models.py

backend/leads/models.py

backend/complaints/models.py

Lead fields and business meaning

The Lead model has a numeric primary key and a public UUID. Phone is indexed but not unique, so do not claim database-level duplicate prevention for manual intake. Qualification is a linked entity; historical activity labels remain stored on leads when configurable choices are retired. Indexes combine CE or PS ownership with status, and include source with creation time. The current data model stores timestamps and status snapshots, but does not implement a full event-sourced analytics warehouse.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 26 • Field / relationship • Purpose • Implementation detail • assigned_so / assigned_ps • CE owner / PS-SO owner • Both point to accounts.User; history protected • status / sales_outcome • Contact stage / sales progress • Separate enums; category stores Hot/Warm/Cold • source / activity / sub_activity • Origin and marketing context • Sub-activity belongs to a configured activity • branch / rto / enquiry_date • Location and reporting context • RTO choices; date validation and filters • test_drive_completed_at • Recorded completion evidence • One audited timestamp; repeated action is safe • deleted_at / reassignment flags

Sources / implementation evidence

backend/leads/models.py
backend/leads/serializers.py

CE qualification and sales-state workflow

A fresh lead may move through response-related states such as RNR, switched off, callback or pending. For the normal CE route, qualification captures the buying context and assigns the PS/SO. Lost is a reasoned outcome with remarks. The PS/SO has separate sales outcomes: pending, booked, retailed and lost. This diagram shows the main business path rather than every server transition. A completed test drive is a parallel timestamp and does not change lead status, qualification or the open follow-up.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 27 • Fresh • New enquiry • Qualified • CE context + named PS/SO • Sales progress • Pending → Booked → Retailed • Contact pending • RNR / switched off / callback • Lost • Reason + remarks • Test drive completed

Sources / implementation evidence

backend/leads/views.py
backend/leads/serializers.py
backend/leads/metrics.py

Follow-up loop and reminder conditions

For the CE update path, the serializer rejects appointments in the past and more than three days ahead. Pending, callback and walk-in outcomes require a next appointment. Other paths have their own validations; do not claim identical validation across every endpoint. When processing due reminders, the task excludes resolved, already notified, held, deleted-lead and inactive-owner items. It records a notification and marks notified_at. A periodic schedule exists in settings, but delivery still needs a running scheduler or equivalent trigger.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 28 • Record outcome • Call result + remarks • Set next action • Owner + scheduled date • Review due queue • Due / overdue follow-up • Call and update • Resolve / replace next action

Sources / implementation evidence

backend/leads/serializers.py
backend/leads/views.py
backend/notifications/tasks.py
backend/config/settings.py

Authentication request sequence

The login endpoint validates credentials and returns user metadata while setting HttpOnly access and refresh cookies. The access lifetime is 15 minutes and refresh lifetime is 7 days. In non-debug mode cookies are Secure and SameSite=None. For cookie-authenticated unsafe requests, CookieJWTAuthentication invokes a CSRF check. Refresh blacklists the old refresh token and issues a new one. These controls do not constitute a full security audit; login and refresh are custom endpoints and should be considered separately during hardening.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 29 • Browser • Django API • Database • 1 POST login: credentials • 2 Load account; API verifies password • 3 Set HttpOnly cookies + return user • 4 API request: cookie + CSRF header

Sources / implementation evidence

backend/accounts/authentication.py
backend/accounts/views.py
backend/config/settings.py
frontend/src/lib/crm.ts

Security and data integrity controls

Explain transaction atomicity using a lead update: the business status and its related history should either save together or fail together. Row locking helps concurrent operations coordinate where the action uses it. The API config sets anonymous and authenticated throttle rates, but this is not a guarantee against every abuse scenario. CORS is broad for Vercel preview origins in the current configuration, and process-local throttling and live settings deserve deployment review. Never show .env contents or production credentials in the presentation.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 30 • Trust boundaries • Authenticated API by default

Role and branch checks on queries

Configured values validated on input • Consistent updates • transaction.atomic for related writes

select_for_update on sensitive actions

Audit actor, event and before/after data • Operational controls

Sources / implementation evidence

backend/config/settings.py

backend/leads/views.py

backend/accounts/offboarding.py

CSV / XLSX import pipeline

An admin uploads a CSV or XLSX file through a multipart request. The API checks extension and a 10 MB size limit, stores the file and calls the parsing task. The parser normalises Indian phone numbers and validates name, phone, source, model and dates. It skips matching phone numbers already in the CRM and repeated within the same file by default. UploadRow stores normalised data and validation errors; the admin reviews the summary and commits valid rows in a transaction. The server also contains duplicate-resolution actions beyond the current UI defaults.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 31 • Upload • CSV / XLSX • ≤10 MB • Parse • Normalise and validate • Stage / review • Valid • skipped • errors • Commit • Leads + audit + batch state • Duplicate handling • CRM matches and repeated file phones default to skip. • State tracking

Sources / implementation evidence

backend/uploads/views.py

backend/uploads/tasks.py

backend/uploads/models.py

Complaint management workflow

New complaints require a category and a matching subtype, alongside customer and issue details. CE and receptionist users can create and view their own tickets; reception complaints default to walk-in. The complaints department handles updates and notes. Admin can review tickets and complaint analytics. Open, in progress, escalated, resolved and closed are model states; this diagram describes the typical workflow rather than a fully enforced transition graph. The subtype list is an intake taxonomy and must not be represented as evidence of actual vehicle defects.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 32 • Open • Category + subtype + priority • In progress • Investigate and add notes • Resolved • Record resolution notes • Closed • Final ticket status • Escalated

Sources / implementation evidence

backend/complaints/models.py
backend/complaints/serializers.py
backend/complaints/permissions.py
backend/complaints/test_subtypes.py

ETBR: define the numbers before comparing them

ETBR counts distinct enquiries within the caller's authorised and date-filtered cohort. Enquired counts leads. Test Drive Completed counts non-null completion timestamps. Booked includes both BOOKED and RETAILED sales outcomes. Retailed counts only RETAILED. A booked lead can lack a recorded test drive, so do not assume a strictly decreasing funnel across all four values. These are stage counts within an enquiry cohort, not a historical event-timing funnel or measured company performance.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 33 • E • Enquired • Distinct enquiry records • T • Test Drive Completed • Completion timestamp exists • B • Booked • BOOKED or RETAILED • R • Retailed

Sources / implementation evidence

backend/leads/metrics.py

backend/analytics/test_etbr.py

frontend/src/components/etbr-tiles.tsx

Reporting, performance and caching

analytics/cache.py builds a SHA-256 key from endpoint, user identity, role, location and normalised query parameters. This avoids sharing one user's cached report with another. Only successful responses are cached. CACHE_TTL_SECONDS controls caching; the Render definition sets 50 seconds, while the application default is zero. Cache exceptions produce X-Cache: ERROR and compute the report. The implementation has performance-conscious choices, but no load test or measured speedup is claimed.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 34 • Reporting views • Admin overview

Personal employee analytics

Sales-manager branch reports • Database efficiency • select_related on lead ownership

Aggregate counts and next follow-up

Indexes for common queue filters

Sources / implementation evidence

backend/analytics/cache.py

backend/analytics/views.py

backend/leads/views.py

render.yaml

Employee offboarding without losing work

CE and PS/SO offboarding is a business workflow rather than a simple user delete. The impact preview includes actionable leads, closed work, follow-ups and relevant complaints. A snapshot version detects stale previews and returns a conflict. Within the transaction, active work is routed to eligible recipients or a reassignment queue; the implementation preserves historical attribution and records lifecycle events. Reminders can be held for admin review. The UI label Permanent Delete corresponds to an application lifecycle action, not physical erasure of every related row.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 35 • Impact preview • Counts + snapshot version • Choose routing • Eligible replacement / queue • Apply lifecycle • Lock rows + preserve history • Review reminders • Approve next owner and date

Sources / implementation evidence

backend/accounts/offboarding.py

backend/accounts/views.py

backend/accounts/models.py

Deployment topology and configuration

The frontend uses NEXT_PUBLIC_API_URL and the project has Vercel deployment metadata. render.yaml defines the Python API service, build script, Gunicorn with Uvicorn worker and /api/schema/ health check. DATABASE_URL and Supabase credentials are configured externally. The current service sets CELERY_TASK_ALWAYS_EAGER=true and does not define a separate worker or beat service. Therefore imports can run inline and automatic due reminders need independent scheduling. No production system or database was queried for this presentation.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 36 • Frontend host • Vercel / Next.js configuration • API host • Render • Gunicorn / Uvicorn • Database • DATABASE_URL configured externally • File storage • Supabase when configured • Analytics cache • Redis / memory fallback • Future task services

Sources / implementation evidence

render.yaml
backend/build.sh
backend/config/settings.py
frontend/src/lib/crm.ts

Testing and current verification

The current run passed 102 backend tests in 98.912 seconds with no Django system-check issues. The tests ran against an isolated test database with eager tasks and caching disabled. They test workflow and permission behaviour, including recent intake and ETBR additions. These checks were run for presentation preparation on 11 September 2026 and should not be described as your original internship-week test execution. Frontend static checks confirm type and lint consistency but do not prove that every browser flow or live infrastructure service is working.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 37 • 102 backend tests passed • Lead ownership and handoff
Imports, complaints and offboarding
ETBR, activities and intake rules • Frontend static checks • TypeScript: npm run typecheck
ESLint: npm run lint
Both completed successfully • Validation boundaries

Sources / implementation evidence

backend/leads/tests.py
backend/leads/test_intake.py
backend/analytics/test_etbr.py
backend/complaints/test_subtypes.py
backend/accounts/tests.py
Verification.md

Technical challenges and responses

These challenges are supported by implementation choices, but the code cannot establish which difficulties you personally experienced. Replace one or two rows with real examples: the trigger, what you saw, how you diagnosed it, what you changed and how you verified the result. Avoid claiming you independently solved a team problem unless that is accurate. Useful evidence includes the commit, test case and mentor review associated with the change.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 38 • Challenge • Response visible in code • Learning to discuss • CE and PS share one customer • Separate owner fields and qualification context • Model responsibility before building forms • Repeated or invalid intake data • Validation, normalisation and staged import • Validate before committing customer records • Users leave with open work • Impact preview, reassignment and history • Handle business continuity explicitly • Reports differ across users • Authorised cohorts and scoped cache keys • Define metric scope before comparing totals • Multiple clicks / concurrent updates

Sources / implementation evidence

backend/leads/views.py
backend/uploads/tasks.py
backend/accounts/offboarding.py
backend/analytics/cache.py

My internship experience and learning

Suggested first-person wording, use only if accurate: “At the beginning, I focused on the screens. As I understood the workflow, I started asking who owns each enquiry and what action should happen next.” Another option: “R&D helped me turn a general request into specific fields, permissions and validation rules.” Add a real event, the people involved by role and the resulting lesson. The presenter has not supplied personal anecdotes, so this slide intentionally uses prompts rather than invented experiences.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 39 • Understanding business work • Explain an actual showroom observation

Describe how it affected a requirement

Mention one useful mentor discussion • Growing as a developer • Explain one module you contributed to

Show a validation or workflow you understood

Describe one debugging experience • Working professionally

Project outcomes and remaining work

The defensible outcome is a working implementation represented by code and tests, not a claimed percentage improvement in company sales or employee productivity. Identify the portion you personally delivered. Remaining work includes live acceptance across roles, deployment verification, reminder scheduling and measurement of actual operational outcomes. Other potential extensions include narrower production origins, export and reporting improvements, validated source integrations and accessibility/browser review. Present them as future work, not completed features.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 40 • Available in the repository • Role-specific CRM workflows

Sales and complaint histories

Imports, analytics and lifecycle controls • Evidence available • Implementation files and migrations

Automated workflow checks

Technical diagrams and demo scenarios

Demonstration plan

Prepare a fictional customer record and use separate browser profiles for different roles because login cookies are shared between tabs in one profile. Start with configured branch names, active staff, model and source values. After each handoff, refresh the receiving queue and show the same lead identifier. Do not read real customer details aloud. If a live environment is unavailable, use the editable workflow diagrams and narrate the expected action and evidence rather than claiming a live demonstration occurred.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 41 • Scenario 1: enquiry to sale • Capture and assign a lead
CE qualifies and selects PS/SO
PS/SO records booking and retail • Scenario 2: customer issue • CE or reception creates complaint
Complaints team adds notes
Record resolution and review history • Scenario 3: management

Thank you

Close by connecting the internship to your learning: understanding dealership operations, translating responsibilities into software rules, and checking those rules with evidence. Thank your actual company mentor, college guide and colleagues by name only after confirming the details. Invite questions about the workflow, architecture, database and the specific modules you contributed to. The following appendix supports a more detailed technical viva.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 42

API reference for the viva

Resource routes are registered through Django REST Framework routers, while auth and analytics include explicit paths. Endpoint naming retains earlier terminology: so-update handles the dedicated business update route even though CE and PS/SO are separate user roles. Explain request validation, authentication and scope before discussing the result. Status codes include 400 for validation errors, 401 for missing/invalid authentication, 403 for forbidden actions, 404 for objects outside a filtered queryset and 409 for stale offboarding snapshots.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 43 • Method • Endpoint • Purpose • POST • /api/auth/login/ • Authenticate and set cookies • GET / POST • /api/leads/ • List visible leads / create allowed intake • PATCH • /api/leads/{id}/so-update/ • Dedicated call and sales workflow update • POST • /api/leads/{id}/assign/ • Allocate to CE • POST • /api/leads/{id}/complete-test-drive/ • Record completion once • POST • /api/uploads/{id}/commit/ • Commit reviewed import rows • GET

Sources / implementation evidence

backend/config/urls.py
backend/leads/urls.py
backend/accounts/urls.py
backend/uploads/urls.py
backend/analytics/urls.py

Additional entities and persistence choices

Django migrations evolve the schema. Optional or nullable fields support existing records while newer serializers enforce requirements for new submissions. `UserLifecycleEvent` protects the target user relation; several author references use `PROTECT` so historical records retain their identity. Other optional relationships use `SET_NULL`. Distinguish a historical audit record from a backup: audits do not replace database backup, recovery and retention procedures. Those operational procedures were not verified.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 44 • Entity • Key relationships / fields • Why it exists • `UploadBatch` → `UploadRow` • One batch has many staged rows • Review validation and duplicate results • `Complaint` → `ComplaintNote` • One ticket has many notes • Keep investigation discussion • Notification • User; optional Lead; `read_at` • Persist assignment and follow-up messages • `UserLifecycleEvent` • User, actor, reason and JSON summary • Retain disable/enable/delete history • `SystemConfig` • JSON lists and `updated_at` • Manage sources, models and activity hierarchy • `LeadAudit`

Sources / implementation evidence

`backend/uploads/models.py`

`backend/complaints/models.py`

`backend/notifications/models.py`

`backend/accounts/models.py`

`backend/leads/models.py`

Technical viva: likely questions

Use these as starting points and answer in your own words. When asked about framework choice, connect the choice to forms, APIs, authorisation and relational data rather than generic popularity. When asked about security, explain the exact controls and acknowledge review limits. When asked what you built, state only your verified contribution. When asked about database deployment, distinguish SQLite defaults, PostgreSQL support and the actual provider, which has not been inspected.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 45 • Question • Answer to develop • Why separate frontend and API? • Role-specific UI stays separate from shared validation and authorisation. • Why a relational database? • Ownership, calls, follow-ups and tickets have explicit relationships and transactional updates. • Why two lead owners? • The CE relationship remains while PS/SO takes responsibility for the sales stage. • How do you prevent duplicates? • Import parsing skips repeated phones; manual entry has no unique-phone constraint. • What makes a repeated action safe? • Test-drive completion locks the lead and writes its timestamp/audit only once.

Sources / implementation evidence

backend/config/settings.py
backend/leads/views.py
backend/uploads/tasks.py
render.yaml

References and photo credits

Full URLs and photo licensing details are supplied in Sources_and_Customisation.md and embedded in the notes. The Wikimedia photograph is licensed CC BY-SA 3.0: credit Ranjithsiji, link the source and licence, and retain the licence for any adapted version. It is placed unmodified in this presentation. The Flickr photograph retains its photographer's copyright; public availability is not an open licence. Seek the owner's permission or replace it with a personal/licensed image before public redistribution. Neither photograph is a current office-interior record.

Visible slide content

NIPPON TOYOTA / KALAMASSERY / INTERNSHIP • 46 • Source • What it supports • Nippon Toyota official About Us / CMS • Mission; Dealer Principal and Directors • Official Kalamassery location page • Legal entity, showroom/service centre and address • Company LinkedIn; official U Trust page • Published establishment date; used-car offering • Ranjithsiji / Wikimedia Commons (2012) • Kalamassery Toyota Office.JPG; CC BY-SA 3.0; unmodified photo • Sreejith Sivadasan / Flickr (2011) • Nippon Toyota showroom at South Kalamassery; all rights reserved

Sources / implementation evidence

<https://www.nippon-toyota.com/about-us.html>
<https://www.nippon-toyota.com/cms/about-us/dealer-principal-v1.txt>
<https://www.nippon-toyota.com/cms/about-us/dealer-mission-v1.txt>
<https://nippon-toyota.com/contact-co01b.html>
<https://www.linkedin.com/company/nippon-toyota-pvt-ltd>
<https://www.nippon-toyota.com/used-cars.html>
https://commons.wikimedia.org/wiki/File:Kalamassery_Toyota_Office.JPG
<https://www.flickr.com/photos/sreejithmsivadasan/5974734010>