North South University, Dept. of ECE

Sample questions

Q1:

- a. Show the states of a transaction in a diagram and explain.
- b. Transform the following concurrent schedule into a serial schedule by swapping of instructions.

T1	Т2
READ(P)	
	READ(Q)
	WRITE (Q)
READ(Q)	
	WRITE(R)
	READ (P)
WRITE(Q)	
WRITE (P)	

Q2:

- a. Explain how the query engine executes the conjunctive selection query using single index method.
- b. The NSU student schema is
 Student (id, name, thana, district, CGPA, tot-cred)

The SQL is: SELECT * FROM student WHERE name='Abdullah' AND district = 'Dhaka' AND tot-cred = 100

There are B+ tree indices on name, district and tot-cred. The heights of the indices are 3, 2 and 2 respectively. The number of tuples (pointers) for name='Abdullah', district = 'Dhaka' and tot-cred = 100 are 80, 200 and 60 respectively. Considering each tuple in separate block, find the costs of the SQL of conjunctive selection using single index method. The seek time is 10ms and block transfer time is 0.1ms. Which index will be used to process the query?

Q3:

- a. Explain nested loop join algorithm to join two relations: student \bowtie takes.
- b. The student and takes schema are:

Student (id, name, CGPA, street, city, year-admit)

Takes (id, course-id, semester, year)

The number of records and sizes of student and takes relation are as follows:

Relation	No. of records	No. of blocks
student	2000	200
takes	6000	60

Find the worst case and best-case cost of natural join operation student ⋈ takes using nested loop join.

Q4:

a. The relational schema for student course registration are as follows:

Student (Sid, name, street, city. Mobile, email, CGPA, age)

Takes (course-id, Sid, semester, year, GP)

Write relational algebra and construct the execution tree for the following:

SELECT sid, name

FROM student inner join takes ON student.sid = takes.sid

WHERE city = 'Dhaka' AND year = 2023

b. Explain how this query will be executed using pipeline method.

Q5:

- a. You have been given a number of 4TB disks. An ecommerce system requires 20 TB of effective storage using RAID 1. Find the total number of disks required for this storage system. Student relation has blocks B1, B2, B10. Show the storage of these blocks to your storage system.
- b. Explain clustering primary index with an example.