

Date : 11/sep/2025

task : IMA role:--

The screenshot displays the AWS Management Console interface for the 'General purpose buckets' section. The left sidebar shows the 'Amazon S3' navigation menu with options like 'General purpose buckets', 'Directory buckets', 'Table buckets', 'Vector buckets', 'Access Grants', 'Access Points (General Purpose Buckets, FSx file systems)', 'Access Points (Directory Buckets)', 'Object Lambda Access Points', 'Multi-Region Access Points', 'Batch Operations', 'IAM Access Analyzer for S3', and 'Block Public Access settings for this account'. The main content area is titled 'General purpose buckets (1/1) Info' and includes a search bar 'Find buckets by name'. A table lists the bucket 'avinish2820' in the 'US East (N. Virginia) us-east-1' region, created on 'September 11, 2025, 18:35:57 (UTC+05:30)'. Below the table, there are sections for 'Account snapshot' (Updated daily, View dashboard) and 'External access summary - new' (Updated daily, Info). The bottom of the console shows the 'Objects' tab for the 'avinish2820' bucket, listing one object: 'Screenshot (507).png' (png, 762.3 KB, Standard storage class, last modified on September 11, 2025, 18:37:56 (UTC+05:30)).

Amazon S3 > Buckets

General purpose buckets (1/1) Info

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
avinish2820	US East (N. Virginia) us-east-1	September 11, 2025, 18:35:57 (UTC+05:30)

Account snapshot Info

Updated daily

View dashboard

Storage Lens provides visibility into storage usage and activity trends.

External access summary - new Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

Amazon S3 > Buckets > avinish2820

avinish2820 Info

Objects Metadata Properties Permissions Metrics Management Access Points

Objects (1)

Copy S3 URI Copy URL Download Open Delete Actions Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Show versions

Name	Type	Last modified	Size	Storage class
Screenshot (507).png	png	September 11, 2025, 18:37:56 (UTC+05:30)	762.3 KB	Standard

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/users/details/avinashji?section=permissions

Identity and Access Management (IAM)

Permissions policies (2)

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type: All types

Policy name	Type	Attached via
AmazonEC2FullAccess	AWS managed	Directly
AmazonS3FullAccess	AWS managed	Directly

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this user, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

Generate policy

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles/details/ima_role_test?section=permissions

Identity and Access Management (IAM)

ima_role_test

Allows EC2 instances to call AWS services on your behalf.

Summary

Creation date: September 11, 2025, 18:24 (UTC+05:30)

ARN: arn:aws:iam:834153251358:role/ima_role_test

Instance profile ARN: arn:aws:iam:834153251358:instance-profile/ima_role_test

Last activity: -



Maximum session duration: 1 hour

Permissions policies (1)

You can attach up to 10 managed policies.

Filter by Type: All types

Policy name	Type	Attached entities
-------------	------	-------------------



```
[root@ip-172-31-29-123 .aws]# ls
config  credentials
[root@ip-172-31-29-123 .aws]# rm -rf
[root@ip-172-31-29-123 .aws]# aws s3 ls s3://avinish2820
2025-09-11 13:07:56      780640 Screenshot (507).png
[root@ip-172-31-29-123 .aws]# aws configure --profile
usage: aws [--profile PROFILE] [--debug]

aws error: argument --profile: expected one argument

[root@ip-172-31-29-123 .aws]# aws s3 ls
2025-09-11 13:05:57 avinish2820
[root@ip-172-31-29-123 .aws]# aws configure --profile avinish2820
AWS Access Key ID [None]: lqgw0W6130LY30Hvy8RNot2Waj86z8E0tgo8wZc
AWS Secret Access Key [None]: AKIA4EN3IQIPPF4004FT
Default region name [None]: u-east-1
Default output format [None]: json
[root@ip-172-31-29-123 .aws]# aws ls
usage: aws [options] <command> <subcommand> [<subcommand> ...] [parameters]
To see help text, you can run:

aws help
aws <command> help
aws <command> <subcommand> help

I-0cf38c896957c375e (imazole)
PublicIPs: 54.234.94.172  PrivateIPs: 172.31.29.123
```

Search

S3 buckets | S3 | us-east-1

https://us-east-1.console.aws.amazon.com/s3/buckets?region=us-east-1&bucketType=general

Amazon S3 > Buckets

General purpose buckets | All AWS Regions | Directory buckets

General purpose buckets (1/1) Info

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
avinish2820	US East (N. Virginia) us-east-1	September 11, 2025, 18:35:57 (UTC+05:30)

Account snapshot Info

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

View dashboard

External access summary - new Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

