


1. Create DB Instance in RDS


- Go to the AWS Management Console → RDS service.
- Choose **Create Database**.
- Select **MySQL** as the engine.
- Pick a template (free tier if allowed).
- Set instance details (DB name, username, password).
- Choose storage and VPC settings, then create.



This gives you a running MySQL server in AWS.

2. Create Database and Table using MySQL Workbench


- Open **MySQL Workbench** on your system.
- Use the endpoint, username, and password from RDS to connect.
- Run SQL commands to:
 - Create a new database .
 - Make a table



Now your RDS has some real data.

3. Create a Read Replica from the Instance


- Back in AWS RDS console, pick your database instance.
- Choose **Actions** → **Create read replica**.
- AWS will spin up another database that automatically copies data from the main DB.



This replica is “read-only,” used for load balancing or backups.

4. Connect to Read Replica


- Grab the endpoint of the replica from RDS.
- In MySQL Workbench, create a new connection with that endpoint.



You're now connected to the replica.

5. Fetch Records using Replica Instance


- Run `SELECT * FROM user;` (or whatever table you made).
- You should see the same data as in the main DB.



This proves replication is working.

6. Delete Main Instance DB

- In RDS console, select the main DB instance.
- Choose **Delete**.
- Confirm deletion.



Your replica remains alive, still serving data (now it is master)