

UUID Enablement

Overview

After the reboot, the disks malfunctioned and got swapped. The main disk and the OSD disk were interchanged, causing the OSD pod to enter a pending state. To fix this, we enabled the UUID from vSphere. Once the UUID was visible on the server, we linked it to the secondary disk. This allowed the OSD pods to be assigned to the correct UUID disk.


Before Enabling:

```
[root@worker1 ~]# cd /mnt/local-storage/local/
[root@worker1 local]# ls -ltr
total 0
lrwxrwxrwx. 1 root root 8 Mar 11 2023 sdb -> /dev/sdb
lrwxrwxrwx. 1 root root 8 Mar 11 2023 sda -> /dev/sda
```

Procedure:

- 1) Enable the UUID from the vSphere

edit setting > Advance > configuration paramerters > edit configuration



1) Identify the Non-root disk

```
lsblk
```

```
[root@worker1 ~]# lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINT
sda          8:0    0   300G  0 disk
├─sda1       8:1    0    1G  0 part /boot
├─sda2       8:2    0   119G  0 part
├─┬-rhel-root 253:0   0   299G  0 lvm  /
├─sda3       8:3    0   180G  0 part
├─┬-rhel-root 253:0   0   299G  0 lvm  /
└─sdb        8:16   0   220G  0 disk
sr0         11:0    1  1024M  0 rom
```

2) Grep the non-root disk

```
ls -ltr /dev/disk/by-id/ | grep sdb
```

```
[root@worker1 ~]# ls -ltr /dev/disk/by-id/ | grep sdb
lrwxrwxrwx. 1 root root 9 Apr 27 10:19 wwn-0x6000c299557b61e515e21c0eb1596611 -> ../../sdb
lrwxrwxrwx. 1 root root 9 Apr 27 10:19 scsi-SVMware_Virtual_disk_6000c299557b61e515e21c0eb1596611 -> ../../sdb
lrwxrwxrwx. 1 root root 9 Apr 27 10:19 scsi-36000c299557b61e515e21c0eb1596611 -> ../../sdb
```

3) Cd to the directory

```
cd /mnt/local-storage/local/
```

```
[root@worker7 ~]# cd /mnt/local-storage/local/
```

4) Unlink the disk

```
unlink sdb
```

```
[root@worker1 local]# unlink sdb
```

5) Link the Disk to the UUID

```
ln -sf /dev/disk/by-id/scsi-36000c298f22faac1227809a197fad1f0 sdb
```

```
[root@worker1 local]# ln -sf /dev/disk/by-id/scsi-36000c299557b61e515e21c0eb1596611 sdb
[root@worker1 local]# ls -ltr
total 0
lrwxrwxrwx. 1 root root 54 Apr 27 10:34 sdb -> /dev/disk/by-id/scsi-36000c299557b61e515e21c0eb1596611
```

6) Restart the OSD Pods if they are in the Pending or Terminating state

```
oc get po -n openshift-storage | egrep "Terminating|Pending" | grep  
worker(which is in drain state)| awk '{print "oc delete po --force "$2" -n "$1}' |  
sh
```