## Order#

11017



Date: 27/05/2020

Attention: Eric Tang

**Auslite Solution** 

Project: Indigo Hotel, Market Street, Public Spaces

Deliver To:

LiTEsource and Controls
Unit 8, 69-73 O'Riordan Street

Alexandria NSW 2015

Australia

Qty	Cat. #	Туре	Description	Length	Total Length	Price	Total
1	0812-12-27K-BTM- 2000mm	P-L1 - 2000mm	0812-12-27K-BTM-2000mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2000'mm'	2000mm	\$120.00	\$120.00
1	0812-12-27K-BTM- 2500mm	P-L1 - 2500mm	0812-12-27K-BTM-2500mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2500'mm'	2500mm	\$150.00	\$150.00
2	0812-12-27K-BTM- 3500mm	P-L1 - 3500mm	0812-12-27K-BTM-3500mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	3500'mm'	7000mm	\$210.00	\$420.00
1	0812-12-27K-BTM- 5400mm	P-L1 - 5400mm	0812-12-27K-BTM-5400mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5400'mm'	5400mm	\$324.00	\$324.00
1	0812-12-27K-BTM- 5900mm	P-L1 - 5900mm	0812-12-27K-BTM-5900mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5900'mm'	5900mm	\$354.00	\$354.00
2	0812-12-27K-BTM- 8000mm	P-L1 - 8000mm	0812-12-27K-BTM-8000mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	8000'mm'	16000mm	\$480.00	\$960.00
1	0812-12-27K-BTM- 9500mm	P-L1 - 9500mm	0812-12-27K-BTM-9500mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	9500'mm'	9500mm	\$570.00	\$570.00
1	0812-12-27K-BTM- 11500mm	P-L1 - 11500mm	0812-12-27K-BTM-11500mm exterior rated (IP65) LED SN MINI (24VDC) Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	11500'mm'	11500mm	\$690.00	\$690.00

Contact: Dave Lewis dave@litesource.com.au | +61 407 875 607

Please refer to the above order number on all correspondence

Unit 8, 69-73 O'Riordan Street | Alexandria NSW 2015 | T +61 2 9669 6976 | F +61 2 8079 6693

Qty	Cat. #	Туре	Description	Length	Total Length	Price	Total
310	0812-ALM-30mm	P-L1	0812-ALM-30mm Mounting "U" Channel Clip 10mmW x 12.3mmH x 30mmL. Colour: Aluminium.			\$0.35	\$108.50
5	FLY-1214-H-27-GR -24-LL	P-L2c	FLY-1214-H-27-GR-24-LL Surface Office Deco Fly (IP20) L1214mm High Power 39W/m 2700K Optics GR-Graze (14D x 22D) 24Vdc colour anodised aluminium driver not included. LL - anti glare louver (vinyl tape on underside of lens).			\$165.00	\$825.00
1	FLY-314-H-27-GR- 24-LL	P-L2c	FLY-314-H-27-GR-24-LL Surface Office Deco Fly IP20 L314mm High Power 39W/m 2700K Optics GR-Graze (14D x 22D) 24Vdc colour aluminium driver not included. LL - Anti glare louver (vinyl tape stuck on underside of lens).			\$96.00	\$96.00
2	1617TW-IP68-15-2 7K- BTM-3000mm	P-L7 - 3000mm	1617TW-IP68-15-27K-BTM-3000mm, submersible rated (IP68) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	3000'mm'	6000mm	\$240.00	\$480.00
1	1617TW-IP68-15-2 7K- BTM-4500mm	P-L7 - 4500mm	1617TW-IP68-15-27K-BTM-4500mm, submersible rated (IP68) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	4500'mm'	4500mm	\$360.00	\$360.00
1	1617TW-IP68-15-2 7K- BTM-8600mm	P-L7 - 8600mm	1617TW-IP68-15-27K-BTM-8600mm, submersible rated (IP68) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	8600'mm'	8600mm	\$688.00	\$688.00
1	1617TW-IP68-15-3 K- BTM-5500mm	P-L8 - 5400mm	1617TW-IP68-15-3K-BTM-5500mm, submersible rated (IP68) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	5500'mm'	5500mm	\$440.00	\$440.00
2	1617TW-IP68-15-3 K- BTM-10450mm	P-L8 - 10450mm	1617TW-IP68-15-3K-BTM-10450mm, submersible rated (IP68) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	10450'mm'	20900mm	\$836.00	\$1,672.00
235	1617-CLIP-CLEAR	P-L7/8	1617-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$82.25
			7				

\$8,339.75	Exclusive of GST
\$833.98	10% GST
\$9,173.73	Total (AUD)