Order#

9789



Date: 16/08/2019

Attention: Eric Tang

Auslite Solution

Project: Taronga Zoo, Wildlife Retreat Landscape

Deliver To:

LiTEsource and Controls
Unit 8, 69-73 O'Riordan Street

Alexandria NSW 2015

Australia

Qty	Cat. #	Туре	Description	Length	Total Length	Price	Total
1	1614-110-8-3K-BT M-1650mm	AL1 - 1660mm	1614-110-8-3K-BTM-1650mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	1650'mm'	1650mm	\$99.00	\$99.00
1	1614-110-8-3K-BT M-1850mm	AL1 - 1860mm	1614-110-8-3K-BTM-1850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	1850'mm'	1850mm	\$111.00	\$111.00
1	1614-110-8-3K-BT M-2000mm	AL1 - 2000mm	1614-110-8-3K-BTM-2000mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	2000'mm'	2000mm	\$120.00	\$120.00
1	1614-110-8-3K-BT M-3100mm	AL1 - 3100mm	1614-110-8-3K-BTM-3100mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3100'mm'	3100mm	\$186.00	\$186.00
1	1614-110-8-3K-BT M-3350mm	AL1 - 3360mm	1614-110-8-3K-BTM-3350mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3350'mm'	3350mm	\$201.00	\$201.00
1	1614-110-8-3K-BT M-3550mm	AL1 - 3560mm	1614-110-8-3K-BTM-3550mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3550'mm'	3550mm	\$213.00	\$213.00

Contact: Matt Roworth matt@litesource.com.au | +61 423 486 309

Unit 8, 69-73 O'Riordan Street | Alexandria NSW 2015 | T +61 2 9669 6976 | F +61 2 8079 6693

Qty	Cat. #	Туре	Description	Length	Total Length	Price	Total
1	1614-110-8-3K-BT M-4150mm	AL1 - 4160mm	1614-110-8-3K-BTM-4150mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4150'mm'	4150mm	\$249.00	\$249.00
1	1614-110-8-3K-BT M-4800mm	AL1 - 4820mm	1614-110-8-3K-BTM-4800mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4800'mm'	4800mm	\$288.00	\$288.00
1	1614-110-8-3K-BT M-4950mm	AL1 - 4955mm	1614-110-8-3K-BTM-4950mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4950'mm'	4950mm	\$297.00	\$297.00
1	1614-110-8-3K-BT M-5400mm	AL1 - 5400mm	1614-110-8-3K-BTM-5400mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	5400'mm'	5400mm	\$324.00	\$324.00
1	1614-110-8-3K-BT M-5400mm	AL1 - 5400mm	1614-110-8-3K-BTM-5400mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	5400'mm'	5400mm	\$324.00	\$324.00
1	1614-110-8-3K-BT M-6300mm	AL1 - 6340mm	1614-110-8-3K-BTM-6300mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	6300'mm'	6300mm	\$378.00	\$378.00
1	1614-110-8-3K-BT M-6500mm	AL1 - 6500mm	1614-110-8-3K-BTM-6500mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	6500'mm'	6500mm	\$390.00	\$390.00
1	1614-110-8-3K-BT M-7400mm	AL1 - 7400mm	1614-110-8-3K-BTM-7400mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 8W/Meter (600 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	7400'mm'	7400mm	\$444.00	\$444.00

Exclusive of GST	\$3,624.00
10% GST	\$362.40
Total (AUD)	\$3,986.40
**The wattage lumens required 8 watts & 600 lumens (approx).	