



# Order # 12630

Date: **11/05/2021**  
 Attention: **Orders  
Aus Neon**  
 Project: **Station Street - Watergardens**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	0812-12-27K-BTM-2300mm	L1 - 2300mm	0812-12-27K-BTM-2300mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2300'mm'	2300mm	\$138.00	\$138.00
1	0812-12-27K-BTM-2700mm	L1 - 2700mm	0812-12-27K-BTM-2700mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2700'mm'	2700mm	\$162.00	\$162.00
1	0812-12-27K-BTM-2700mm	L1 - 2700mm	0812-12-27K-BTM-2700mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2700'mm'	2700mm	\$162.00	\$162.00
1	0812-12-27K-BTM-3700mm	L1 - 3700mm	0812-12-27K-BTM-3700mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	3700'mm'	3700mm	\$222.00	\$222.00
1	0812-12-27K-BTM-4100mm	L1 - 4100mm	0812-12-27K-BTM-4100mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4100'mm'	4100mm	\$246.00	\$246.00
1	0812-12-27K-BTM-4200mm	L1 - 4200mm	0812-12-27K-BTM-4200mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4200'mm'	4200mm	\$252.00	\$252.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	0812-12-27K-BTM-4300mm	L1 - 4300mm	0812-12-27K-BTM-4300mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4300'mm'	4300mm	\$258.00	\$258.00
1	0812-12-27K-BTM-4500mm	L1 - 4500mm	0812-12-27K-BTM-4500mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4500'mm'	4500mm	\$270.00	\$270.00
1	0812-12-27K-BTM-4900mm	L1 - 4900mm	0812-12-27K-BTM-4900mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4900'mm'	4900mm	\$294.00	\$294.00
1	0812-12-27K-BTM-5100mm	L1 - 5100mm	0812-12-27K-BTM-5100mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5100'mm'	5100mm	\$306.00	\$306.00
1	0812-12-27K-BTM-5400mm	L1 - 5400mm	0812-12-27K-BTM-5400mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5400'mm'	5400mm	\$324.00	\$324.00
1	0812-12-27K-BTM-5600mm	L1 - 5600mm	0812-12-27K-BTM-5600mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5600'mm'	5600mm	\$336.00	\$336.00
1	0812-12-27K-BTM-5600mm	L1 - 5600mm	0812-12-27K-BTM-5600mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5600'mm'	5600mm	\$336.00	\$336.00
1	0812-12-27K-BTM-5800mm	L1 - 5800mm	0812-12-27K-BTM-5800mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5800'mm'	5800mm	\$348.00	\$348.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	0812-12-27K-BTM-5800mm	L1 - 5800mm	0812-12-27K-BTM-5800mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5800'mm'	5800mm	\$348.00	\$348.00
1	0812-12-27K-BTM-5900mm	L1 - 5900mm	0812-12-27K-BTM-5900mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5900'mm'	5900mm	\$354.00	\$354.00
1	0812-12-27K-BTM-6000mm	L1 - 6000mm	0812-12-27K-BTM-6000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6000'mm'	6000mm	\$360.00	\$360.00
1	0812-12-27K-BTM-6000mm	L1 - 6000mm	0812-12-27K-BTM-6000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6000'mm'	6000mm	\$360.00	\$360.00
1	0812-12-27K-BTM-6200mm	L1 - 6200mm	0812-12-27K-BTM-6200mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6200'mm'	6200mm	\$372.00	\$372.00
1	0812-12-27K-BTM-6200mm	L1 - 6200mm	0812-12-27K-BTM-6200mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6200'mm'	6200mm	\$372.00	\$372.00
1	0812-12-27K-BTM-6350mm	L1 - 6350mm	0812-12-27K-BTM-6350mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6350'mm'	6350mm	\$381.00	\$381.00
1	0812-12-27K-BTM-6600mm	L1 - 6600mm	0812-12-27K-BTM-6600mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6600'mm'	6600mm	\$396.00	\$396.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	0812-12-27K-BTM-6700mm	L1 - 6700mm	0812-12-27K-BTM-6700mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6700'mm'	6700mm	\$402.00	\$402.00
1	0812-12-27K-BTM-6900mm	L1 - 6900mm	0812-12-27K-BTM-6900mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	6900'mm'	6900mm	\$414.00	\$414.00
1	0812-12-27K-BTM-7000mm	L1 - 7000mm	0812-12-27K-BTM-7000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7000'mm'	7000mm	\$420.00	\$420.00
2	0812-12-27K-BTM-7000mm	L1 - 7000mm	0812-12-27K-BTM-7000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7000'mm'	14000mm	\$420.00	\$840.00
1	0812-12-27K-BTM-7200mm	L1 - 7200mm	0812-12-27K-BTM-7200mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7200'mm'	7200mm	\$432.00	\$432.00
1	0812-12-27K-BTM-7300mm	L1 - 7300mm	0812-12-27K-BTM-7300mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7300'mm'	7300mm	\$438.00	\$438.00
1	0812-12-27K-BTM-7400mm	L1 - 7400mm	0812-12-27K-BTM-7400mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7400'mm'	7400mm	\$444.00	\$444.00
1	0812-12-27K-BTM-7500mm	L1 - 7500mm	0812-12-27K-BTM-7500mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7500'mm'	7500mm	\$450.00	\$450.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	0812-12-27K-BTM-7500mm	L1 - 7500mm	0812-12-27K-BTM-7500mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	7500'mm'	7500mm	\$450.00	\$450.00
1	0812-12-27K-BTM-8400mm	L1 - 8400mm	0812-12-27K-BTM-8400mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	8400'mm'	8400mm	\$504.00	\$504.00
1	0812-12-27K-BTM-8500mm	L1 - 8500mm	0812-12-27K-BTM-8500mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	8500'mm'	8500mm	\$510.00	\$510.00
1	0812-12-27K-BTM-9200mm	L1 - 9200mm	0812-12-27K-BTM-9200mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	9200'mm'	9200mm	\$552.00	\$552.00
1	0812-12-27K-BTM-9500mm	L1 - 9500mm	0812-12-27K-BTM-9500mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	9500'mm'	9500mm	\$570.00	\$570.00
1	0812-12-27K-BTM-10000mm	L1 - 10000mm	0812-12-27K-BTM-10000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	10000'mm'	10000mm	\$600.00	\$600.00
1	0812-12-27K-BTM-10000mm	L1 - 10000mm	0812-12-27K-BTM-10000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	10000'mm'	10000mm	\$600.00	\$600.00
1	0812-12-27K-BTM-10000mm	L1 - 10000mm	0812-12-27K-BTM-10000mm exterior rated IP65 LED SN MINI 24VDC Flex (8 x 12mm) 12W/Meter (400 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	10000'mm'	10000mm	\$600.00	\$600.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-12-27K-BTM-2800mm	L5 - 2800mm	1617S-12-27K-BTM-2800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	2800'mm'	2800mm	\$154.00	\$154.00
1	1617S-12-27K-BTM-5750mm	L5 - 5750mm	1617S-12-27K-BTM-5750mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	5750'mm'	5750mm	\$316.25	\$316.25
1	1617S-12-27K-BTM-5900mm	L5 - 5900mm	1617S-12-27K-BTM-5900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	5900'mm'	5900mm	\$324.50	\$324.50
1	1617S-12-27K-BTM-7000mm	L5 - 7000mm	1617S-12-27K-BTM-7000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	7000'mm'	7000mm	\$385.00	\$385.00
1	1617S-12-27K-BTM-7150mm	L5 - 7150mm	1617S-12-27K-BTM-7150mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	7150'mm'	7150mm	\$393.25	\$393.25
2	1617S-12-27K-BTM-7200mm	L5 - 7200mm	1617S-12-27K-BTM-7200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	7200'mm'	14400mm	\$396.00	\$792.00
1	1617S-12-27K-BTM-7650mm	L5 - 7650mm	1617S-12-27K-BTM-7650mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	7650'mm'	7650mm	\$420.75	\$420.75
1	1617S-12-27K-BTM-8450mm	L5 - 8450mm	1617S-12-27K-BTM-8450mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K BTM = Bottom feed 2000mm cable.	8450'mm'	8450mm	\$464.75	\$464.75
1,244	0812-ALM-30mm	L1 - 15800mm	0812-ALM-30mm Mounting Channel Clip 10mmW x 12.3mmH x 30mmL. Colour: Aluminium.			\$0.35	\$435.40
298	1617-CLIP-CLEAR	L5 - 15700mm	1617-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$104.30

	Exclusive of GST	\$18,613.20
	10% GST	\$1,861.32
	Total (AUD)	\$20,474.52