



# Tax Invoice 20880

PO #: **517197**  
 Date: **06/02/2018**  
 Attention: **Anthony Weir**  
**Salmon Brothers, Alexandria**  
 Project: **Jordan Springs Entry Artwork**

Qty	Cat. #	Type	Description	Price	Total
1			Element 1		
4	SN-RGB-BTM-900mm	L1 - 900mm	VueLite, SN-RGB-BTM-900mm, exterior rated (IP67) LED NEON (24VDC) Flex (13 x 21mm) 12W/Metre (380 lumens) RGB, BTM = Bottom feed 2000mm cable.	\$127.50	\$510.00
1		L1 - 900mm	Note: Cut down from 1300mm		
4	SN-TRU-Per Metre	L1 - 900mm	VueLite, SN-TRU-Per Metre, Mounting "U" Channel extrusion, 13 x 21 x 1000mm, colour aluminium.	\$7.20	\$28.80
4	SN-RGB-BTM-2500m	L1 - 2500m	VueLite, SN-RGB-BTM-2500mm, exterior rated (IP67) LED NEON (24VDC) Flex (13 x 21mm) 12W/Metre (380 lumens) RGB, BTM = Bottom feed 2000mm cable.	\$367.50	\$1,470.00
1		L1 - 2500m	Note: Ordered new.		
10	SN-TRU-Per Metre	L1 - 2500m	VueLite, SN-TRU-Per Metre, Mounting "U" Channel extrusion, 13 x 21 x 1000mm, colour aluminium.	\$7.20	\$72.00
4	SN-RGB-BTM-4860m	L1 - 4860m	VueLite, SN-RGB-BTM-4860mm, exterior rated (IP67) LED NEON (24VDC) Flex (13 x 21mm) 12W/Metre (380 lumens) RGB, BTM = Bottom feed 2000mm cable.	\$729.00	\$2,916.00
20	SN-TRU-Per Metre	L1 - 4860m	VueLite, SN-TRU-Per Metre, Mounting "U" Channel extrusion, 13 x 21 x 1000mm, colour aluminium.	\$7.20	\$144.00
2	DMX-4C5A-WP	L1 - Element 1	DMX-4C5A-WP IP67 rated DMX (12-24V) 4 channel 5 amp interface (Max. 20A per interface).	\$136.36	\$272.72
2	VDD-24-250W-IP	L1 - Element 1	VDD-24-250W (IP67) 250watt 24VDC NON-dimmable LED driver with Flex & Plug.	\$163.64	\$327.28
Subtotal:					\$5,740.80
1			Element 2		
4	SN-RGB-BTM-1400m	L1 - 1400m	VueLite, SN-RGB-BTM-1400mm, exterior rated (IP67) LED NEON (24VDC) Flex (13 x 21mm) 12W/Metre (380 lumens) RGB, BTM = Bottom feed 2000mm cable.	\$202.50	\$810.00
1		L1 - 1400m	Note: Cut down from 2200mm.		
6	SN-TRU-Per Metre	L1 - 1400m	VueLite, SN-TRU-Per Metre, Mounting "U" Channel extrusion, 13 x 21 x 1000mm, colour aluminium.	\$7.20	\$43.20
4	SN-RGB-BTM-2300m	L1 - 2300m	VueLite, SN-RGB-BTM-2300mm, exterior rated (IP67) LED NEON (24VDC) Flex (13 x 21mm) 12W/Metre (380 lumens) RGB, BTM = Bottom feed 2000mm cable.	\$337.50	\$1,350.00

Qty	Cat. #	Type	Description	Price	Total
1		L1 - 2300m m	Note: Cutdown from 2400mm.		
10	SN-TRU-Per Metre	L1 - 2300m m	VueLite, SN-TRU-Per Metre, Mounting "U" Channel extrusion, 13 x 21 x 1000mm, colour aluminium.	\$7.20	\$72.00
4	SN-RGB-BTM-6060m m	L1 - 6060m m	VueLite, SN-RGB-BTM-6060mm, exterior rated (IP67) LED NEON (24VDC) Flex (13 x 21mm) 12W/Metre (380 lumens) RGB, BTM = Bottom feed 2000mm cable.	\$909.00	\$3,636.00
26	SN-TRU-Per Metre	L1 - 6060m m	VueLite, SN-TRU-Per Metre, Mounting "U" Channel extrusion, 13 x 21 x 1000mm, colour aluminium.	\$7.20	\$187.20
2	DMX-4C5A-WP	L1 - Element 2	DMX-4C5A-WP IP67 rated DMX (12-24V) 4 channel 5 amp interface (Max. 20A per interface).	\$136.36	\$272.72
2	VDD-24-320W-IP	L1 - Element 2	VDD-24-320W-IP (IP67) 320watt, 24VDC NON-dimmable LED driver with Flex & Plug.	\$200.00	\$400.00
Subtotal:					\$6,771.12
1					
1			Element 3		
2	SD-624-H-RGB-GR-24	L3 - 2 x 1040m m	Filix Lighting SD-624-H-RGB-GR-24 Step UP Deco in-grade linear line of light with high performance Optics GR-Graze (14° x 40°) L624mm (IP67) RGB 24Vdc 39W/ft standard cable 1m 304 Stainless steel housing with 10mm tempered glass lens for seamless integration into grade. Installation housing & driver not included.	\$654.55	\$1,309.10
2	SD307	L3 - 2 x 1040m m	Filix Lighting SD307. Installation Housing 304 Stainless Steel L624mm for Step UP Step UP Deco.	\$116.36	\$232.72
		L3 - 2 x 1040m m	NOTE: Above length is 624mm.		
2	SD-1224-H-RGB-GR-24	L4 - 2 x 1900m m	Filix Lighting SD-1224-H-RGB-GR-24 Step UP Deco in-grade linear line of light with high performance Optics GR-Graze (14° x 40°) L1224mm (IP67) RGB 24Vdc 39W/ft standard cable 1m 304 Stainless steel housing with 10mm tempered glass lens for seamless integration into grade. Installation housing & driver not included.	\$1,054.55	\$2,109.10
2	SD309	L4 - 2 x 1900m m	Filix Lighting, SD309, Installation Housing, Stainless Steel, L1224mm for Step UP, Step UP Deco.	\$181.82	\$363.64
2	SD-624-H-RGB-GR-24	L4 - 2 x 1900m m	Filix Lighting SD-624-H-RGB-GR-24 Step UP Deco in-grade linear line of light with high performance Optics GR-Graze (14° x 40°) L624mm (IP67) RGB 24Vdc 39W/ft standard cable 1m 304 Stainless steel housing with 10mm tempered glass lens for seamless integration into grade. Installation housing & driver not included.	\$654.55	\$1,309.10
2	SD307	L4 - 2 x 1900m m	Filix Lighting SD307. Installation Housing 304 Stainless Steel L624mm for Step UP Step UP Deco.	\$116.36	\$232.72
		L3/L4	NOTE: Above length is 1848mm.		
2	DMX-4C5A-WP	L3/L4 - Element 3	DMX-4C5A-WP IP67 rated DMX (12-24V) 4 channel 5 amp interface (Max. 20A per interface).	\$136.36	\$272.72

Qty	Cat. #	Type	Description	Price	Total
2	VDD-24-200W-IP	L3/L4 - Element 3	VDD-24-200W-IP (IP67) 200watt 24VDC NON-dimmable LED driver with Flex & Plug.	\$145.45	\$290.90
Subtotal:					\$6,120.00
1	Element 4				
2	SD-1224-H-RGB-GR-24	L4 - 2 x 1830m	Filix Lighting SD-1224-H-RGB-GR-24 Step UP Deco in-grade linear line of light with high performance Optics GR-Graze (14° x 40°) L1224mm (IP67) RGB 24Vdc 39W/ft standard cable 1m 304 Stainless steel housing with 10mm tempered glass lens for seamless integration into grade. Installation housing & driver not included.	\$1,054.55	\$2,109.10
2	SD309	L4 - 2 x 1830m	Filix Lighting, SD309, Installation Housing, Stainless Steel, L1224mm for Step UP, Step UP Deco.	\$181.82	\$363.64
		L4 - 2 x 1830m	NOTE: Above length is 1224mm.		
2	SD-1224-H-RGB-GR-24	L4 - 2 x 1640m	Filix Lighting SD-1224-H-RGB-GR-24 Step UP Deco in-grade linear line of light with high performance Optics GR-Graze (14° x 40°) L1224mm (IP67) RGB 24Vdc 39W/ft standard cable 1m 304 Stainless steel housing with 10mm tempered glass lens for seamless integration into grade. Installation housing & driver not included.	\$1,054.55	\$2,109.10
2	SD309	L4 - 2 x 1640m	Filix Lighting SD309. Installation Housing 304 Stainless Steel L1224mm for Step UP Step UP Deco.	\$181.82	\$363.64
		L4 - 2 x 1640m	NOTE: Above length is 1224mm.		
1	DMX-4C5A-WP	L4 - Element 4	DMX-4C5A-WP IP67 rated DMX (12-24V) 4 channel 5 amp interface (Max. 20A per interface).	\$136.36	\$136.36
1	VDD-24-200W-IP	L4 - Element 4	VDD-24-200W-IP (IP67) 200watt 24VDC NON-dimmable LED driver with Flex & Plug.	\$150.00	\$150.00
Subtotal:					\$5,231.84
1	Element 5				
2	SD-48-H-RGB-GR-24	L4 - 2 x 1710m	Filix Lighting, SD-48-H-RGB-GR-24, Step UP Deco in-grade, linear line of light with high performance Optics GR-Graze (14° x 22°) L1224mm (IP67) RGB, 24Vdc, 39W/ft, standard cable 1m, 304 Stainless steel housing with 10mm flush tempered glass lens for seamless integration into grade, driver not Included	\$1,054.55	\$2,109.10
2	SD309	L4 - 2 x 1710m	Filix Lighting, SD309, Installation Housing, Stainless Steel, L1224mm for Step UP, Step UP Deco.	\$182.67	\$365.34
		L4 - 2 x 1710m	NOTE: Above length is 1224mm.		

Qty	Cat. #	Type	Description	Price	Total
2	SD-624-H-RGB-SP-24	L2 - 2 x 670mm	Filix Lighting SD-624-H-RGB-SP-24 Step UP Deco in-grade linear line of light with high performance Optics SP-Spot (17°) L624mm (IP67) RGB 24Vdc 39W/ft standard cable 1m 304 Stainless steel housing with 10mm tempered glass lens for seamless integration into grade. Installation housing & driver not included.	\$654.55	\$1,309.10
2	SD305	L2 - 2 x 670mm	Filix Lighting SD305. Installation Housing 304 Stainless Steel L324mm for Step UP Step UP Deco.	\$100.00	\$200.00
		L2 - 2 x 670mm	NOTE: Above length is 624mm.		
1	DMX-4C5A-WP	L2/L4 - Element 5	DMX-4C5A-WP IP67 rated DMX (12-24V) 4 channel 5 amp interface (Max. 20A per interface).	\$136.36	\$136.36
1	VDD-24-200W-IP	L2/L4 - Element 5	VDD-24-200W-IP (IP67) 200watt 24VDC NON-dimmable LED driver with Flex & Plug.	\$150.00	\$150.00
Subtotal:					\$4,269.90
1	Tunnel				
3	RDD60-TM-H-30-FL-24-C6-BK	S1	Filix Lighting RDD60-TM-H-30-FL-24-C6-BK RDD 60 Deco up light Trim FL-Flood (31°) Optics D75mm (IP67) 3000K 24Vdc 6W standard cable 6m transparent glass lens for seamless integration in to grade. Installation housing & driver not included. colour matte black	\$425.45	\$1,276.35
3	RDD60-C	S1	Filix Lighting RDD60-C ABS Concrete Installation housing for the RDD60 series.	\$43.64	\$130.92
1	DMX-4C5A-WP	S1	DMX-4C5A-WP IP67 rated DMX (12-24V) 4 channel 5 amp interface (Max. 20A per interface).	\$136.36	\$136.36
1	VDD-24-120W-IP	S1	VDD-24-120W-IP 120watt (IP65) 24VDC non-dimmable driver	\$90.91	\$90.91
Subtotal:					\$1,634.54
53	xcdfdsfds				
6	VDD-24-250W-IP		VDD-24-250W (IP67) 250watt 24VDC NON-dimmable LED driver with Flex & Plug.	\$163.64	\$981.84
7	Stick-CU4 + Power4M		Nicolaudie Stick-CU4 Stand alone wall mounted DMX controller 36 scene USB / ETHER GLASS 86 x 86mm glass design with touch-sensitive buttons colour dimmer speed palette and graphic colour display. 2 DMX OUT universe (512 DMX channels - 170 RGB fixtures). USB+ETHERNET connection. Multi-zone memory colour black.	\$1,090.91	\$7,636.37
8	Stick-DE3 + Power4M		Nicolaudie Stick-DE3 Stand alone wall mounted DMX controller 1024ch USB / ETHER GLASS 106 x 146mm glass design with touch-sensitive buttons colour dimmer speed palette and graphic colour display. 2 DMX OUT universe (1024 channels). USB+ETHERNET connection. Multi-zone memory. Trigger from RS232 PORTS infra red clock/calendar.	\$1,636.36	\$13,090.88
4	ghdfdgf				
90	RDD100-TM-H-27-S-P-24		Filix Lighting RDD100-TM-H-27-SP-24 RDD 100 Deco up light Trim SP-Spot (17°) D125mm (IP67) 2700K 24Vdc 8W standard cable 0.3m 15mm transparent glass lens for seamless integration in to grade. Installation housing & driver not included.	\$476.36	\$42,872.40

Qty	Cat. #	Type	Description	Price	Total
4	DMX-700		DMX-700 DMX (700mA) constant current dimmable interface Output: 3 channel = 3-36Watt Input: 12-48V 3Amp.	\$90.91	\$363.64
5	Goof Ring		Goof Ring to suit the above fixture and the existing TBDmm cutout.	\$13.64	\$68.20
9	WD-DMX-1-BK		WD-DMX-1-BK Wall mounted Touch Panel DMX RGBW Control 1 Zone colour black glass.	\$109.09	\$981.81
67	WD-DMX-1-BK		WD-DMX-1-BK Wall mounted Touch Panel DMX RGBW Control 1 Zone colour black glass.	\$109.09	\$7,309.03
89	WD-DMX-1-BK		WD-DMX-1-BK Wall mounted Touch Panel DMX RGBW Control 1 Zone colour black glass.	\$109.09	\$9,709.01
9	WD-DMX-1				
7	WD-DMX-1-BK		WD-DMX-1-BK Wall mounted Touch Panel DMX RGBW Control 1 Zone colour black glass.	\$109.09	\$763.63
9	WD-DMX-4-WH		WD-DMX-4-WH Wall mounted Touch Panel DMX RGBW Control 4 Zone colour white glass with in-built WIFI.	\$109.09	\$981.81
8	WD-DMX-4-BK		WD-DMX-4-BK Wall mounted Touch Panel DMX RGBW Control 4 Zone colour black glass with in-built WIFI.	\$109.09	\$872.72
10	WD-DMX-4-WH		WD-DMX-4-WH Wall mounted Touch Panel DMX RGBW Control 4 Zone colour white glass with in-built WIFI.	\$109.09	\$1,090.90
10	WD-DMX-4-WH		WD-DMX-4-WH Wall mounted Touch Panel DMX RGBW Control 4 Zone colour white glass with in-built WIFI.	\$109.09	\$1,090.90
45	WD-DMX-4-WH		WD-DMX-4-WH Wall mounted Touch Panel DMX RGBW Control 4 Zone colour white glass with in-built WIFI.	\$109.09	\$4,909.05
67	WD-DMX-4-BK		WD-DMX-4-BK Wall mounted Touch Panel DMX RGBW Control 4 Zone colour black glass with in-built WIFI.	\$109.09	\$7,309.03
20	Stick-KE1 + Power4M		Nicolaudie Stick-KE1 Stand alone wall mounted DMX controller 512 x 2ch USB / ETHER GLASS 128 x 168mm glass design with touch-sensitive buttons colour dimmer speed palette and graphic colour display. 2 DMX OUT universe (1024 channels). USB+ETHERNET connection. Multi-zone memory. Trigger from RS232 PORTS infra red clock/calendar.	\$1,545.45	\$30,909.00
11	Stick-KE1 + Power4M		Nicolaudie Stick-KE1 Stand alone wall mounted DMX controller 512 x 2ch USB / ETHER GLASS 128 x 168mm glass design with touch-sensitive buttons colour dimmer speed palette and graphic colour display. 2 DMX OUT universe (1024 channels). USB+ETHERNET connection. Multi-zone memory. Trigger from RS232 PORTS infra red clock/calendar.	\$1,545.45	\$16,999.95
18	Stick-KE1 + Power4M		Nicolaudie Stick-KE1 Stand alone wall mounted DMX controller 512 x 2ch USB / ETHER GLASS 128 x 168mm glass design with touch-sensitive buttons colour dimmer speed palette and graphic colour display. 2 DMX OUT universe (1024 channels). USB+ETHERNET connection. Multi-zone memory. Trigger from RS232 PORTS infra red clock/calendar.	\$1,545.45	\$27,818.10
13	Stick-GU2 + Power4M		Nicolaudie Stick-GU2 Stand alone wall mounted DMX controller 24 scene USB / ETHER GLASS 86 x 86mm glass design with touch-sensitive buttons colour dimmer speed palette and graphic colour display. 2 DMX OUT universe (128 channels). USB+ETHERNET connection. Multi-zone memory. Trigger from RS232 PORTS	\$909.09	\$11,818.17
16					

<b>Total</b>	<b>Exclusive of GST</b>	<b>\$217,344.64</b>
	<b>10% GST</b>	<b>\$21,734.46</b>
	<b>Inclusive of 10% GST</b>	<b>\$239,079.10</b>

---

**Banking Details:**  
**Company Name:** LITeSource and Controls Pty Ltd  
**ABN:** 25 136 501 445  
**Bank BSB:** ANZ 012241  
**ACCT:** 901354228  
**Payment Terms:** 30 days - Payment Due 18/03/2018

---